



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

EP 99 / 5991

REC'D 27 OCT 1999

WIPO

PCT

EJUV

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

98310694.9

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN
THE HAGUE, 20/10/99
LA HAYE, LE





Europäische
Patentamt

European
Patent Office

Office européen
des brevets

**Blatt 2 der Bescheinigung
Sheet 2 of the certificate
Page 2 de l'attestation**

Anmeldung Nr.:
Application no.:
Demande n°: **98310694.9**

Anmeldetag:
Date of filing:
Date de dépôt: **23/12/98**

Anmelder:
Applicant(s):
Demandeur(s):
JANSSEN PHARMACEUTICA N.V.
2340 Beerse
BELGIUM

Bezeichnung der Erfindung:
Title of the invention:
Titre de l'invention:
Drug targets in candida albicans

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat: **GB**
State:
Pays:

Tag: **14/08/98**
Date:
Date:

Aktenzeichen:
File no.
Numéro de dépôt:

GBA 9817796

Internationale Patentklassifikation:
International Patent classification:
Classification internationale des brevets:

/

Am Anmeldetag benannte Vertragsstaaten:
Contracting states designated at date of filing: **AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE**
Etats contractants désignés lors du dépôt:

Bemerkungen:
Remarks:
Remarques:



19. 01. 1999

- 1 -

(61)

DRUG TARGETS IN CANDIDA ALBICANS

The present invention is concerned with the identification of genes or functional fragments thereof from *Candida albicans* which are critical for growth and cell division and which genes may be used as selective drug targets to treat *Candida albicans* associated infections. Novel nucleic acid sequences from *Candida albicans* are also provided and which encode the polypeptides which are critical for growth of *Candida albicans*.

Opportunistic infections in immunocompromised hosts represent an increasingly common cause of mortality and morbidity. *Candida* species are among the most commonly identified fungal pathogens associated with such opportunistic infections, with *Candida albicans* being the most common species. Such fungal infections are thus problematical in, for example, AIDS populations in addition to normal healthy women where *Candida albicans* yeasts represent the most common cause of vulvovaginitis.

Although compounds do exist for treating such disorders, such as for example, amphotericin, these drugs are generally limited in their treatment because of their toxicity and side effects. Therefore, there exists a need for new compounds which may be used to treat *Candida* associated infections in addition to compounds which are selective in their action against *Candida albicans*.

Classical approaches for identifying anti-fungal compounds have relied almost exclusively on inhibition of fungal or yeast growth as an endpoint. Libraries of natural products, semi-synthetic, or synthetic chemicals are screened for their ability to kill or arrest growth of the target pathogen or a related

- 2 -

nonpathogenic model organism. These tests are cumbersome and provide no information about a compounds mechanism of action. The promising lead compounds that emerge from such screens must then be
5 tested for possible host-toxicity and detailed mechanism of action studies must subsequently be conducted to identify the affected molecular target.

The present inventors have now identified a range of nucleic acid sequences from *Candida albicans* which
10 encode polypeptides which are critical for its survival and growth. These sequences represent novel targets which can be incorporated into an assay to selectively identify compounds capable of inhibiting expression of such polypeptides and their potential
15 use in alleviating diseases or conditions associated with *Candida albicans* infection.

Therefore, according to a first aspect of the invention there is provided a nucleic acid molecule encoding a polypeptide which is critical for survival
20 and growth of the yeast *Candida albicans* and which nucleic acid molecule comprises any of the sequences of nucleotides in Sequence ID Numbers 1 to 3, 5, 6, 8 to 11, 13, 15, 16, 18, 20, 21, 23, 25 to 29, 31, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61,
25 63, 65, 67, 69 and 71.

A further aspect of the invention comprises a nucleic acid molecule encoding a polypeptide which is critical for survival and growth of the yeast *Candida albicans* and which nucleic acid molecule comprises any
30 of the sequences of Sequence ID Numbers 1, 28, 35, 37 and 39 and fragments or derivatives of said nucleic acid molecules.

Also provided by the present invention is a nucleic acid molecule encoding a polypeptide which is
35 critical for survival and growth of the yeast *Candida*

- 3 -

5 *albicans* and which polypeptide has an amino acid sequence according to the sequence of any of Sequence ID Numbers 4, 7, 12, 14, 17, 19, 22, 24, 30, 32 to 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 and 72.

10 Letters utilised in the nucleic acid sequences according to the invention which are not recognisable as letters of the genetic code signify a position in the nucleic acid sequence where one or more of bases A, G, C or T can occupy the nucleotide position. Representative letters used to identify the range of bases which can be used are as follows:

15	M:	A or C
	R:	A or G
	W:	A or T
	S:	C or G
	Y:	C or T
	K:	G or T
20	V:	A or C or G
	H:	A or C or T
	D:	A or G or T
	B:	C or G or T
	N:	G or A or T or C

25 In one embodiment of the above identified aspects of the invention the nucleic acid may comprise a mRNA molecule or alternatively a DNA and preferably a cDNA molecule.

30 Also provided by the present invention is a nucleic acid molecule capable of hybridising to the nucleic acid molecules according to the invention under high stringency conditions.

35 Stringency of hybridisation as used herein refers to conditions under which polynucleic acids are

- 4 -

stable. The stability of hybrids is reflected in the melting temperature (T_m) of the hybrids. T_m can be approximated by the formula:

5 $81.5^{\circ}\text{C} + 16.6(\log_{10}[\text{Na}^+] + 0.41 (\% \text{G\&C}) - 6001/l$

wherein l is the length of the hybrids in nucleotides. T_m decreases approximately by $1-1.5^{\circ}\text{C}$ with every 1% decrease in sequence homology.

10 The nucleic acid capable of hybridising to nucleic acid molecules according to the invention will generally be at least 70%, preferably at least 80 or 90% and more preferably at least 95% homologous to the nucleotide sequences according to the invention.

15 The DNA molecules according to the invention may, advantageously, be included in a suitable expression vector to express polypeptides encoded therefrom in a suitable host.

20 The present invention also comprises within its scope proteins or polypeptides encoded by the nucleic acid molecules according to the invention or a functional equivalent, derivative or bioprecursor thereof.

25 Therefore, according to a further aspect of the invention there is provided a polypeptide having an amino acid sequence of any of Sequence ID Numbers 4, 7, 12, 14, 17, 19, 22, 24, 30, 32 to 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 and 72. A polypeptide encoded by the nucleic acid molecule according to the invention is also
30 provided, which polypeptide preferably comprises an amino acid sequence of having the sequence of any of Sequence ID Numbers 4, 7, 12, 14, 17, 19, 22, 24, 30, 32 to 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56,
35 58, 60, 62, 64, 66, 68, 70 and 72.

- 5 -

An expression vector according to the invention includes a vector having a nucleic acid according to the invention operably linked to regulatory sequences, such as promoter regions, that are capable of effecting expression of said DNA fragments. The term "operably linked" refers to a juxta position wherein the components described are in a relationship permitting them to function in their intended manner. Such vectors may be transformed into a suitable host cell to provide for expression of a polypeptide according to the invention. Thus, in a further aspect, the invention provides a process for preparing polypeptides according to the invention which comprises cultivating a host cell, transformed or transfected with an expression vector as described above under conditions to provide for expression by the vector of a coding sequence encoding the polypeptides, and recovering the expressed polypeptides.

The vectors may be, for example, plasmid, virus or phage vectors provided with an origin of replication, optionally a promoter for the expression of said nucleotide and optionally a regulator of the promoter. The vectors may contain one or more selectable markers, such as, for example, ampicillin resistance.

Polynucleotides according to the invention may be inserted into the vectors described in an antisense orientation in order to provide for the production of antisense RNA. Antisense RNA or other antisense nucleic acids may be produced by synthetic means.

In accordance with the present invention, a defined nucleic acid includes not only the identical nucleic acid but also any minor base variations including in particular, substitutions in bases which

- 6 -

result in a synonymous codon (a different codon specifying the same amino acid residue) due to the degenerate code in conservative amino acid substitutions. The term "nucleic acid sequence" also includes the complementary sequence to any single stranded sequence given regarding base variations.

The present invention also advantageously provides nucleic acid sequences of at least approximately 10 contiguous nucleotides of a nucleic acid according to the invention and preferably from 10 to 50 nucleotides. These sequences may, advantageously be used as probes or primers to initiate replication, or the like. Such nucleic acid sequences may be produced according to techniques well known in the art, such as by recombinant or synthetic means. They may also be used in diagnostic kits or the like for detecting the presence of a nucleic acid according to the invention. These tests generally comprise contacting the probe with the sample under hybridising conditions and detecting for the presence of any duplex or triplex formation between the probe and any nucleic acid in the sample.

According to the present invention these probes may be anchored to a solid support. Preferably, they are present on an array so that multiple probes can simultaneously hybridize to a single biological sample. The probes can be spotted onto the array or synthesised *in situ* on the array. (See Lockhart et al., Nature Biotechnology, vol. 14, December 1996 "Expression monitoring by hybridisation to high density oligonucleotide arrays". A single array can contain more than 100, 500 or even 1,000 different probes in discrete locations.

Advantageously, the nucleic acid sequences, according to the invention may be produced using such

- 7 -

recombinant or synthetic means, such as for example using PCR cloning mechanisms which generally involve making a pair of primers, which may be from approximately 10 to 50 nucleotides to a region of the gene which is desired to be cloned, bringing the primers into contact with mRNA, cDNA, or genomic DNA from a human cell, performing a polymerase chain reaction under conditions which bring about amplification of the desired region, isolating the amplified region or fragment and recovering the amplified DNA. Generally, such techniques as defined herein are well known in the art, such as described in Sambrook et al (Molecular Cloning: a Laboratory Manual, 1989).

The nucleic acids or oligonucleotides according to the invention may carry a revealing label. Suitable labels include radioisotopes such as ^{32}P or ^{35}S , enzyme labels or other protein labels such as biotin or fluorescent markers. Such labels may be added to the nucleic acids or oligonucleotides of the invention and may be detected using known techniques *per se*.

The polypeptide or protein according to the invention includes all possible amino acid variants encoded by the nucleic acid molecule according to the invention including a polypeptide encoded by said molecule and having conservative amino acid changes. Polypeptides according to the invention further include variants of such sequences, including naturally occurring allelic variants which are substantially homologous to said polypeptides. In this context, substantial homology is regarded as a sequence which has at least 70%, preferably 80 or 90% amino acid homology with the polypeptides encoded by the nucleic acid molecules according to the invention.

- 8 -

5 A nucleic acid which is particularly advantageous is one comprising the sequences of nucleotides illustrated in Figures 1 which is specific to *Candida albicans* with no functionally related sequences in other prokaryotic or eukaryotic organism as yet identified from the respective genomic databases.

10 Nucleotide sequences according to the invention are particularly advantageous for selective therapeutic targets for treating *Candida albicans* associated infections. For example, an antisense nucleic acid capable of binding to the nucleic acid sequences according to the invention may be used to selectively inhibit expression of the corresponding polypeptides, leading to impaired growth of the
15 *Candida albicans* with reductions of associated illnesses or diseases.

The nucleic acid molecule or the polypeptide according to the invention may be used as a medicament, or in the preparation of a medicament, for
20 treating diseases or conditions associated with *Candida albicans* infection.

Advantageously, the nucleic acid molecule or the polypeptide according to the invention may be provided in a pharmaceutical composition together with a
25 pharmaceutically acceptable carrier, diluent or excipient therefor.

Antibodies to the protein or polypeptide of the present invention may, advantageously, be prepared by techniques which are known in the art. For example,
30 polyclonal antibodies may be prepared by inoculating a host animal, such as a mouse, with the polypeptide according to the invention or an epitope thereof and recovering immune serum. Monoclonal antibodies may be prepared according to known techniques such as
35 described by Kohler R. and Milstein C., Nature (1975)

- 9 -

256, 495-497.

Antibodies according to the invention may also be used in a method of detecting for the presence of a polypeptide according to the invention, which method
5 comprises reacting the antibody with a sample and identifying any protein bound to said antibody. A kit may also be provided for performing said method which comprises an antibody according to the invention and means for reacting the antibody with said sample.

10 Proteins which interact with the polypeptide of the invention may be identified by investigating protein-protein interactions using the two-hybrid vector system first proposed by Chien et al (1991).

This technique is based on functional
15 reconstitution in vivo of a transcription factor which activates a reporter gene. More particularly the technique comprises providing an appropriate host cell with a DNA construct comprising a reporter gene under the control of a promoter regulated by a transcription
20 factor having a DNA binding domain and an activating domain, expressing in the host cell a first hybrid DNA sequence encoding a first fusion of a fragment or all of a nucleic acid sequence according to the invention and either said DNA binding domain or said activating
25 domain of the transcription factor, expressing in the host at least one second hybrid DNA sequence, such as a library or the like, encoding putative binding proteins to be investigated together with the DNA binding or activating domain of the transcription
30 factor which is not incorporated in the first fusion; detecting any binding of the proteins to be investigated with a protein according to the invention by detecting for the presence of any reporter gene product in the host cell; optionally isolating second
35 hybrid DNA sequences encoding the binding protein.

- 10 -

An example of such a technique utilises the GAL4 protein in yeast. GAL4 is a transcriptional activator of galactose metabolism in yeast and has a separate domain for binding to activators upstream of the galactose metabolising genes as well as a protein binding domain. Nucleotide vectors may be constructed, one of which comprises the nucleotide residues encoding the DNA binding domain of GAL4. These binding domain residues may be fused to a known protein encoding sequence, such as for example the nucleic acids according to the invention. The other vector comprises the residues encoding the protein binding domain of GAL4. These residues are fused to residues encoding a test protein. Any interaction between polypeptides encoded by the nucleic acid according to the invention and the protein to be tested leads to transcriptional activation of a reporter molecule in a GAL-4 transcription deficient yeast cell into which the vectors have been transformed. Preferably, a reporter molecule such as β -galactosidase is activated upon restoration of transcription of the yeast galactose metabolism genes.

Further provided by the present invention is one or more *Candida albicans* cells comprising an induced mutation in the DNA sequence encoding the polypeptide according to the invention.

A further aspect of the invention provides a method of identifying compounds which selectively inhibit or interfere with the expression, or the functionality of polypeptides expressed from the nucleotides sequences according to the invention or the metabolic pathways in which these polypeptides are involved and which are critical for growth and survival of *Candida albicans*, which method comprises (a) contacting a compound to be tested with one or

- 11 -

more *Candida albicans* cells having a mutation in a nucleic acid molecule according to the invention which mutation results in overexpression or underexpression of said polypeptides in addition to one or more wild type *Candida* cells, (b) monitoring the growth and/or activity of said mutated cell compared to said wild type wherein differential growth or activity of said one or more mutated *Candida* cells provides an indication of selective action of said compound on said polypeptide or another polypeptide in the same or a parallel pathway.

Compounds identifiable or identified using the method according to the invention, may advantageously be used as a medicament, or in the preparation of a medicament to treat diseases or conditions associated with *Candida albicans* infection. These compounds may also advantageously be included in a pharmaceutical composition together with a pharmaceutically acceptable carrier, diluent or excipient therefor.

A further aspect of the invention provides a method of identifying DNA sequences from a cell or organism which DNA encodes polypeptides which are critical for growth or survival, which method comprises (a) preparing a cDNA or genomic library from said cell or organism in a suitable expression vector which vector is such that it can either integrate into the genome in said cell or that it permits transcription of antisense RNA from the nucleotide sequences in said cDNA or genomic library, (b) selecting transformants exhibiting impaired growth and determining the nucleotide sequence of the cDNA or genomic sequence from the library included in the vector from said transformant. Preferably, the cell or organism may be any yeast or filamentous fungi, such as, for example, *Saccharomyces cerevisiae*,

- 12 -

Saccharomyces pombe or *Candida albicans*.

A further aspect of the invention provides a pharmaceutical composition comprising a compound according to the invention together with a
5 pharmaceutically acceptable carrier, diluent or excipient therefor.

A further aspect of the invention comprises nucleic acid molecules encoding proteins which are critical for survival and growth of *Candida albicans*,
10 which nucleic acid molecules comprise any of the sequences illustrated in Figures 5 to 29.
Polypeptides which are critical for survival and growth of *Candida albicans* are also encompassed within the present invention, and which polypeptides comprise
15 any of the amino acid sequences illustrated in Figures 29 to 39.

The present invention may be more clearly understood with reference to the accompanying example, which is purely exemplary, with reference to the
20 accompanying drawings wherein:

Figure 1: is a diagrammatic representation of plasmid pGAL1PNiST-1.

25 Figure 2: is a nucleotide sequence of plasmid pGAL1PNiST-1 of Figure 1.

Figure 3: is a diagrammatic representation of plasmid pGAL1PSiST-1.

30 Figure 4: is a nucleotide sequence of plasmid pGAL1PSiST-1 of Figure 3.

35 Figures 5 to 28: illustrate the nucleotide sequences of oligonucleotides

- 13 -

encoding polypeptides of
previously unknown function
isolated from *Candida albicans*
which are critical for its
survival and growth, according to
the invention.

5

Figures 29 to 39: illustrate the amino acid
sequences of polypeptides from
Candida albicans which are
critical for its survival and
growth, according to the
invention.

10

15

Example 1

Identification of novel drug targets in *C. albicans* by anti-sense and disruptive integration

20

The principle of the approach is based on the
fact that when a particular *C. albicans* mRNA is
inhibited by producing the complementary anti-sense
RNA, the corresponding protein will decrease. If this
protein is critical for growth or survival, the cell
producing the anti-sense RNA will grow more slowly or
will die.

25

Since anti-sense inhibition occurs at mRNA level,
the gene copy number is irrelevant, thus allowing
applications of the strategy even in diploid
organisms.

30

Anti-sense RNA is endogenously produced from an
integrative or episomal plasmid with an inducible
promoter; induction of the promoter leads to the
production of a RNA encoded by the insert of the
plasmid. This insert will differ from one plasmid to
another in the library. The inserts will be derived
from genomic DNA fragments or from cDNA to cover-to

35

- 14 -

the extent possible- the entire genome.

5 The vector is a proprietary vector allowing
integration by homologous recombination at either the
homologous insert or promoter sequence in the *Candida*
genome. After introducing plasmids from cDNA or
genomic libraries into *C. albicans*, transformants are
screened for impaired growth after promoter (& thus
anti-sense) induction in the presence of lithium
acetate. Lithium acetate prolongs the G1 phase and
10 thus allows anti-sense to act during a prolonged
period of time during the cell cycle. Transformants
which show impaired growth in both induced and non-
induced media, thus showing a growth defect due to
integrative disruption, are selected as well.

15 Transformants showing impaired growth are
supposed to contain plasmids which produce anti-sense
RNA to mRNAs critical for growth or survival. Growth
is monitored by measuring growth-curves over a period
of time in a device (Bioscreen Analyzer, Labsystems)
20 which allows simultaneous measurement of growth-curves
of 200 transformants.

Subsequently plasmids can be recovered from the
transformants and the sequence of their inserts
determined, thus revealing which mRNA they inhibit. In
25 order to be able to recover the genomic or cDNA insert
which has integrated into the *Candida* genome, genomic
DNA is isolated, cut with an enzyme which cuts only
once into the library vector (and estimated approx.
every 4096 bp in the genome) and religated. PCR with
30 primers flanking the insert will yield (partial)
genomic or cDNA inserts as PCR fragments which can
directly be sequenced. This PCR analysis (on ligation
reaction) will also show us how many integrations
occurred. Alternatively the ligation reaction is
35 transformed to *E. coli* and PCR analysis is performed

- 15 -

on colonies or on plasmid DNA derived thereof.

This method is employed for a genome wide search for novel *C. albicans* genes which are important for growth or survival.

5

Materials & Methods

Construction of pGal1PNiST-1

The backbone of the pGAL1PNiST-1 vector (integrative anti-sense *SfiI*-*NotI* vector) is
10 pGEM11Zf(+) (Promega Inc.). First, the CaMAL2 *EcoRI*/*SalI* promoter fragment from pDBV50 (D.H. Brown et al.) was ligated into *EcoRI*/*SalI*-opened pGEM11Zf(+) resulting in the intermediate construct pGEMMAL2P-1. Into the latter (*MscI*/*CIP*) the CaURA3
15 selection marker was cloned as a *Eco47III*/*XmnI* fragment derived from pRM2. The resulting pGEMMAL2P-2 vector was *NotI*/*HindIII* opened in order to accept the *NotI*-stuffer-*SfiI* cassette from pPCK1NiSCYCT-1 (*EagI*/*HindIII* fragment): pMAL2PNiST-1. Finally, the
20 plasmid pGAL1PNiST-1 was constructed by exchanging the *SalI*/*Ecl1136II* MAL2 promoter in pMAL2PNiST-1 by the *XhoI*/*SmaI* GAL1 promoter fragment derived from pRM2GAL1P.

25 Construction of pGal1PSiST-1

The vector pGAL1PSiST-1 was created for cloning the small genomic DNA fragments (flanked by *SfiI* sites) behind the GAL1 promoter. The only difference with pGAL1PNiST-1 is that the hIFN β (stuffer fragment)
30 insert fragment in pGAL1PSiST-1 is flanked by two *SfiI* sites in stead of a *SfiI* and a *NotI* site as in pGAL1PNiST-1. To construct pGAL1PSiST-1 the *EcoRI*-*HindIII* fragment, containing hIFN β flanked by a *SfiI* and a *NotI* site, of pMAL2pHiET-3 (unpublished) was
35 exchanged by the *EcoRI*-*HindIII* fragment, containing

- 16 -

hIFN β flanked by two *Sfi*I sites, from YCp50S-S (an *E. coli* / *S. cerevisiae* shuttle vector derived from the plasmid YCp50, which is deposited in the ATCC collection (number 37419; Thrash et al., 1985); an
5 *Eco*RI-*Hind*III fragment, containing the gene hIFN β , which is flanked by two *Sfi*I sites, was inserted in YCp50, creating YCp50S-S), resulting into plasmid pMAL2PSiST-1. The *mal2* promoter from pMAL2PSiST-1 (by a *Nae*I-*Fsp*I digest) was further replaced by the *gal*1
10 promoter from pGAL1PNiST-1 (via a *Xho*I-*Sal*I digest), creating the vector pGAL1PSiST-1.

Candida albicans genomic library

* Preparation of the genomic DNA fragments

15 A *Candida albicans* genomic DNA library with small DNA fragments (400 to 1,000 bp) was prepared. Genomic DNA of *Candida albicans* B2630 was isolated following a modified protocol of Blin and Stafford (1976). The
20 quality of the isolated genomic DNA was checked by gel electrophoresis. Undigested DNA was located on the gel above the marker band of 26,282 bp. A little smear, caused by fragmentation of the DNA, was present. To obtain enrichment for genomic DNA fragments of the
25 desired size, the genomic DNA was partially digested. Several restriction enzymes (*Alu*I, *Hae*III and *Rsa*I; all creating blunt ends) were tried out. The appropriate digest conditions have been determined by titration of the enzyme. Enrichment of small DNA
30 fragments was obtained with 70 units of *Alu*I on 10 μ g of genomic DNA for 20 min. T4 DNA polymerase (Boehringer) and dNTPs (Boehringer) were added to polish the DNA ends. After extraction with phenol-chloroform the digest was size-fractionated on an
35 agarose gel. The genomic DNA fragments with a length of 500 to 1,250 bp were eluted from the gel by

- 17 -

centrifugal filtration (Zhu et al., 1985). *SfiI* adaptors (5' GTTGGCCTTTT) or (5' AGGCCAAC) were attached to the DNA ends (blunt) to facilitate cloning of the fragments into the vector. Therefore, a 8-mer and 11-mer oligonucleotide (comprising the *SfiI* site) were kinased and annealed. After ligation of these adaptors to the DNA fragments a second size-fractionation was performed on an agarose gel. The DNA fragments of 400 to 1150 bp were eluted from the gel by centrifugal filtration.

* Preparation of the pGAL1PSiST-1 vector fragment

The small genomic DNA fragments were cloned after the GAL1 promoter in the vector pGAL1PSiST-1. Qiagen-purified pGAL1PSiST-1 plasmid DNA was digested with *SfiI* and the largest vector fragment eluted from the gel by centrifugal filtration (Zhu et al., 1985). Ligation with a control DNA fragment, flanked by *SfiI* sites, was performed as a control. The ligation mix was electroporated to MC1061 *E. coli* cells. Plasmid DNA of 24 clones was analyzed. In all cases the control fragment was inserted in the pGAL1PSiST-1 vector fragment.

* Upscaling

All genomic DNA fragments (450 ng) were ligated into the pGAL1PSiST-1 vector (20 ng). After electroporation at 2500V, 40 μ F circa 400,000 clones were obtained. These clones were pooled into three groups and stored as glycerol slants. Also Qiagen-purified DNA was prepared from these clones. A clone analysis showed an average insert length of 600 bp and a percentage of 91 for clones with an insert. The size of the library corresponds to 5 times the diploid genome. The genomic DNA inserts are sense or anti-sense orientated in the vector.

- 18 -

Candida albicans cDNA library

Total RNA was extracted from *Candida albicans* B2630 grown on respectively minimal (SD) and rich (YPD) medium as described by Chirgwin et al in Sambrook et al. mRNA was prepared from total RNA using the Invitrogen Fast Track procedure.

First strand cDNA is synthesised with the Superscript Reverse Transcriptase (BRL) and with an oligo dT-NotI Primer adapter. After second strand synthesis, cDNA is polished with Klenow enzyme and purified over a Sephacryl S-400 spun column. Phosphorylated SfiI adapters are then ligated to the cDNA, followed by digestion with the NotI restriction enzyme. The SfiI/NotI cDNA is then purified and sized on a Biogel column A150M.

First fraction contains approximately 38,720 clones by transformation, the second fraction only 1540 clones. Clone analysis:

Fr. I: 22/24 inserts, 16 \geq 1000 bp, 4 \geq 2000 bp, average size: 1500 bp.

Fr. II: 9/12 inserts, 3 \geq 1000 bp, average size: 960 bp cDNA was ligated in a NotI/SfiI opened pGAL1PNiST-1 vector (anti-sense)

Candida transformation

The host strain used for transformation is a *C. albicans* ura3 mutant, CAI-4, which contains a deletion in orotidine-5'-phosphate decarboxylase and was obtained from William Fonzi, Georgetown University (Fonzi and Irwin). CAI-4 was transformed with the above described cDNA library or genomic library using the Pichia spheroplast module (Invitrogen). Resulting transformants were plated on minimal medium supplemented with glucose (SD, 0.67% or 1.34% Yeast Nitrogen base w/o amino acids + 2% glucose) plates

- 19 -

and incubated for 2-3 days at 30°C.

Screening for mutants

5 Starter cultures were set up by inoculating each colony in 1 ml SD medium and incubating overnight at 30°C and 300 rpm. Cell densities were determined using a Coulter counter (Coulter Z1; Coulter electronics limited). 250.000 cells/ml were inoculated in 1 ml SD medium and cultures were incubated for 24 hours at 10 30°C and 300 rpm. Cultures were washed in minimal medium without glucose (S) and the pellet resuspended in 650 μ l S medium. 8 μ l of this culture is used for inoculating 400 μ l cultures in a Honeywell-100 plate (Bioscreen analyzer; Labsystems). Each transformant 15 was grown during three days in S medium containing LiAc; pH 6.0, with 2% glucose/2% maltose or 2% galactose/2% maltose respectively while shaking every 3 minutes for 20 seconds. Optical densities were measured every hour during three consecutive days and 20 growth curves were generated (Bioscreen analyzer; Labsystems).

Growth curves of transformants grown in respectively anti-sense non-inducing (glucose/maltose) and inducing (galactose/maltose) medium are compared 25 and those transformants showing impaired growth upon anti-sense induction are selected for further analysis. Transformants showing impaired growth by virtue of integration into a critical gene are also selected.

30

Isolation of genomic or cDNA inserts

Putatively interesting transformants are grown in 1.5 ml SD overnight and genomic DNA is isolated using the Nucleon MI Yeast kit (Clontech). Concentration of 35 genomic DNA is estimated by analyzing a sample on an

- 20 -

agarose gel.

20 ng of genomic DNA is digested for three hours with an enzyme that cuts uniquely in the library vector (SacI for the genomic library; PstI for the cDNA library) and treated with RNase. Samples are phenol/chloroform extracted and precipitated using NaOAc/ethanol.

The resulting pellet is resuspended in 500 μ l ligation mixture (1 x ligation buffer and 4 units of T4 DNA ligase; both from Boehringer) and incubated overnight at 16°C.

After denaturation (20 min 65°C), purification (phenol/chloroform extraction) and precipitation (NaOAc/ethanol) the pellet is resuspended in 10 μ l MilliQ (Millipore) water.

PCR analysis

Inverse PCR is performed on 1 μ l of the precipitated ligation reaction using library vector specific primers (oligo23 5' TGC-AGC-TCG-ACC-TCG-ACT-G 3' and oligo25 5' GCG-TGA-ATG-TAA-GCG-TGA-C 3' for the genomic library; 3pGALNistPCR primer :5'TGAGCAGCTCGCCGTCGCGC 3' and 5pGALNistPCR primer: 5'GAGTTATACCCTGCAGCTCGAC 3' for the cDNA library; both from Eurogentec) for 30 cycles each consisting of (a) 1 min at 95 °C, (b) 1 min at 57 °C, and (c) 3 min at 72 °C. In the reaction mixture 2.5 units of Taq polymerase (Boehringer) with TaqStart antibody (Clontech) (1:1) were used, and the final concentrations were 0.2 μ M of each primer, 3 mM MgCl₂ (Perkin Elmer Cetus) and 200 μ M dNTPs (Perkin Elmer Cetus). PCR was performed in a Robocycler (Stratagene).

35

- 21 -

Sequence determination

Resulting PCR products were purified using PCR purification kit (Qiagen) and were quantified by comparison of band intensity on EtBr stained agarose gel with the intensity of DNA marker bands. The amount of PCR product (expressed in ng) used in the sequencing reaction is calculated as the length of the PCR product in basepairs divided by 10. Sequencing reactions were performed using the ABI Prism BigDye Terminator Cycle Sequencing Ready Reaction Kit according to the instructions of the manufacturer (PE Applied Biosystems, Foster City, CA) except for the following modifications.

The total reaction volume was reduced to 15 μ l. Reaction volume of individual reagents were changed accordingly. 6.0 μ l Terminator Ready Reaction Mix was replaced by a mixture of 3.0 μ l Terminator Ready Reaction Mix + 3.0 μ l Half Term (GENPAK Limited, Brighton, UK). After cycle sequencing, reaction mixtures were purified over Sephadex G50 columns prepared on Multiscreen HV opaque microtiter plates (Millipore, Molsheim, Fr) and were dried in a speedVac. Reaction products were resuspended in 3 μ l loading buffer. Following denaturation for 2 min at 95°C, 1 μ l of sample was applied on a 5% Long Ranger Gel (36 cm well-to-read) prepared from Singel Packs according to the supplier's instructions (FMC BioProducts, Rockland, ME). Samples were run for 7 hours 2X run on a ABI 377XL DNA sequencer. Data collection version 2.0 and Sequence analysis version 3.0 (for basecalling) software packages are from PE Applied Biosystems. Resulting sequence text files were copied onto a server for further analysis.

35

- 22 -

Sequence analysis

Nucleotide sequences were imported in the VectorNTI software package (InforMax Inc, North Bethesda, MD, USA), and the vector and insert regions of the sequences were identified. Sequence similarity searches against public and commercial sequence databases were performed with the BLAST software package (Altschul et al., 1990) version 1.4. Both the original nucleotide sequence and the six-frame conceptual translations of the insert region were used as query sequences. The used public databases were the EMBL nucleotide sequence database (Stoesser et al., 1998), the SWISS-PROT protein sequence database and its supplement TrEMBL (Bairoch and Apweiler, 1998), and the ALCES *Candida albicans* sequence database (Stanford University, University of Minnesota). The commercial sequence databases used were the LifeSeq® human and PathoSeq™ microbial genomic databases (Incyte Pharmaceuticals Inc., Palo Alto, CA, USA), and the GENESEQ patent sequence database (Derwent, London, UK). Three major results were obtained on the basis of the sequence similarity searches: function, novelty, and specificity. A putative function was deduced on the basis of the similarity with sequences with a known function, the novelty was based on the absence or presence of the sequences in public databases, and the specificity was based on the similarity with vertebrate homologues.

Methods

Blastx of the nucleic acid sequences against the appropriate protein databases: Swiss-Prot for clones of which the complete sequence is present in the public domain, and paorf (PathoSeq™) for clones of which the complete sequences is not present in the

- 23 -

public domain.

The protein to which the translated nucleic acid sequence corresponds to is used as a starting point.

The differences between this protein and our

5 translated nucleic acid sequences are marked with a double line and annotated above the protein sequence. The following symbols are used:

a one-letter amino acid code or the ambiguity code X is used if our translated nucleic acid sequence
10 has another amino acid on a certain position,

the stop codon sign * is used if our translated nucleic acid sequence has a stop codon on a certain position,

The letters fs (frame shift) are used if a frame
15 shift occurs in our translated nucleic acid sequence, and another reading frame is used,

the words ambiguity or ambiguities are used if a part of our translated nucleic acid sequence is present in the proteins, but not visible in the
20 alignments of the blast results,

The phrase missing sequence is used if the translated nucleic acid sequence does not comprise that part of the protein.

Blastx: compares the six-frame conceptual
25 translation products of a nucleotide query sequence (both strands) against a protein sequence database.

Screening for compounds modulating expression of polypeptides critical for growth and survival of *C. albicans*
30

The method proposed is based on observations (Sandbaken et al., 1990; Hinnebusch and Liebman 1991; Ribogene PCT WO 95/11969, 1995) suggesting that underexpression or overexpression of any component of
35 a process (e.g. translation) could lead to altered

- 24 -

sensitivity to an inhibitor of a relevant step in that process. Such an inhibitor should be more potent against a cell limited by a deficiency in the macromolecule catalyzing that step and/or less potent against a cell containing an excess of that macromolecule, as compared to the wild type (WT) cell.

Mutant yeast strains, for example, have shown that some steps of translation are sensitive to the stoichiometry of macromolecules involved. (Sandbaken et al.). Such strains are more sensitive to compounds which specifically perturb translation (by acting on a component that participates in translation) but are equally sensitive to compounds with other mechanisms of action.

This method thus not only provides a means to identify whether a test compound perturbs a certain process but also an indication of the site at which it exerts its effect. The component which is present in altered form or amount in a cell whose growth is affected by a test compound is potentially the site of action of the test compound.

The assay to be set up involves measurement of growth of an isogenic strain which has been modified only in a certain specific allele, relative to a wild type (WT) *C. albicans* strain, in the presence of R-compounds. Strains can be ones in which the expression of a specific essential protein is impaired upon induction of anti-sense or strains which carry disruptions in an essential gene. An in silico approach to finding novel essential genes in *C. albicans* will be performed. A number of essential genes identified in this way will be disrupted (in one allele) and the resulting strains can be used for comparative growth screening.

- 25 -

Assay for High Throughput screening for drugs

35 μ l minimal medium (S medium + 2% galactose + 2% maltose) is transferred in a transparent flat-bottomed 96 well plate using an automated pipetting system (Multidrop, Labsystems). A 96-channel pipettor (Hydra, Robbins Scientific) transfers 2.5 μ l of R-compound at 10^{-3} M in DMSO from a stock plate into the assay plate.

The selected *C. albicans* strains (mutant and parent (CAI-4) strain) are stored as glycerol stocks (15%) at -70°C . The strains are streaked out on selective plates (SD medium) and incubated for two days at 30°C . For the parent strain, CAI-4, the medium is always supplemented with 20 $\mu\text{g/ml}$ uridine. A single colony is scooped up and resuspended in 1 ml minimal medium (S medium + 2% galactose + 2% maltose). Cells are incubated at 30°C for 8 hours while shaking at 250 rpm. A 10 ml culture is inoculated at 250.000 cells/ml. Cultures are incubated at 30°C for 24 hours while shaking at 250 rpm. Cells are counted in Coulter counter and the final culture (S medium + 2% galactose + 2% maltose) is inoculated at 20.000 to 50.000 cells/ml. Cultures are grown at 30°C while shaking at 250 rpm until a final OD of 0.24 (+/- 0.04) 6nM is reached.

200 μ l of this yeast suspension is added to all wells of MW96 plates containing R-compounds in a 450 μ l total volume. MW96 plates are incubated (static) at 30°C for 48 hours.

Optical densities are measured after 48 hours.

Test growth is expressed as a percentage of positive control growth for both mutant (x) and wild type (y) strains. The ratio (x/y) of these derived variables is calculated.

- 26 -

References

- Thrash C., Bankier A. T., Barrell B. G. and Sternglanz R. (1985) *Proc. Natl. Acad. Sci. USA* 82: 4374-4378.
- 5 Blin N. and Stafford D. W. (1976) *Nucleic Acids Res.* 3: 2303-2308.
- Zhu J., Kempenaers W., Van Der Straeten D., Contreras R., and Fiers W. (1985) *Bio/Technology* 3: 1014-1016.
- 10 Sambrook J., Fritsch E.F. and Maniatis T. (1989) *Molecular Cloning: A Laboratory Manual*, 2nd Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.
- 15 Fonzi W. and Irwin H. (1993) *Genetics* 134:717-728.
- Altschul S.F, Gish W., Miller W., Myers E.W., Lipman D.J. (1990) *J. Mol. Biol.* 215(3):403-410.
- 20 Bairoch A. and Apweiler R. (1998) *Nucleic Acids Res.* 26(1):38-42.
- Stoesser G., Moseley M.A., Sleep J., McGowran M., Garcia-Pastor M., Sterk P. (1998) *Nucleic Acids Res.*
- 25 26(1):8-15.
- Chien et al., (1991) *Proc. Natl. Acad. Sci USA* 88, 9578-9582.
- 30 Sandbaken M.G. Lupisella J.A., DiDomenico B. and Chakraborty K., *J. Biol. Chem.* 265:15838-15844, 1990.
- Hinnebusch A.G. and Liebman S.W., in : *The Molecular Biology of the Yeast Saccharomyces*, Broach J.R.,
- 35 Pringle J.R. and Jones E.W., eds., CSH Laboratory

- 27 -

Press; NY 1991.

Patent application RiboGene Inc., PCT WO 95./11969,
1995.

5

Brown, D.H. et al., Molecular General Genetics 251 (1)
75-80, 1996.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

(A) NAME: Janssen Pharmaceutica
(B) STREET: Turnhoutseweg 30
(C) CITY: Beerse
(E) COUNTRY: Belgium
(F) POSTAL CODE (ZIP): B-2340
(G) TELEPHONE: +32 (0)14/60.21.11
(H) TELEFAX: +32 (0) 14/60.28.41

(ii) TITLE OF INVENTION: DRUG TARGETS IN CANDIDA ALBICANS

(iii) NUMBER OF SEQUENCES: 72

(iv) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)

(vi) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: GB 9817796.7
(B) FILING DATE: 14-AUG-1998

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 255 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

AACGTTCTGTG CAAAGGCTA TACTGGTGAT ATCCACGCAG ATGAAGAGCA AGTTTAATCA	60
ACTCTTTGTC AATTAATGCT GTACTTGTTT TCATTTTATT TGCTGGCATT TAAAGAATAC	120
CCATAGTTCA GAAATAAAAA TTGAAAATT TAAAAAATA CGCAATATCA TTCATTTTTT	180
TTGTTTTTTT GACAATAATA TTAATATGTA GTTACCAATG TTTTATGATT TTATATGTTT	240
TGAAAAATA GTTTG	255

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 648 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

AACCTCTTAT TCGGTTCTAG TGTCTCAATT GGTATCCAT TAACATCTAT TCCCAACTCC	60
ATCATTATTG GCAATAAATA AATGGGTGTT ATATCTATTG GTAATAACTA AACTGGTGTC	120
AATTCAATTC CAATATGGTC ATGACAATTG AAAGTGTTAC TGTTCTGGTT TACATATTCT	180
ACAGGTTACA ACTATTGATT GGTTAGAAGT TTGGTTTCAA CATCACCTGT TGCTAAGAAT	240
AAATGTTGGT CATATCAATT GAATCATTTG TTGGTGTTAT GGTAAGTAAA TGCTGGTTAT	300
ATCTATTATC TACAACCACC AAGTGATAAA TGCTGAACCG TAGTCACCAA CTGTTATGCT	360
GGTTGTATCT ATTGACTAAA ACTACCCTAG GGATAAATGC TGAACCGTGG TTACCAACTG	420
TTATGCTGGT TGTATCTATT AACTGCAACC ACCAAATGAT AAATGCTGAA CCATAATTAC	480
CAACTGTTAC ATTGCTGGTA CTACATTAAG AATAAATGCT GCATCTACAA GTACCACCTG	540
TTGTGTTAAT AAATGCTGCA CCTGCTAGTA CAACTGTTGC TGGTCATGAT AGTTACTACA	600
CATTACACAC CAGACAGTGG CAAACAAGGT TATGTAGAAA CCAACGTT	648

(2) INFORMATION FOR SEQ ID NO: 3:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 904 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

AACTGTCCTG TGAAGACGAA CATCACAACC ACAATCATGG TCATAACCAA AATCACAATC	60
ATGTTGCTCC TATTCCTACA ACAGCTGGAC AATCATTAAA TAATAAAATT GATACATCTA	120
AAGTGACAGC TCTCAACATG GCCAACTCTG CTGACGATCT AGCAAAAGTT TTCAAAGATT	180
CGACTAAAAA ATATCAAATC AAACCAATTA TCAAATCAGA CAGTGATGAA CAAATGATTA	240
TCAACATTCC ATTTCTTAAT GGTAGTGTCA AATTGTATTC GATAATTCTA CGTACCAATG	300
GGGATTTGTA TTGTCCCAAA ACAATAAAAT TATTCAAAAA TGACACATCA ATTGATTTTG	360
ATAATGTGGA TTCGAAGAAA CCAATACAGG TGTTAACTCA TCCTCAAGTT GGTGTTGCTA	420
ATAATGATAG CGATGATCTT CCAGAGTTTT TGGAATCAAA TAACGATGAC GATTTTGTCG	480
AACATTATGT GTCTCGACAT AAATTCACTG GGGTAAATCA ATTGACAATA TTTATTGAAG	540
ATATTTATGA TGAAGGAGAA GAAGAGTGTC ATTTACATTC AATTGAATTG AGAGGGGAAT	600
TCACTGAATT AAACAAAGAC CCTGTCATTA CATTATATGA ACTGGCTGCT AATCCTGCTG	660
ATCATAAGAA TTTAACGATT GTTGAAAATC AAAATCTAGC ATAAAACAAA GAAGTGAAAG	720
GTATCAGATA AGCTGGTTAC ATTACAATTG ATCTAATTTA GAATCTCAAG GTATTTAAAT	780
TTGCCGTTTT GCGATAATAT AACATGGTCA AGAACGTTGA ATCGATTACG TTAATGGTTT	840
AGCTAATTGA TTTTATAGAT CGAGTATTTA GAGTGAATAA ACAATAAACA AGAATGATGA	900
ATTG	904

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 232 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

```

Ser Cys Glu Asp Glu His His Asn His Asn His Gly His Asn Gln Asn
1          5          10          15
His Asn His Val Ala Pro Ile Pro Thr Thr Ala Gly Gln Ser Leu Asn
20          25          30
Asn Lys Ile Asp Thr Ser Lys Val Thr Ala Leu Asn Met Ala Asn Ser
35          40          45
Ala Asp Asp Leu Ala Lys Val Phe Lys Asp Ser Thr Lys Lys Tyr Gln
50          55          60
Ile Lys Pro Ile Ile Lys Ser Asp Ser Asp Glu Gln Met Ile Ile Asn
65          70          75          80
Ile Pro Phe Leu Asn Gly Ser Val Lys Leu Tyr Ser Ile Ile Leu Arg
85          90          95
Thr Asn Gly Asp Leu Tyr Cys Pro Lys Thr Ile Lys Leu Phe Lys Asn
100         105         110
Asp Thr Ser Ile Asp Phe Asp Asn Val Asp Ser Lys Lys Pro Ile Gln
115         120         125
Val Leu Thr His Pro Gln Val Gly Val Ala Asn Asn Asp Ser Asp Asp
130         135         140
Leu Pro Glu Phe Leu Glu Ser Asn Asn Asp Asp Asp Phe Val Glu His
145         150         155         160
Tyr Val Ser Arg His Lys Phe Thr Gly Val Asn Gln Leu Thr Ile Phe
165         170         175
Ile Glu Asp Ile Tyr Asp Glu Gly Glu Glu Glu Cys His Leu His Ser
180         185         190
Ile Glu Leu Arg Gly Glu Phe Thr Glu Leu Asn Lys Asp Pro Val Ile
195         200         205
Thr Leu Tyr Glu Ser Ala Ala Asn Pro Ala Asp His Lys Asn Leu Thr
210         215         220
Ile Val Glu Asn Gln Asn Leu Ala
225         230

```

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 608 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

```

AACCTACAAA AGACTCACAT GTGCTGTACA ATAAATTTCT GGATAAGCAT ATAAGTGATG      60
AGCAACTATC ACACTTACTC GACAATCATA AACCCAATCT AGTGACTACC ACAACTTTAA      120
TTGATTCTAT CAAAGAAAGT GAACTGTTAT ATAATACCAT GGACAGTTTG ATGATAAAAT      180
CCATCAATTT TCCTGCAGCC ATGTACCAGT CAAATGACAA CAATTCACAA TCACCAATCG      240
AGTATTTATC TAACAGAGTA AAATTGCTCA CACAAGAGTT ATACGAAGAT TCAGTCAAAT      300
ATGGCAAGTT TCTACAGAGT GGTAAATAATC ATATATATCA ATTACGAAGT AGGATTTTAC      360
AGACCTTTGA TCAGTTGTCA GAGAGTCACT ATTCTTTAAA TGAAGTATAT AATAAAGACA      420
TGTCTTACGC AGAAACATTA CACGGATCTT TCAAGAAATG GGATCAACAA AGAAATAAAG      480
TATTGTCCAA AGTGAAATCT ATAAAAAGTG ATACAAGCAA ACATGGAGCC AAATTATTCA      540
CCTTATTAGA TGAAGTTAAT GATGTTGATG ACGAGATCAA ACTTTTGGAA GCAAAACTAC      600
AGCAGGTT                                           608

```

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1497 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

```

GATATCTGCA GAATTCGGCT TCTCTCTCAT CTTACACAA TGCATTTTAC AAGTAGCCTA      60
CTAGCCACCT TGATATGGTT TACATTACCG GTTCAAAGTT TGAATACTGA ATCTAGGACA      120
ACTTCAAATA ACACAATATC AATACTTACA AACCATTTTC AAATACTAAA GGATTTGCTA      180
CCATATAGCA AAAC TTCTAA ACCGCAAATC AAGGAATCCA GACCGTTGAT TAAAGTTCTG      240
AGAGATGGAG TGCCAATAAA TTTCCACAGG GCTCCGGCTA TAATAATGAA ATCGAACAAA      300
ACAGACGATT TAGTCAGGAA TAGCAATAAA ACAATGGTGC TAACTGAAAT AAAAACGATT      360
ACTGAATTG CAACTACCAC TGTTTCCCT ACACAAGAAT TTCAAGCACT ACAGATAAAC      420
CTTAACACGT TATCAATAGA GACTTCAACA CCAACATTCC AATCCCATGA CTTTCCACCG      480
ATTACCATTG AAGACACACC CAAAACACTA GAACCAGAAG AATCGTCAGA TGCTTTGCAG      540
AGGGATGCAT TTGATCAAAT TAAGAACTA GAAAAATTGG TATTGGATTT GAGACTTGAA      600
ATGAAAGAGC AACAAAAGAG TTTCAACGAT CAATTAGTGG ATATATATAC CGCAAGAAGT      660
ATTGTTCCAA TTTATACTAC ACATATCGTC ACTTCGGCGA TTCCATCGTA TGTACCAAAA      720
GAAGAAGTAA TGGTTTCACA TGATACTGCA CCAATTGTAA GTCGTCCTAG AACAGATATT      780

```

```

CCAGTATCTC AACGAATTGA TACTATCTCA AAACATAAAA TGAATGGAAA AAATATATTG      840
AACACAATC CTCCGCCCAA TTCAGTTTTA ATAGTTCCTC AGTTTCAGTT CCATGAAAGA      900
ATGGCCACCA AAACCGAAGT AGCTTATATG AAACCAAAAA TTGTCTGGAC CAACTTTCCA      960
ACCACTACTG CAACGTCAAT GTTTGACAAT TTTATTTTAA AAAATCTTGT TGACGAAACG     1020
GATTCTGAAA TTGATAGTGG TGAAACTGAA TTGTCTGACG ATTATTATTA CTATTATAGT     1080
TACGAAGATG ATGGTAAAGA AGACGATAGT GATGAGATTA CGGCTCAAAT ACTATTATCC     1140
AATTCAGAAT TAGGCACGAA GACGCCAAAT TTTGAGGATC CTTTGAACA AATCAATATT     1200
GAAGACAATA AAGTAATATC TGTTAATACA CCAAGACAA AGAACCTAC TACAACAGTA     1260
TTTGGCACTT CTA TAGTGC ATTATCAACT TTTGAAAGTA CAATATTTGA AATTCCCAAA     1320
TTCTTTTATG GTAGCAGAAG AAAACAACG AGCTCATTCA AAAATAAGAA CAGTACAATC     1380
AAATTTGATG TGTTTGATTG GATATTTGAA AGTGGTACTA CCAATGAGAA AGTACATGGA     1440
TTAGTGTTGG TGTCTAGTGG TGTTCTACTA GGAACCTGTC TATTGTTTCAT TTTGTAG      1497

```

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 485 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

```

Met His Phe Thr Ser Ser Leu Leu Ala Thr Leu Ile Trp Phe Thr Leu
1          5          10          15
Pro Val Gln Ser Leu Asn Thr Glu Ser Arg Thr Thr Ser Asn Asn Thr
20          25          30
Ile Ser Ile Leu Thr Asn His Phe Gln Ile Leu Lys Asp Leu Leu Pro
35          40          45
Tyr Ser Lys Thr Ser Lys Pro Gln Ile Lys Glu Ser Arg Pro Leu Ile
50          55          60
Lys Val Ser Arg Asp Gly Val Pro Ile Asn Phe His Arg Ala Pro Ala
65          70          75          80
Ile Ile Met Lys Ser Asn Lys Thr Asp Asp Leu Val Arg Asn Ser Asn
85          90          95
Lys Thr Met Val Leu Thr Glu Ile Lys Thr Ile Thr Glu Phe Ala Thr
100         105         110
Thr Thr Val Ser Pro Thr Gln Glu Phe Gln Ala Leu Gln Ile Asn Leu
115         120         125
Asn Thr Leu Ser Ile Glu Thr Ser Thr Pro Thr Phe Gln Ser His Asp
130         135         140
Phe Pro Pro Ile Thr Ile Glu Asp Thr Pro Lys Thr Leu Glu Pro Glu
145         150         155         160
Glu Ser Ser Asp Ala Leu Gln Arg Asp Ala Phe Asp Gln Ile Lys Lys

```


165					170					175				
Leu	Glu	Lys	Leu	Val	Leu	Asp	Leu	Arg	Leu	Glu	Met	Lys	Glu	Gln
			180					185					190	
Lys	Ser	Phe	Asn	Asp	Gln	Leu	Val	Asp	Ile	Tyr	Thr	Ala	Arg	Ser
		195					200					205		Ile
Val	Pro	Ile	Tyr	Thr	Thr	His	Ile	Val	Thr	Ser	Ala	Ile	Pro	Ser
		210					215					220		Tyr
Val	Pro	Lys	Glu	Glu	Val	Met	Val	Ser	His	Asp	Thr	Ala	Pro	Ile
		225					230					235		Val
Ser	Arg	Pro	Arg	Thr	Asp	Ile	Pro	Val	Ser	Gln	Arg	Ile	Asp	Thr
				245					250					255
Ser	Lys	His	Lys	Met	Asn	Gly	Lys	Asn	Ile	Leu	Asn	Asn	Asn	Pro
			260					265					270	Pro
Pro	Asn	Ser	Val	Leu	Ile	Val	Pro	Gln	Phe	Gln	Phe	His	Glu	Arg
			275					280					285	Met
Ala	Thr	Lys	Thr	Glu	Val	Ala	Tyr	Met	Lys	Pro	Lys	Ile	Val	Trp
				290				295					300	Thr
Asn	Phe	Pro	Thr	Thr	Thr	Ala	Thr	Ser	Met	Phe	Asp	Asn	Phe	Ile
				305					310					320
Lys	Asn	Leu	Val	Asp	Glu	Thr	Asp	Ser	Glu	Ile	Asp	Ser	Gly	Glu
				325					330					335
Glu	Leu	Ser	Asp	Asp	Tyr	Tyr	Tyr	Tyr	Tyr	Ser	Tyr	Glu	Asp	Asp
				340					345					350
Lys	Glu	Asp	Asp	Ser	Asp	Glu	Ile	Thr	Ala	Gln	Ile	Leu	Leu	Ser
			355					360					365	Asn
Ser	Glu	Leu	Gly	Thr	Lys	Thr	Pro	Asn	Phe	Glu	Asp	Pro	Phe	Glu
				370					375					380
Ile	Asn	Ile	Glu	Asp	Asn	Lys	Val	Ile	Ser	Val	Asn	Thr	Pro	Lys
				385					390					400
Lys	Lys	Pro	Thr	Thr	Thr	Val	Phe	Gly	Thr	Ser	Thr	Ser	Ala	Leu
				405					410					415
Thr	Phe	Glu	Ser	Thr	Ile	Phe	Glu	Ile	Pro	Lys	Phe	Phe	Tyr	Gly
				420					425					430
Arg	Arg	Lys	Gln	Ser	Ser	Ser	Phe	Lys	Asn	Lys	Asn	Ser	Thr	Ile
				435					440					445
Phe	Asp	Val	Phe	Asp	Trp	Ile	Phe	Glu	Ser	Gly	Thr	Thr	Asn	Glu
				450					455					460
Val	His	Gly	Leu	Val	Leu	Val	Ser	Ser	Gly	Val	Leu	Leu	Gly	Thr
				465					470					480
Leu	Leu	Phe	Ile	Leu										
				485										

(2) INFORMATION FOR SEQ ID NO: 8:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 1651 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

GAGCTCTTCC AGAGGCAACA AGCGGAAGAA GCACAACGAA AGAAGGAATT TGAACAAAAG	60
GCCGAATTCA TCAAAGCATC ATTACTTGAA ATGCGCCGAA GAGAAATAGA GAGGCGGAAA	120
CAGCAAAAGG AAAGGGAACA AAGACAAAAG GAGCACGAAG CAAAGAGGGA TATCAGGATA	180
CAACAACTTT CAGAGCAGGA TTCACGGAGT AATCAAATA AAGAAGAAGA GGAAGTGTTT	240
AAGAAGGCCC GGTCTACTAA TTCGGGAGCA GACGAGACTG GTTTGATGTC AGATAAAGAG	300
TTTGATGATT CTGCATATTC ACCCGATTAT TTGTTTGAAG AGAATTGTGT GAATAAACCA	360
AATCATCCAG ATACAAATCA TAAACCCAAA AAATATACTG AGAATGTGGT TGAAAATCTA	420
GATTCTCCAC CAAATGATAC ATCTGCGTAC AATTCAAGTT TTCATGATGA AACTAATATT	480
CAAAATGAGA TCCAAATACC AGAAAATGAC GAGTATGTAC CACAGATGAA AGCTACATCC	540
AGTGTCAATA ATACCACCAT CCCTGCACAA AGAAGACATG AGTCACTTTC CACTTCTGAA	600
AACAAAAGAA GGAAATTTGA AACAGCCGAC GTTGGGGTTG ATGGGTTAGA TTCCCCAGTG	660
CGGGCACAAAC CAGAAATATC TGGAAAATCC AAGTCTCCGA TAATCCCTGA TGTAATACTT	720
TTACTGGACG AAGAGACTGA AACTCCTGAA GCAAATGCTG TGCAGGACAA TAGTACATAT	780
ATTCTCAGG GGTCTTTAGG ACACGAATTT AGAAATATTT TGGAAGAGCA TCCACGTCAA	840
GTAAAGAATA AACAAAATTC TGGTGTGCT TTTGCATTTC CGAATGCTTC CAAGAATACC	900
GAAAACAAAC TCCACTCTAA TTTCAAAGAT AAAGATGAAG GAATAATTGA TGTGAAGCT	960
TACGTACCTG ATGTCAAAGC AGCAACTTCA AACACCACCC CAGCAACAGG ACAAACATCA	1020
GCAAGGTCGG AAAAAGTCC ACCCTTACCT ACTCATATTC CAAATCCATC GACCATGAAT	1080
GAAGCTCGAC CTCATCCAAC AACTCCACAT AAAAGATCAA AAGTCATTTT CGATTTAAAA	1140
GATTTAGAAC AAAAGTTAGG TAATGATATT GAGGATTTGG ATTTTAAGGA TATGTATGAG	1200
AGTTTGCTG ACCATTCAAG TAAGGCAACA CCTAAAGACG ATATTTTAAC CCGTTCTAAA	1260
AGAAGACTTT ATACATATAC CGATGGAACA TCAAAGGCTG AAACGTTATC TACACCAATG	1320
AACAAAAATC CTGTTCTGG ACATAGTACC AAGAAAAAGC TTAGTATGTT GGACATGCAT	1380
GCGTCTTCTA AAATCAAAG TCTTTTACCT CCACAACCGC CACAAATGTC AATTGATCCT	1440
TCTGTTTCCA AGCAAGTGTG GGCTAAATAC GTTGATGCAA TCTTGACTTA TCAAAGAGAA	1500
TTTTTCAATT ATAAAAAGT GATTGTTCAA TACCAAATGG AACGGATAAA CAAAGACCTT	1560
GAACATTTTG ACGATATAAA TGATGGTTCA CACACTGAGA ATTTGGATAC TTTCAAGCAT	1620
TGTTTAGAAC AAGATTATTT GGTTAGTTGA C	1651

(2) INFORMATION FOR SEQ ID NO: 9:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 463 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

AACCTGTTGA CGCGTTGTCT TTTTCTACCC CACGTTTAAC AATCTTGCCA GTCAATTCAC	60
TAGCCAAATA AACTTTAGAC TCACAACTCT AACACTGACT CGCCCCCCCC TGTTTAAACT	120
CTAAATTACT TCACAGAGCC TTTACTACCT TAATTTAAGA TTATCTATTG TTTCTGTTCT	180
TTTGCAATCA CCCTGACTCG TTTTTTTTTT AGCCAGTTTT TTCGTAAAT CTGACCAAAA	240
ATTTACAACCT CTAATTTAAA ACTCTAAATA ACAATTAAAA CTCAATTCAG ACAAGTCCTT	300
CTGCTCATTC TGAGTCTTCT CTATTGTCTT TTGACTTTTT GTGTGTGACT ATTTTCATGA	360
TCACCCCGTT TCTTGCATTT TTTTCAGTCA ACTTTTTCTC AAAATCAAGC CAAAAAACA	420
CATTTAACTG CCTATACAAC GCAAACCTAT TCAAAACAAG GTT	463

(2) INFORMATION FOR SEQ ID NO: 10:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 582 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

AACCTCCCCG TTAACCACTT CTAGGTATAC CATTTTCATCT GACTGAATAA CTGGTTAGTC	60
GATTTGTTGT TGAAGAAAAG TGACCACCTA GTTTTTCTG CCAACATTTT TGCGATGAG	120
CCGTCGACGC GTTGTCTTTT TCTACCCAC GTTTAACAAT CTTGCCAGTC AATTCCTAG	180
CCAAATAAAC TTTAGACTCA CAACTCTAAC ACTGACTCGT GCCCCCTGT TTAAACTCTA	240
AATTACTTCA CAGAGCCTTT ACTACCTTAA TTTAAGATTA TCTATTGTTT CTGTTTTTTT	300
GCAATCACCC TGACTCGTTT TTTTTTCAGC CAGTTTTTTC GTAAAATCTG ACCAAAAATT	360
TACAACTCTA ATTTAAACT CTAAATAACA ATTAAACTC AATTCAGACA AGTCCTTCTG	420
CTCATTCTGA GTCTTCTCTA TTGTCTTTTG ACTTTTTGTG TGTGACTATT TTCATGATCA	480
CCCCGTTTCT TGCAATTTTT TCAGTCAACT TTTTCTCAA ATCAAGCCAA AAAACACAC	540
CTTTAACTAC CTATACAACG CAAACCTATT CAAAACAAGG TT	582

(2) INFORMATION FOR SEQ ID NO: 11:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1066 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:183
- (D) OTHER INFORMATION:/note= "W = A or T"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:564
- (D) OTHER INFORMATION:/note= "Y = C or T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

```

AACCATAAAT ATGCCAAGAT TTAAACAAGT TGATGTATTC ACCAATGTCA AATATTTGGG      60
TAATCCAGTT GCCGTTATTT ATGATAGTGA TAATTTAACC ACTCAAGAAA TGCAAAAAAT      120
TGCTCGATGG ACAAATTTAT CAGAAACAAC ATTTATATTG ACTCCAAAAT CATCAATTGC      180
TGWTTATAGT ATTAGAATTT TCACTTCTGG TGGGAATGAA TTACCATTG CTGGTCATCC      240
TACTTTAGGT ACTGCATTG CATTATTGGA AGATGGTAAA ATAAAACCAA ATGACAATGG      300
ACAAATAATT CAAGAATGTG GTGCTGGATT AGTGAAATA TCCGTTGAAA AAACACCTAA      360
TAATAATAGT AATGAGTTGC CGTTTTTGTT ATCTTTTGAA TTACCATATT TCAAATTTC      420
TGAAATTGAT GACAAAGTAA TCGAGGAATT ACAACATTCA TGAATGGAA CCAATATTAT      480
TGGTAAACCG GTACTTATTG ATGCTGGTCC AAAATGGGCA GTTTCCAAC TTGGCTCCGG      540
TAAAGAAGTA TTAGACTTGA ATGYTGATTT AGCACAAATT GAGAGATTAA GTTTAGAAAA      600
TGGTTGGACA GGAATTGGTG TCTTTGAAA ACATAATGAA AATGGTGATT CGGTCAATT      660
GAGAAATATT GCTCCTGCTG TTGGAGTCGC TGAAGATCCT GCTTGTGGAA GTGGATCAGG      720
TGCTATTGGA GCATATTTGG CAAATCACGT TTTCAATGAA AAGGAAAAAT TTACAATTGA      780
TATTTCTCAA GGTAACCAA TTGAAAGAGA TGCTAAGATT CAAGTTAAAG TTAATCGTCT      840
TACCACCAAA AATGGTGATT TATCTATTCA TGTGGTGGT CATGCCATCA CTTGTTTCGA      900
AGGTACTTAT TCTATTTAAA ACTTGATATA ATTCTTGAGT TATATCTAAT TTATCTAATT      960
CACTTGTCCT TGGAGTAGTT TGATCTAATT GATGTAATTT ATTTAATAAA TCACGTTCTA     1020
AATCAGTTTG TTTAGATAAA TCATTTAATA AATCATCTTC AGCATT                       1066

```

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 302 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

```

Met Pro Arg Phe Lys Gln Val Asp Val Phe Thr Asn Val Lys Tyr Leu
1           5           10           15
Gly Asn Pro Val Ala Val Ile Tyr Asp Ser Asp Asn Leu Thr Thr Gln

```

20										25					30															
Glu	Met	Gln	Lys	Ile	Ala	Arg	Trp	Thr	Asn	Leu	Ser	Glu	Thr	Thr	Phe															
	35						40					45																		
Ile	Leu	Thr	Pro	Lys	Ser	Ser	Ile	Ala	Xaa	Tyr	Ser	Ile	Arg	Ile	Phe															
	50					55					60																			
Thr	Ser	Gly	Gly	Asn	Glu	Leu	Pro	Phe	Ala	Gly	His	Pro	Thr	Leu	Gly															
	65				70					75				80																
Thr	Ala	Phe	Ala	Leu	Glu	Asp	Gly	Lys	Ile	Lys	Pro	Asn	Asp	Asn																
				85			90						95																	
Gly	Gln	Ile	Ile	Gln	Glu	Cys	Gly	Ala	Gly	Leu	Val	Lys	Ile	Ser	Val															
			100				105						110																	
Glu	Lys	Thr	Pro	Asn	Asn	Asn	Ser	Asn	Glu	Leu	Pro	Phe	Leu	Leu	Ser															
		115					120					125																		
Phe	Glu	Leu	Pro	Tyr	Phe	Lys	Phe	His	Glu	Ile	Asp	Asp	Lys	Val	Ile															
	130					135					140																			
Glu	Glu	Leu	Gln	His	Ser	Trp	Asn	Gly	Thr	Asn	Ile	Ile	Gly	Lys	Pro															
	145				150					155				160																
Val	Leu	Ile	Asp	Ala	Gly	Pro	Lys	Trp	Ala	Val	Phe	Gln	Leu	Gly	Ser															
				165				170					175																	
Gly	Lys	Glu	Val	Leu	Asp	Leu	Asn	Xaa	Asp	Leu	Ala	Gln	Ile	Glu	Arg															
			180				185					190																		
Leu	Ser	Leu	Glu	Asn	Gly	Trp	Thr	Gly	Ile	Gly	Val	Phe	Gly	Lys	His															
		195					200					205																		
Asn	Glu	Asn	Gly	Asp	Ser	Val	Glu	Leu	Arg	Asn	Ile	Ala	Pro	Ala	Val															
	210					215					220																			
Gly	Val	Ala	Glu	Asp	Pro	Ala	Cys	Gly	Ser	Gly	Ser	Gly	Ala	Ile	Gly															
	225				230					235				240																
Ala	Tyr	Leu	Ala	Asn	His	Val	Phe	Asn	Glu	Lys	Glu	Lys	Phe	Thr	Ile															
				245				250					255																	
Asp	Ile	Ser	Gln	Gly	Lys	Pro	Ile	Glu	Arg	Asp	Ala	Lys	Ile	Gln	Val															
			260				265					270																		
Lys	Val	Asn	Arg	Leu	Thr	Thr	Lys	Asn	Gly	Asp	Leu	Ser	Ile	His	Val															
		275					280					285																		
Gly	Gly	His	Ala	Ile	Thr	Cys	Phe	Glu	Gly	Thr	Tyr	Ser	Ile																	
	290					295					300																			

(2) INFORMATION FOR SEQ ID NO: 13:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 2829 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

ATGACGGAAA CTGTGATAGA AAAGAAAAGA AAGGTTGATT TAAATGCCTC AGGTATTACA

60

AAACAACCAA AAGCTTCTAA AATCTTCAGT CCATTCAGAG TTTTAGGGAA TGTTACAGAC	120
TCAACTCCTT TTGCCATGGG GACATTAGGT TCAACATTTT ATGCTGTCAC TTCTGTTGGC	180
AGATCTTTCC AAATTTATGA CTTGGCTACA TTACATTTAT TGTTGTTTC CCAAACCTCAA	240
ACTCCTTCAA GAATTACAAG TTTGGCTGCA CACCATCACT ATGTCTATGC ATCTTATGGT	300
GATCGTATTG GTATTTTTAG ACGTGGTAGA TTAGAGCATG AATTGGTTTG TGAAGGGAAC	360
TCTACAGTTA ACCAATTATT AGTATTTGGA GAATACCTTA TTGCTACCAC ATTAGAAGGT	420
GATATTTTCG TATTTAGAAA AACTGAAGGA AAGAAATTCC CAACTGAATT ATACACTACA	480
ATCAGAATAA TTAATTCCTT AGTTGAAGGA GAAATTGTGG GATTAATTCA TCCACCTACG	540
TATTTAAATA AAGTAATTGT TGCTACTACT CAATCTGTGT TTGTTATAAA TGTGAGAACT	600
GGCAAATTAT TATACAAATC CCGGGAATTA CAATTCGAAG GCGAAAAGAT TTCATCAATC	660
GAAGCTGCTC CAGTTTGGGA TGTAATTGCT GTTGGTACAT CTAATGGAAA TGTATTTTAA	720
TTCAACATTA AAAAGGGGAA AGTGTGGGGC CAAAAAATTA TTAATTCTGG AACTGAATCT	780
TCTTCGAAAG TTGCCTCGAT CTCTTTTAGA ACAGATGGAG CACCTCATTT GGTGCTGGT	840
TTGAATAACG GGGACTTATA TTTCTACGAT TTAGACAAGA AATCACGTGT TCATGTTTTG	900
AGAAATGCCC ATAAAGAGAC TCATGGGGGT GTTGCAAACG CCAAATTTT GAATGGTCAA	960
CCAATAGTAT TATCAAATGG TGGTGATAAT CATTGAAAG AATTTGTTTT TGATCCTAAT	1020
TTAACCACCT CGAATTCATC CATTGTTCTT CCTCCAAGAC ATCTCAGATC TAGAGGTGGG	1080
CATTCAGCAC CACCAGTAGC TATTGAATTT CCTCAAGAAG ATAAAACCCA TTTTTTATTG	1140
AGTGCTTCTA GAGATAAAAC ATTTTGGACA TTCTCTTTGA GAAAAGATGC TCAAGCACAG	1200
GAAATGTCTC AAAGATTGCA AAAATCTAAG GATGGTAAAA GACAGGCTGG ACAAGTTGTT	1260
TCTATGAGAG AGAAATCCCC AGAAATCATT TCCATTTTAT CCTCTTATGC CAGAGAAGGT	1320
GATTGGGAAA ATATCATAAC CGCCCACAAG GATGAACTT TTGCGAGAAC ATGGGATTCA	1380
AGAAATAAAA GAGTCGGTAG ACATTTGTGA AACACTATTG ATGGTGGCAT TGTGAAATCT	1440
GTATGTGTGT CTCAGTGTGG TAATTTTGGT TTAGTGGGAT CATCACTGGG TGGTATTGGA	1500
TCATACAACC TTCAAAGTGG ATTGTTGCGT AAAAAATATG TTTTACATAA ACAAGCTGTC	1560
ACCGGTTTAG CAATTGATGG AATGAATAGA AAAATGGTTA GTTGTGGTTT AGATGGAATT	1620
GTGGGATTCT ATGATTTTGG AAAGTCTGTC TATTTAGGCA AATTACAAC TGAAGCACCT	1680
ATAACATCCA TGATATATCA CAACTGTCT GATCTTGTG CTTGTGCCTT GGATGATTG	1740
TCCATAGTTG TTATTGACGT GACTACTCAA AAAGTCATAA GAATATTATA TGGTCATACC	1800
AACAGAATTT CAGGAATGGA TTTCTCGCCT GATGGGAGAT GGATAGTTTC AGTTGCATTG	1860
GACTCCACTT TGCGAACTTG GGACTTGCCA ACTGGTGGTT GTATTGATGG GGTGATTTTA	1920
CCAATTGTGG CAACTGCACT TAAATTTTCT CCTATTGGTG ATATCTTAGC GACAACACAT	1980
GTCTCTGGAA ATGGTGTATC CTTATGGACT AATCGTGCCC AGTTCAAGCC TGTGTCCACC	2040
AGACACGTAG AAGAAGATGA GTTTTCAACT ATTTTATTAC CAAATGCTTC TGGAGATGGC	2100
GGTTCAACAA TGCTAGACGG GTTTTGGAC GAGGATTCTA ATGAAGACGG CACTATTGAT	2160
GAACAGTATA CATCTGCTGC TCAAATTGAT GCATCCTTGA TTACTTTATC ATCAGAGCCA	2220

```

AGATCAAAAT TCAACACTTT ATTGCATTTG GATACCATTA AACAACAAAG CAAACCGAAA      2280
GAAGCACCTA AAAAACCAGA AAATGCACCT TTCTTTTTAC AATTGACTGG ACAAGCAGTT      2340
GGTGATAGGG CATCGGTTGC TGAAGGCAAA ACTTCAGAAC AAACAAATAA CACTGTTGAA      2400
GAAACCAACA GCAAATTGCG TAAATTGGAT ACAAACGGTA ACCACGCATT TGAAAGTGAA      2460
TTCACAAAAC TATTAAGGGA AGCTGGAGAG AGTGGACAAT TTGAAAGATT TTTGACTTAC      2520
TTACTTAACT TATCTCCTGC TGTATTGGAC TTGGAAATTA GATCACTTAA TTCATTTGTT      2580
CCATTGACTG AAATGACAAA TTTTATTCAA GCTTTAAATG CTGGTTTGAA ATCAAACGCA      2640
AATTATGAAA TATGGGAAAC TTTATATGCC ATGTTTTTCA ACATACATGG TGATGTTATC      2700
CATCAGTTTG AAAATGAAAC TAGTCTTCAT GAAGCTTTGG AAGAATACAG ACAGTTAAAT      2760
GATGAAAAGA ATAACAAAT GGATTCTTTA GTGAAATATT GTGCTAGTAT CGTAAGTTTT      2820
ATTAGTTAG                                     2829

```

(2) INFORMATION FOR SEQ ID NO: 14:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 942 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

```

Met Thr Glu Thr Val Ile Glu Lys Lys Arg Lys Val Asp Leu Asn Ala
1           5           10           15
Ser Gly Ile Thr Lys Gln Pro Lys Ala Ser Lys Ile Phe Ser Pro Phe
20          25          30
Arg Val Leu Gly Asn Val Thr Asp Ser Thr Pro Phe Ala Met Gly Thr
35          40          45
Leu Gly Ser Thr Phe Tyr Ala Val Thr Ser Val Gly Arg Ser Phe Gln
50          55          60
Ile Tyr Asp Leu Ala Thr Leu His Leu Leu Phe Val Ser Gln Thr Gln
65          70          75          80
Thr Pro Ser Arg Ile Thr Ser Leu Ala Ala His His His Tyr Val Tyr
85          90          95
Ala Ser Tyr Gly Asp Arg Ile Gly Ile Phe Arg Arg Gly Arg Leu Glu
100         105         110
His Glu Leu Val Cys Glu Gly Asn Ser Thr Val Asn Gln Leu Leu Val
115         120         125
Phe Gly Glu Tyr Leu Ile Ala Thr Thr Leu Glu Gly Asp Ile Phe Val
130         135         140
Phe Arg Lys Thr Glu Gly Lys Lys Phe Pro Thr Glu Leu Tyr Thr Thr
145         150         155         160
Ile Arg Ile Ile Asn Ser Leu Val Glu Gly Glu Ile Val Gly Leu Ile
165         170         175

```

His Pro Pro Thr Tyr Leu Asn Lys Val Ile Val Ala Thr Thr Gln Ser
 180 185 190
 Val Phe Val Ile Asn Val Arg Thr Gly Lys Leu Leu Tyr Lys Ser Arg
 195 200 205
 Glu Leu Gln Phe Glu Gly Glu Lys Ile Ser Ser Ile Glu Ala Ala Pro
 210 215 220
 Val Leu Asp Val Ile Ala Val Gly Thr Ser Asn Gly Asn Val Phe Leu
 225 230 235 240
 Phe Asn Ile Lys Lys Gly Lys Val Leu Gly Gln Lys Ile Ile Thr Ser
 245 250 255
 Gly Thr Glu Ser Ser Ser Lys Val Ala Ser Ile Ser Phe Arg Thr Asp
 260 265 270
 Gly Ala Pro His Leu Val Ala Gly Leu Asn Asn Gly Asp Leu Tyr Phe
 275 280 285
 Tyr Asp Leu Asp Lys Lys Ser Arg Val His Val Leu Arg Asn Ala His
 290 295 300
 Lys Glu Thr His Gly Gly Val Ala Asn Ala Lys Phe Leu Asn Gly Gln
 305 310 315 320
 Pro Ile Val Leu Ser Asn Gly Gly Asp Asn His Leu Lys Glu Phe Val
 325 330 335
 Phe Asp Pro Asn Leu Thr Thr Ser Asn Ser Ser Ile Val Pro Pro Pro
 340 345 350
 Arg His Leu Arg Ser Arg Gly Gly His Ser Ala Pro Pro Val Ala Ile
 355 360 365
 Glu Phe Pro Gln Glu Asp Lys Thr His Phe Leu Leu Ser Ala Ser Arg
 370 375 380
 Asp Lys Thr Phe Trp Thr Phe Ser Leu Arg Lys Asp Ala Gln Ala Gln
 385 390 395 400
 Glu Met Ser Gln Arg Leu Gln Lys Ser Lys Asp Gly Lys Arg Gln Ala
 405 410 415
 Gly Gln Val Val Ser Met Arg Glu Lys Phe Pro Glu Ile Ile Ser Ile
 420 425 430
 Ser Ser Ser Tyr Ala Arg Glu Gly Asp Trp Glu Asn Ile Ile Thr Ala
 435 440 445
 His Lys Asp Glu Thr Phe Ala Arg Thr Trp Asp Ser Arg Asn Lys Arg
 450 455 460
 Val Gly Arg His Leu Leu Asn Thr Ile Asp Gly Gly Ile Val Lys Ser
 465 470 475 480
 Val Cys Val Ser Gln Cys Gly Asn Phe Gly Leu Val Gly Ser Ser Ser
 485 490 495
 Gly Gly Ile Gly Ser Tyr Asn Leu Gln Ser Gly Leu Leu Arg Lys Lys
 500 505 510
 Tyr Val Leu His Lys Gln Ala Val Thr Gly Leu Ala Ile Asp Gly Met
 515 520 525
 Asn Arg Lys Met Val Ser Cys Gly Leu Asp Gly Ile Val Gly Phe Tyr
 530 535 540
 Asp Phe Gly Lys Ser Val Tyr Leu Gly Lys Leu Gln Leu Glu Ala Pro
 545 550 555 560

Ile Thr Ser Met Ile Tyr His Lys Ser Ser Asp Leu Val Ala Cys Ala
 565 570 575
 Leu Asp Asp Leu Ser Ile Val Val Ile Asp Val Thr Thr Gln Lys Val
 580 585 590
 Ile Arg Ile Leu Tyr Gly His Thr Asn Arg Ile Ser Gly Met Asp Phe
 595 600 605
 Ser Pro Asp Gly Arg Trp Ile Val Ser Val Ala Leu Asp Ser Thr Leu
 610 615 620
 Arg Thr Trp Asp Leu Pro Thr Gly Gly Cys Ile Asp Gly Val Ile Leu
 625 630 635 640
 Pro Ile Val Ala Thr Ala Val Lys Phe Ser Pro Ile Gly Asp Ile Leu
 645 650 655
 Ala Thr Thr His Val Ser Gly Asn Gly Val Ser Leu Trp Thr Asn Arg
 660 665 670
 Ala Gln Phe Lys Pro Val Ser Thr Arg His Val Glu Glu Asp Glu Phe
 675 680 685
 Ser Thr Ile Leu Leu Pro Asn Ala Ser Gly Asp Gly Gly Ser Thr Met
 690 695 700
 Leu Asp Gly Phe Leu Asp Glu Asp Ser Asn Glu Asp Gly Thr Ile Asp
 705 710 715 720
 Glu Gln Tyr Thr Ser Ala Ala Gln Ile Asp Ala Ser Leu Ile Thr Leu
 725 730 735
 Ser Ser Glu Pro Arg Ser Lys Phe Asn Thr Leu Leu His Leu Asp Thr
 740 745 750
 Ile Lys Gln Gln Ser Lys Pro Lys Glu Ala Pro Lys Lys Pro Glu Asn
 755 760 765
 Ala Pro Phe Phe Leu Gln Leu Thr Gly Gln Ala Val Gly Asp Arg Ala
 770 775 780
 Ser Val Ala Glu Gly Lys Thr Ser Glu Gln Thr Asn Asn Thr Val Glu
 785 790 795 800
 Glu Thr Asn Ser Lys Leu Arg Lys Leu Asp Thr Asn Gly Asn His Ala
 805 810 815
 Phe Glu Ser Glu Phe Thr Lys Leu Leu Arg Glu Ala Gly Glu Ser Gly
 820 825 830
 Gln Phe Glu Arg Phe Leu Thr Tyr Leu Leu Asn Leu Ser Pro Ala Val
 835 840 845
 Leu Asp Leu Glu Ile Arg Ser Leu Asn Ser Phe Val Pro Leu Thr Glu
 850 855 860
 Met Thr Asn Phe Ile Gln Ala Leu Asn Ala Gly Leu Lys Ser Asn Ala
 865 870 875 880
 Asn Tyr Glu Ile Trp Glu Thr Leu Tyr Ala Met Phe Phe Asn Ile His
 885 890 895
 Gly Asp Val Ile His Gln Phe Glu Asn Glu Thr Ser Leu His Glu Ala
 900 905 910
 Leu Glu Glu Tyr Arg Gln Leu Asn Asp Glu Lys Asn Asn Lys Met Asp
 915 920 925
 Ser Leu Val Lys Tyr Cys Ala Ser Ile Val Ser Phe Ile Ser
 930 935 940

(2) INFORMATION FOR SEQ ID NO: 15:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 725 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

```
AACCTGGCAA TTAAGTCCCC GGCAAGTGAT AGCAGGAGAT AGGTGTGTAT AGATTATAAT      60
GGAACGCCGA TTTTTCAGT ATCACGCGTA ATAAGGACAG CAGTTGGACA TCGGTACATG      120
AGAGAGCAAT GTAAGTCTTG ATAGTAATGA GCCGTGTTGA AGTAGTATTT TAATCTAATT      180
TTACTCAAAA AAGGACAATG GAGATCTGGA GATAACAGCA CACTAATCGG TTCTAGACAT      240
AGACTAAGCC TGAAAGGGGG TACTACAGCT TGTTTTGAAA AGGTTTGCGT TGTATAGGCA      300
GTTAAATGTG TGTTTTTTTT GGGTAGAATT TGAGAAAAAG TTGACTGAAA AAAATGCAAG      360
AAACGGGGTG ATCATGAAAA TAGACACACA CAAAAAGTCA AAAAACAATG GAAAAGCTTC      420
AGAATAAGCA GTAGGAGGTG TCTGAATTGA GTTTGTATTG TTATTTAGAG TTTTAAATTA      480
GAGTTGTAAA TTTTGGGTA GAATTTACGA AAAAGTCGAA CAAAAAACG ACAAGTCAGG      540
GTGATTGCAA AAAACAGAA ACAATAGATA ATCTTAAATT AAGGTAGTAG AGGCTCTGTG      600
AAGTAATTTA GAGTTTAAAC AGGGGGGCAC GAGTCAGTGT TAGAGTTGTG AAGTTTATTT      660
GGCTAGTGAA TTGACTGGCA AGATTGTAA ACGTGGGGTA GAAAAGACA ACGCATCGAC      720
AGGTT                                             725
```

(2) INFORMATION FOR SEQ ID NO: 16:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1144 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

```
CCATGATATA GAAATTGGTG GGTCAACGTA CTATCAAATT AACATAAAAC TACCACTTCG      60
GTCATTCACG ATAAAGAAAC GGTACCTGGA ATTCCAGCAA TTGGTGCTGG ACTTGAGTCG      120
TAATCTAGGC ATTGATAGTC GAGATTTTCC ATATGAATTA CCTGGGAAAC GGATCAACTG      180
GCTTAACAAG ACCAGTATTG TTGAGGAGAG AAAAGTGGGA CTTGCAGAAT TTCTCAATAA      240
CCTCATTCAA GACTCAACAC TTCAGATGA ACGAGAAGTG TTGTCGTTTT TGCAATTGCC      300
GTCTAATTTT AGATTCACCA AGGATATGTT ACAGAATAAT CGAGCAGACT TGGATTCTGT      360
```

GCAAAATAAC TGGTACGATG TATATCGTAA GTTGAAACTG GATATACTCA ACGAATCGTC 420
 TAGCAGCATT AGTGAACAGA TACATATTCG TGATCGCATT AGTCGGGTCT ACCAACCACG 480
 GATTCTCGAC TTGGTCAGGG CTATTGGTAC AGATAAGAA GAGGCCCTAA AGAAGAAGCA 540
 GTTGGTTTCC CAATTACAAG AGAGTATAGA TAATTTGTTA GTACAGGAAG TTCCCCGATC 600
 AAAGAGGGTG TTGGGTGGAG CAGTTAAGGA AACGCCAGAG ACATTACCAT TAAACAATAA 660
 AGAACTTCTT CAACACCAAG TACAAATTCA TCAAAACCAA GACAAAGAAC TAGACCAGCT 720
 TAGGGTGTTA ATTGCCCGGC AGAAACAGAT TGGCGAGCTA ATTAATGCAG AAGTAGAGGA 780
 ACAGAATGAA ATGTTGGATA GGTTTAATGA AGAGGTCGAC TACACGTCCA GCAAAATCAA 840
 GCAAGCAAGA CGCAGAGCTA AGAAGATATT ATAGTAATTT GTTCGCTACT TCGATATTAT 900
 CTGCCATTGA CGTTATTCTT GCAGGTTGGC CEAATTGTTC GTTTGAAAGT TTTTCGAGGT 960
 CTCAGCGTC TAATGCCCTA TCTGAGCTCT CGCCATCGAG TTTCCAAAAC CCGCCGATAT 1020
 TTTGAAAGAA TCTTTGAATG CCAAACCGTC GTGGCGGGAA CGATCTGCCT GCGTTGGCCA 1080
 AGTTGAATAT GCTAGGGTGG TACTGTAAAT AGAAGACAGA TCCAATAAAC GTTCCTATAA 1140
 ATGC 1144

(2) INFORMATION FOR SEQ ID NO: 17:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 290 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

His Asp Ile Glu Ile Gly Gly Ser Thr Tyr Tyr Gln Ile Asn Ile Lys
 1 5 10 15
 Leu Pro Leu Arg Ser Phe Thr Ile Lys Lys Arg Tyr Ser Glu Phe Gln
 20 25 30
 Gln Leu Val Ser Asp Leu Ser Arg Asn Leu Gly Ile Asp Ser Arg Asp
 35 40 45
 Phe Pro Tyr Glu Leu Pro Gly Lys Arg Ile Asn Trp Leu Asn Lys Thr
 50 55 60
 Ser Ile Val Glu Glu Arg Lys Val Gly Leu Ala Glu Phe Leu Asn Asn
 65 70 75 80
 Leu Ile Gln Asp Ser Thr Leu Gln Asn Glu Arg Glu Val Leu Ser Phe
 85 90 95
 Leu Gln Leu Pro Ser Asn Phe Arg Phe Thr Lys Asp Met Leu Gln Asn
 100 105 110
 Asn Arg Ala Asp Leu Asp Ser Val Gln Asn Asn Trp Tyr Asp Val Tyr
 115 120 125
 Arg Lys Leu Lys Ser Asp Ile Leu Asn Glu Ser Ser Ser Ser Ile Ser
 130 135 140

Glu Gln Ile His Ile Arg Asp Arg Ile Ser Arg Val Tyr Gln Pro Arg
 145 150 155 160
 Ile Leu Asp Leu Val Arg Ala Ile Gly Thr Asp Lys Glu Glu Ala Leu
 165 170 175
 Lys Lys Lys Gln Leu Val Ser Gln Leu Gln Glu Ser Ile Asp Asn Leu
 180 185 190
 Leu Val Gln Glu Val Pro Arg Ser Lys Arg Val Leu Gly Gly Ala Val
 195 200 205
 Lys Glu Thr Pro Glu Thr Leu Pro Leu Asn Asn Lys Glu Leu Leu Gln
 210 215 220
 His Gln Val Gln Ile His Gln Asn Gln Asp Lys Glu Leu Asp Gln Leu
 225 230 235 240
 Arg Val Leu Ile Ala Arg Gln Lys Gln Ile Gly Glu Leu Ile Asn Ala
 245 250 255
 Glu Val Glu Glu Gln Asn Glu Met Leu Asp Arg Phe Asn Glu Glu Val
 260 265 270
 Asp Tyr Thr Ser Ser Lys Ile Lys Gln Ala Arg Arg Arg Ala Lys Lys
 275 280 285
 Ile Leu
 290

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2736 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 11
- (D) OTHER INFORMATION: /note= "N = G or A or T or C"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 2723..2724
- (D) OTHER INFORMATION: /note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 2714..2715
- (D) OTHER INFORMATION: /note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 2710
- (D) OTHER INFORMATION: /note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 2706..2707
- (D) OTHER INFORMATION: /note= "N = A or T or C or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

ATGGAAAAA NTTTGGCGAG TGAAAGTTG TACACCGATT TGGAGTGTGT TTTTAATTCA

60

AACTATCCAA CAAGAATTGT TTGGGGTGCT TCTTACAATT TTGGAATTCA ACAGATGATG	120
GCAAACCTTG ATCGGTTTTTC AAAACCACCA GTGGATCCAT CTACAAAATT AGGATTTTGG	180
GATAAGTTAA AGTATATCTT ACATGGTAAA TGCCAAATCA GAACTAGGAA AAGTTTAGAA	240
GTTGCATTTA AAGGATCAAG AGATCCGTAT GATTTGTTCA CGACTGCAGG CGGGTTTGTA	300
TTGTCATTTA GAAAGAATGT TGTCTGGGAC ATCAATAAAG ACGATAATTC GAAAAATTAC	360
TTCGATATCA CGGCAGATAA AGTTTCCTGG TATATTCCAA ACTATTTAGC AGGACCATTA	420
TTGGCTTGGA CAAGAAGTAG TAAAAATTCA ATTTATTTAC CAAATTCACC AAATGTGGTT	480
AATTCTTGCT TTGCATATTA CCTTCAAGAT TTTACTGGAC AAGCTGATTT TGATCATGCT	540
GCCCGAGTAT TTGAAAGAAA TGTGGTCAAT CTTAGTGGAG GAATTCATTT TCAAGTTGGG	600
TTTCTACTTG AACGTAAAGA TACAAATGGT AAGAGAACCG ATGAATTCAA ACCTCATTAC	660
GAAGTGCAGT TGTTTGATCC CAAGTATTGT GAGAAAGGAC ATGACTCTTA TGCTGGGTTT	720
CGAAGTCAAT TTATACATAT GGCTATCTCA TTGGAATCAA CAAACAGTTC AAGTTATAAT	780
ACAATCCATC TTAGTCCTGG TACTTTCCAA CAGTTTTTCG ATTGGTGGAA GTTATTTGCT	840
AGTAATATGC AGTTACCTAT TAGACGTGGC AAAATGTTTG GAGAAGCAAA AGAATCTGTC	900
AAGTTTTCGC AACATTTATT CACAAACAAG TTTCTTTTCA TGTTGAAATC TTTGTTTATT	960
GCTCATGTTT ATCGAGACGA AATTGTTGAT ATCAATAACG ATAGAATAGA AAGTATTGGT	1020
TTAAGAGCCA AAGTAGATGA TTTTATGGTT GATTTACATC AAAGAAAAGA GCCAGCAACC	1080
CTTTACCATG AAGAATTATC TAAGAATGAG AAGGTGATGA AAATGAATTT TGATTTAGGA	1140
GAAGTCGTTT TATCAGGAAT AGACTTACGT GTCATGCATG TTTTATTTCT CCAAAATTTA	1200
TACACTCAAT CACATTCCAA TTCAGGTGAC GCTAAATCAA CTTATAATAT TTACGACAAT	1260
GATCATCGAT GGTTTGATAT TATGGATTTT CAAGAGGCAT TTTTGACATC AATTAAGGAT	1320
TGTGTCAGGA CAGTTGATAT TTATCCATTG ATGTATTTAC AAAGATTCTT TTATGAAAGA	1380
GATACACATG GTGGCAAGTC TGAGGATGAG ACTGCATTTG GAAAAGAAGT TATTCATAAA	1440
TGTAATTTGG GTGCCATGAA TCCCTTGGAA ACAAGATTGA ATGTATTGGT TCAAAGACTT	1500
AACGCTCTAC AAGAACAAGT CAAAAAATTG TCCAAAACAT CTGCTCCAGA ACCTGTAGCA	1560
GATTTGAAAA AACGAATTCT GTTTTTGCAA AAAGAGATTA GCACAACCAA AGCTGGCGTT	1620
AAGTCGAAAA TCGCTCGTAC ATCCACTATA AATGGTATGA ATAATTCTGA AAATTACCAC	1680
AATAAGTTTA CTTTCTATAA CATGCTTCTT AAATGGAATT TCAATTGTCG GAATTTGACA	1740
TTGAAATACA TACATTTTGT GAAATTGAAA TCACAACCTC GAAATTACTT GTCACACAAG	1800
TCCATTGAAA CACTTGAAAA AATGATGGAT AGTGTAATG CATAACAACG TAAGGACGAT	1860
TTGTCATCGA CGTCAGAAAT AATCCGTCGT TTCACACTGG AAGGGGTAA ATCAGACACA	1920
TCTACCAGCA AAGATATCAC TTCACAACAG AAACCTTGACA ATTTCAACAC AATATTACGA	1980
GAGACCAGAC CAGACGAAAA AGTGTTGAG GATTATTTGA TTGACGTGAT CGCACCTCAA	2040
ATTCAATTAC AAAGTGAGGA TTATCCTGAT TCTGTTGTGC TCATCTCTAC ACCATCTATT	2100
AAAGGTAAAA TTTTGTCCAT TAGGGATTCC AGGAATAATG CAAACCAAAT CTTGTTAGAA	2160
ACTAGGTATG GTATTTTACT AAAAGATGCC AATGTTTTTG TATTAAACAA AGAGGATATT	2220

GTAGGGTGTC CAGATATGTT AAGTATTAGT AATCCATATG GAGCTAAATC TAATTGGCCA 2280
 CCATGGCTAG GAACAGAAAT AACCCAAAAT GGTAAATGGG CTGGAGCCAA CAACTTATTG 2340
 ATTGAAAAGC TTTCTGTTAT GACAATGTGT TATGAAAGTG AAATTTTGTC AAGCAAGCTT 2400
 TCTCCAAATG CACAAGATCT GGATCAAGAA GAGCAAGAAA ATTACAATGA TGATAATTCTG 2460
 AAACAGGCTC CTCTTCGACT TGGTATTGAT ATGCCTTCTG TGGTGATTAC ATCTACATCA 2520
 AGTCAATACT TTACCTTATA TGTTATCATA GTGAGCTTGT TGTTTTATAG CGAGCCTATG 2580
 AGTAAAGTGA TCCACAAGAA AATCGAAAAG ATGAAGTTTT CTATTGATT CGAAGATTG 2640
 GGTGCTCTTA CTAGCAGATT AACGAAAATG CAGCAACATC ATAAATTGTT GAAAGTATTG 2700
 TCTAANNACN AATNNTTTC CGNNCGGGGG AATTAA 2736

(2) INFORMATION FOR SEQ ID NO: 19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 911 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

Met Glu Lys Xaa Leu Ala Ser Val Lys Leu Tyr Thr Asp Leu Glu Cys
 1 5 10 15
 Val Phe Asn Ser Asn Tyr Pro Thr Arg Ile Val Trp Gly Ala Ser Tyr
 20 25 30
 Asn Phe Gly Ile Gln Gln Met Met Ala Asn Phe Asp Arg Phe Ser Lys
 35 40 45
 Pro Pro Val Asp Pro Ser Thr Lys Leu Gly Phe Trp Asp Lys Leu Lys
 50 55 60
 Tyr Ile Leu His Gly Lys Cys Gln Ile Arg Thr Arg Lys Ser Leu Glu
 65 70 75 80
 Val Ala Phe Lys Gly Ser Arg Asp Pro Tyr Asp Leu Phe Thr Thr Ala
 85 90 95
 Gly Gly Phe Val Leu Ser Phe Arg Lys Asn Val Val Trp Asp Ile Asn
 100 105 110
 Lys Asp Asp Asn Ser Lys Asn Tyr Phe Asp Ile Thr Ala Asp Lys Val
 115 120 125
 Ser Trp Tyr Ile Pro Asn Tyr Leu Ala Gly Pro Leu Leu Ala Trp Thr
 130 135 140
 Arg Ser Ser Lys Asn Ser Ile Tyr Leu Pro Asn Ser Pro Asn Val Val
 145 150 155 160
 Asn Ser Cys Phe Ala Tyr Tyr Leu Gln Asp Phe Thr Gly Gln Ala Asp
 165 170 175
 Phe Asp His Ala Ala Arg Val Phe Glu Arg Asn Val Val Asn Leu Ser
 180 185 190

Gly Gly Ile His Phe Gln Val Gly Phe Leu Leu Glu Arg Lys Asp Thr
 195 200 205
 Asn Gly Lys Arg Thr Asp Glu Phe Lys Pro His Tyr Glu Val Gln Leu
 210 215 220
 Phe Asp Pro Lys Tyr Cys Glu Lys Gly His Asp Ser Tyr Ala Gly Phe
 225 230 235 240
 Arg Ser Gln Phe Ile His Met Ala Ile Ser Leu Glu Ser Thr Asn Ser
 245 250 255
 Ser Ser Tyr Asn Thr Ile His Leu Ser Pro Gly Thr Phe Gln Gln Phe
 260 265 270
 Phe Asp Trp Trp Lys Leu Phe Ala Ser Asn Met Gln Leu Pro Ile Arg
 275 280 285
 Arg Gly Lys Met Phe Gly Glu Ala Lys Glu Ser Val Lys Phe Ser Gln
 290 295 300
 His Leu Phe Thr Asn Lys Phe Ser Phe Met Leu Lys Ser Leu Phe Ile
 305 310 315 320
 Ala His Val Tyr Arg Asp Glu Ile Val Asp Ile Asn Asn Asp Arg Ile
 325 330 335
 Glu Ser Ile Gly Leu Arg Ala Lys Val Asp Asp Phe Met Val Asp Leu
 340 345 350
 His Gln Arg Lys Glu Pro Ala Thr Leu Tyr His Glu Glu Leu Ser Lys
 355 360 365
 Asn Glu Lys Val Met Lys Met Asn Phe Asp Leu Gly Glu Val Val Leu
 370 375 380
 Ser Gly Ile Asp Leu Arg Val Met His Val Ser Phe Leu Gln Asn Leu
 385 390 395 400
 Tyr Thr Gln Ser His Ser Asn Ser Gly Asp Ala Lys Ser Thr Tyr Asn
 405 410 415
 Ile Tyr Asp Asn Asp His Arg Trp Phe Asp Ile Met Asp Phe Gln Glu
 420 425 430
 Ala Phe Leu Thr Ser Ile Lys Asp Cys Val Arg Thr Val Asp Ile Tyr
 435 440 445
 Pro Leu Met Tyr Leu Gln Arg Phe Phe Tyr Glu Arg Asp Thr His Gly
 450 455 460
 Gly Lys Ser Glu Asp Glu Thr Ala Phe Gly Lys Glu Val Ile His Lys
 465 470 475 480
 Cys Asn Leu Gly Ala Met Asn Pro Leu Glu Thr Arg Leu Asn Val Leu
 485 490 495
 Val Gln Arg Leu Asn Ala Leu Gln Glu Gln Val Lys Lys Leu Ser Lys
 500 505 510
 Thr Ser Ala Pro Glu Pro Val Ala Asp Leu Lys Lys Arg Ile Ser Phe
 515 520 525
 Leu Gln Lys Glu Ile Ser Thr Thr Lys Ala Gly Val Lys Ser Lys Met
 530 535 540
 Arg Arg Thr Ser Thr Ile Asn Gly Met Asn Asn Ser Glu Asn Tyr His
 545 550 555 560
 Asn Lys Phe Thr Phe Tyr Asn Met Leu Leu Lys Trp Asn Phe Asn Cys
 565 570 575

Arg Asn Leu Thr Leu Lys Tyr Ile His Phe Val Lys Leu Lys Ser Gln
 580 585 590
 Leu Arg Asn Tyr Leu Ser His Lys Ser Ile Glu Thr Leu Glu Lys Met
 595 600 605
 Met Asp Ser Val Asn Ala Tyr Asn Asp Lys Asp Asp Leu Ser Ser Thr
 610 615 620
 Ser Glu Ile Ile Arg Arg Phe Thr Ser Glu Gly Val Lys Ser Gln Thr
 625 630 635 640
 Ser Thr Ser Lys Asp Ile Thr Ser Gln Gln Lys Leu Asp Asn Phe Asn
 645 650 655
 Thr Ile Leu Arg Glu Thr Arg Pro Asp Glu Lys Val Val Glu Asp Tyr
 660 665 670
 Leu Ile Asp Val Ile Ala Pro Gln Ile Gln Leu Gln Ser Glu Asp Tyr
 675 680 685
 Pro Asp Ser Val Val Leu Ile Ser Thr Pro Ser Ile Lys Gly Lys Ile
 690 695 700
 Leu Ser Ile Arg Asp Ser Arg Asn Asn Ala Asn Gln Ile Leu Leu Glu
 705 710 715 720
 Thr Arg Tyr Gly Ile Leu Leu Lys Asp Ala Asn Val Phe Val Leu Asn
 725 730 735
 Lys Glu Asp Ile Val Gly Cys Pro Asp Met Leu Ser Ile Ser Asn Pro
 740 745 750
 Tyr Gly Ala Lys Ser Asn Trp Pro Pro Trp Leu Gly Thr Glu Ile Thr
 755 760 765
 Gln Asn Gly Lys Trp Ala Gly Ala Asn Asn Leu Leu Ile Glu Lys Leu
 770 775 780
 Ser Val Met Thr Met Cys Tyr Glu Ser Glu Ile Leu Ser Ser Lys Leu
 785 790 795 800
 Ser Pro Asn Ala Gln Asp Ser Asp Gln Glu Gln Glu Asn Tyr Asn
 805 810 815
 Asp Asp Asn Ser Lys Gln Ala Pro Leu Arg Leu Gly Ile Asp Met Pro
 820 825 830
 Ser Val Val Ile Thr Ser Thr Ser Ser Gln Tyr Phe Thr Leu Tyr Val
 835 840 845
 Ile Ile Val Ser Leu Leu Phe Tyr Ser Glu Pro Met Ser Lys Val Ile
 850 855 860
 His Lys Lys Ile Glu Lys Met Lys Phe Ser Ile Asp Phe Glu Asp Leu
 865 870 875 880
 Gly Ala Leu Thr Ser Arg Leu Thr Lys Met Gln Gln His His Lys Leu
 885 890 895
 Leu Lys Val Leu Ser Xaa Xaa Xaa Xaa Phe Pro Xaa Arg Gly Asn
 900 905 910

(2) INFORMATION FOR SEQ ID NO: 20:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 626 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

```
ATTCTTTGTT TGTTTGTTGA TTTTGTATCT CTTGTCTAGA ATCACTCATT AATATTTGAT      60
TCAGGGTTTT GATTTGCTAA ATAAGGGGTC TATTAGGAGG ATATTATATA TAATGTGATG      120
TGGCGAAAAA AAAAAACAAG ATCTACTACT CTGTTGGATT TATTTGTGAT GGCATTGAA      180
GAGAAAACAC GTCTTTTAA CGCGTTTTTT TATTTTTTGG AGAAGCAAAT TTCAAGCAAA      240
GACTCTTATT GTGTTGCTTT TGATCCATTC AAATTTTGTA TTACTTTTCA TTAGAACTAT      300
AACTGTTTAT TATCAATGAC GTATACATGT CTGGTTCCTG TTATGTATTG TAATTTTAGT      360
TAATTATAAG CCGTATATTG GTAGTATTCC TCTGTACTCA CAATGGAATT GGTCTTTCAA      420
CAGCAACAAG TGTTATTTTC CCTGAATGTA GAAAATGAAA GGTAGTGTTT ACATATAGTT      480
GGAAATCAAG CCTCTGAAAT GAATCACAAT ATAATAACAA TTTGTAGTTG CAGAGAAAAA      540
CAATTCAGT TGACGGGTAG TTTTTTTTTT TTCACTGCAT TTTTCAACGA AACTAAATA      600
AAATTCGCT GATATTGATA AAGTAT      626
```

(2) INFORMATION FOR SEQ ID NO: 21:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 652 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

```
ATGGCGTCAA TTTCTGTTC AATTGAAAAA GGATCATTTT ACGATGGAGA TGGATTCAAT      60
CAACATCATT TAGGAGACCC AGTTATTTCA GGACCTCCCT ATATTATTAA ATTATTAAAC      120
TTACCCGTCA CAGCTAATGA TTCATTTGTC CAAGACTTGT TTCAAAGCAG ATTTACCCCA      180
TATGTCAAAT TTAAATTTGT AACAGACCCC GCATCAAATA TTTTGAGAC TCATGTCATT      240
AGACAAGTGG CTTTGTGGA ATTGGAATCG GCCAGTGATA TGTCAAAAGC TTTAAATGG      300
CATGATTTGT ATTATAAGAC AAATAGAAGA GTAAGTGTG AAGTGGCAGA TTTTAATGAT      360
TTTCAAATTT GTATTAAATT CAATCAAGAA CATGAACGTG AAATTATGCA AATCCAACAA      420
GAATTCATTG CTCAGAAACA ACAACAACGG CAACCCAGAC ATATGGCTCT TTTAGATGAA      480
TTTGAAAGAA ACCAGCGCGG TCCTGGATCA CCCTTGCATC AAAACCATGA TCACCACAAT      540
CCCCACCCAC AACAACAACA ACACCATCAT TTCAATCCTA ATTTAAACAG ACCTTCAGGT      600
AGATCAAGTC TTCCAATAGA TGAAACGTCT CATTCAAGAA GACTTTCTTT TG      652
```

(2) INFORMATION FOR SEQ ID NO: 22:

- (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 217 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

```

Met Ala Ser Ile Ser Val Pro Ile Glu Lys Gly Ser Phe His Asp Gly
 1           5           10           15
Asp Gly Phe Asn Gln His His Leu Gly Asp Pro Val Ile Ser Gly Pro
 20           25           30
Pro Tyr Ile Ile Lys Leu Leu Asn Leu Pro Val Thr Ala Asn Asp Ser
 35           40           45
Phe Val Gln Asp Leu Phe Gln Ser Arg Phe Thr Pro Tyr Val Lys Phe
 50           55           60
Lys Ile Val Thr Asp Pro Ala Ser Asn Ile Leu Glu Thr His Val Ile
 65           70           75           80
Arg Gln Val Ala Phe Val Glu Leu Glu Ser Ala Ser Asp Met Ser Lys
 85           90           95
Ala Leu Lys Trp His Asp Leu Tyr Tyr Lys Thr Asn Arg Arg Val Thr
 100          105          110
Val Glu Val Ala Asp Phe Asn Asp Phe Gln Asn Cys Ile Lys Phe Asn
 115          120          125
Gln Glu His Glu Arg Glu Ile Met Gln Ile Gln Gln Glu Phe Ile Ala
 130          135          140
Gln Lys Gln Gln Gln Arg Gln Pro Arg His Met Ala Leu Leu Asp Glu
 145          150          155          160
Phe Glu Arg Asn Gln Arg Gly Pro Gly Ser Pro Leu His Gln Asn His
 165          170          175
Asp His His Asn Pro His Pro Gln Gln Gln Gln His His His Phe Asn
 180          185          190
Pro Asn Leu Asn Arg Pro Ser Gly Arg Ser Ser Leu Pro Ile Asp Glu
 195          200          205
Thr Ser His Ser Arg Arg Leu Ser Phe
 210          215

```

(2) INFORMATION FOR SEQ ID NO: 23:

(i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1513 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:
 (A) NAME/KEY: misc_feature
 (B) LOCATION: 1492

(D) OTHER INFORMATION:/note= "N = A or G or C or T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:

GTAGTTTGTG AAGAAATTGA AACAATCGGA AAACAACAAT ATCAAAGTGA TGCCCAATAA	60
CACTGTATGT ACCTAGATGG ATTACCAAGA TCTACTACAT AAAATAATAA AGGAGTTCCA	120
CTCACTCAAA GAGTTCAAAC CATGGGATAG CAGTGTTTTG TATGAGACGT TACTACGATC	180
AGTATTAAC TCTTTGATCG AACTTTTGGG CATAGACAAT CCACCCAGTT ATCTACACCT	240
CACCACCAAC AATGATAGTA TAGGTGATTT GAAAATAAAA TACTATGGAA ATGCATTAAG	300
CAAGTCAATC AACGGTCATA GCATGTTGCA ATATCTTGAA TCAAAGCATG TATCGATATT	360
ACAGGCCGTG GTTGAGATTA TTAATACGCG ATCATATAGA ATCAAAGAGT CTTATTCTGC	420
TGTTTTCAA GACGTTTCTC ATTTATTTGA AAAACTACTA AAGGAAAGAT ATGAAGCTGA	480
ATCTAATCTA GAGGATTATA TATTGCAGTG CTTGATGTAC GAGACCCAAT TTTACCAAGG	540
AATTGTTGAT AATGTTTTAA CTGCCGATGA CACCGAAAAA TTGGCTAGTT TTTTGGGGAC	600
ACGACTATCT GAAGAAGATT CGATGTTTAG CTATAGGGAT ATAGATTATC CACTAGAGTT	660
AAACATTAAT AATGAATCTC TTGAAAAGAT ATATAAAATT TTCTTAGGAG TCATTGGCAC	720
CAAAGATTC GATATCAAGG AGGTTGCGTC TGCTGTTGTT GGTGTGTATA AACGACACCA	780
GAGAATAGAT CATTTTGAAA AGTTGGATTG AGATGAGATT TTGGGAAAGT TTTTCAGAAA	840
TATATTGCCA CAACTGTTCC AGAGTGTGAC AAATAAGGTT TTCCGGGAAT TTCACAAAGA	900
GGTAGATGAC CCACCATCGG ACGTGCTAGA CCAGCTAGAT AATATTGTTG ATGACTTTAT	960
TGCGGTTGGA ATTGAAGGGG TAGATTGTTG CTTTCCGGCT TTGTTTCAGAC ACTACATAAA	1020
ATTCATGAAC GAAATTTTTC CCACTGTGGT CGAGGATGCT GACCGCGATT TTGTTGCAAG	1080
AATTAATAGT TTAATTGCTC AAGTCTTGA GTTTAAAGAC GATGAAAAAT CCTGTGATAT	1140
CAATCAAGTG GTATCTGAAT TTGTTTCATT ACAAAGTTTG CTACTTAAGA ATAACATCT	1200
TTCACCATCT ACATTATTGA TGCGTGCAAG TACTCACGAT TACTATAAAA ATTTACAGAT	1260
CGTGAAAATA ACCTTTGATG GATGGAATGA GAATTCAAAG AGGATATTGA AATTGGAGAA	1320
CAGCGGCTTT TTACAAAGCA AGACATTGCC AAAGTATTTA AAATTATGGT ACTCAAAAAG	1380
TATGAAGTTG AATGAATTAT GTAACCGGGT AGATGAATTT TATAATGGAG AACTTTGTCTG	1440
GAAAGTTTGT GGCATTGTTG GGAGGGTCAC AACCAAAATG TCTATAAATC CNCAAAAATG	1500
GGAGGGTTGC TGA	1513

(2) INFORMATION FOR SEQ ID NO: 24:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 478 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

Met Asp Tyr Gln Asp Leu Leu His Lys Ile Ile Lys Glu Phe His Ser
 1 5 10 15
 Leu Lys Glu Phe Lys Pro Trp Asp Ser Ser Val Leu Tyr Glu Thr Leu
 20 25 30
 Leu Arg Ser Val Leu Thr Thr Leu Ile Glu Leu Leu Gly Ile Asp Asn
 35 40 45
 Pro Pro Ser Tyr Leu His Leu Thr Thr Asn Asn Asp Ser Ile Gly Asp
 50 55 60
 Leu Lys Ile Lys Tyr Tyr Gly Asn Ala Leu Ser Lys Ser Ile Asn Gly
 65 70 75 80
 His Ser Met Leu Gln Tyr Leu Glu Ser Lys His Val Ser Ile Leu Gln
 85 90 95
 Ala Val Val Glu Ile Ile Asn Thr Arg Ser Tyr Arg Ile Lys Glu Ser
 100 105 110
 Tyr Ser Ala Val Phe Lys Asp Val Ser His Leu Phe Glu Lys Leu Leu
 115 120 125
 Lys Glu Arg Tyr Glu Ala Glu Ser Asn Leu Glu Asp Tyr Ile Leu Gln
 130 135 140
 Cys Leu Met Tyr Glu Thr Gln Phe Tyr Gln Gly Ile Val Asp Asn Val
 145 150 155 160
 Leu Thr Ala Asp Asp Thr Glu Lys Leu Ala Ser Phe Leu Gly Thr Arg
 165 170 175
 Leu Ser Glu Glu Asp Ser Met Phe Ser Tyr Arg Asp Ile Asp Tyr Pro
 180 185 190
 Leu Glu Leu Asn Ile Asn Asn Glu Ser Leu Glu Lys Ile Tyr Lys Ile
 195 200 205
 Phe Leu Gly Val Ile Gly Thr Lys Arg Phe Asp Ile Lys Glu Val Ala
 210 215 220
 Ser Ala Val Val Gly Val Tyr Lys Arg His Gln Arg Ile Asp His Phe
 225 230 235 240
 Glu Lys Leu Asp Ser Asp Glu Ile Leu Gly Lys Phe Phe Arg Asn Ile
 245 250 255
 Leu Pro Gln Ser Phe Gln Ser Val Thr Asn Lys Val Phe Arg Glu Phe
 260 265 270
 His Lys Glu Val Asp Asp Pro Pro Ser Asp Val Leu Asp Gln Leu Asp
 275 280 285
 Asn Ile Val Asp Asp Phe Ile Ala Val Gly Ile Glu Gly Val Asp Leu
 290 295 300
 Gly Phe Pro Ala Leu Phe Arg His Tyr Ile Lys Phe Met Asn Glu Ile
 305 310 315 320
 Phe Pro Thr Val Val Glu Asp Ala Asp Arg Asp Phe Val Ala Arg Ile
 325 330 335
 Asn Ser Leu Ile Ala Gln Val Leu Glu Phe Lys Asp Asp Glu Lys Ser
 340 345 350
 Cys Asp Ile Asn Gln Val Val Ser Glu Phe Val Ser Leu Gln Ser Leu
 355 360 365
 Leu Leu Lys Asn Asn Tyr Leu Ser Pro Ser Thr Leu Leu Met Arg Ala

370					375					380					
Ser 385	Thr	His	Asp	Tyr	Tyr 390	Lys	Asn	Leu	Gln	Ile 395	Val	Lys	Ile	Thr	Phe 400
Asp	Gly	Trp	Asn	Glu 405	Asn	Ser	Lys	Arg	Ile 410	Leu	Lys	Leu	Glu	Asn 415	Ser
Gly	Phe	Leu	Gln 420	Ser	Lys	Thr	Leu	Pro 425	Lys	Tyr	Leu	Lys	Leu 430	Trp	Tyr
Ser	Lys	Ser 435	Met	Lys	Leu	Asn	Glu 440	Leu	Cys	Asn	Arg	Val 445	Asp	Glu	Phe
Tyr	Asn 450	Gly	Glu	Leu	Cys	Arg 455	Lys	Val	Leu	Gly	Ile 460	Val	Gly	Arg	Val
Thr 465	Thr	Lys	Met	Ser	Ile 470	Asn	Xaa	Gln	Lys	Trp 475	Glu	Gly	Cys		

(2) INFORMATION FOR SEQ ID NO: 25:

(i) SEQUENCE CHARACTERISTICS:

- SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 436 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:

AGTTATGTCT	CATACATACA	ACACAGATGA	GGACATGTGT	TTAAATGATA	AATTGAAATA	60
TTTGACGAT	TTATAATCGC	TTTATCGTGA	CAATTCGAA	TACTGGTACT	TTCTACTCTA	120
TTTGACAAAA	ATTTGCAAAA	AATTGGGGAA	AAAAATCCTG	TTGCATTTTC	GAGACCATCA	180
GTTGCAACCA	ATCTGAATAT	ATTTTGACAC	TTCAATAAAT	CTAGTGAAAC	TAGTCGTCTA	240
CTTTTAAATT	CTAATCATCT	CATAGTATAT	CAAGCAAAGA	CTTACTATGC	GTTTATCAAA	300
TTTAAGAAAA	TGTAGACAGT	ACGAAAATAC	ACGAGTTTCC	CAATCTTTGA	ACTTGAAAAG	360
ATAGTAATAC	CGAGATTGGC	CAAATCCTAG	CCATAGTCCG	TTCATACAAA	TTCATGAACA	420
ACATCTACAT	AAGTAA					436

(2) INFORMATION FOR SEQ ID NO: 26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 717 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:

CTTTCTTTCG AATTAGATTC AATCTTTTCC AATTTTGCTT GTACACTTGC TAGTTTGAAT 60

TTACGTTTTT CCTCTTTACG TTGTTTCACA ATGGCTGCAC GTTCTTCAAA ATTTATTCCC 120
TTCTTCTTGG TTGGTCTTAT ATCGTTCTCA TCTTCAGGCT TCCTCTCCTC TTGTAACCCCT 180
TCTTTTTTCTA ATAGTTTGAA ATAGTTCTTT CTTAATCTAG CCCTATGGGT TAATGCACGT 240
TTTATATCTT GAGACTTGGC TTCTCGACGA TCTATAAATT TCTTTTTTGA TTAAATGAA 300
TTTTTATTAT TTGGATGCAT TGTGTGGAG GTGTATTGA TAGGTTGATA ACTAGAAATA 360
AAAACATGT GAAAGAACAA AATGCCAATC ACTAAAAAA ATTTAAGATG AGTATGAAAT 420
CAAACTTTA CGACATCTTT GCGACATGCA CATTATGAGC GACATTTTGA TTCGATACCA 480
GAAATAGACA GATTTAGACA GGGTCTATAA CAGAGAAATC AACAATTAAC TGGTATCAAC 540
CTTAAGATTA AAAATGGTCT ATGGCGATAT GAACTGTTGT GATGAAAAAC AATATATTTG 600
GAAATACTTC TTTTCATTTG ACAATTTTTT ATAAAAATTT GGCAACAATT TTGTACCTAA 660
AAATCTTTT GTCTTCAAAA GTGAAATGTA ATATAGAAAT ACTATTACAA CCAAACA 717

(2) INFORMATION FOR SEQ ID NO: 27:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 667 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:

TTTAGTTTTA TATTGATGAT GTTTTTAAGT GCTTGTTTAT CATGGTGGAT GGAAATTAGA 60
ATGAGTAAAT TGAATGGAAA ATCACTGCAA CACCAACAAC AACCCTGGT GGATACGAAA 120
ATTTAGTGTA CAAATTTCTG CCAAAAAAAT ACAATAAAAA CCGCTTATAG TCTTCTACTG 180
ACATAACAAC ACAAGTCAAT AAATCAACAA CTCATAAACA ATGTAGACTT AATACTATCG 240
CTTAATTATT TAACTATAA TAAATACCCT ATAGTATTAT GCCTTTGTCA ATGTGTGTAG 300
AATTTGGTTA TTACATATCC ATGTGTAATA TATATGTTGA TCAAAAACG CGATCTTCTC 360
TTTGGTGTAG TGTGTTACAC AAAAAATTCA CTAGTCTAGG TCACATGATA ATCACGTGAA 420
AATCAAAAAT TTGTTGAAAT TGAATTCCT CAATTTTGAA ATTTTGTTG AAATTTTTTT 480
TTTGCTTTAC AAAAAGACTC CATTTTGTTT TCCATTTTAC AACCAATTAC TTAATTCCTC 540
TTTTTCATAA TTAATAACTA TCATTACTTA CAACTACAAA CAACTACGAT CATTCCTAA 600
GAAAAAGCAA CGAGGGCGAA TTGAGACATT AATCCCCTTT ATTTTATCAT CATGCCTTAT 660
ACAGAAC 667

(2) INFORMATION FOR SEQ ID NO: 28:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 165 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:

AACTATTGCC AATGGTAAAT ATGCCAGTGA AATCGAGAAT TTTAATAAGT CGGTCCCTCT	60
TAAGGTCCCA TTCAAATTCA CTAATGCACA ATTGGATCTT TATGCTGCTA GCACACATAA	120
CCAAGAGCCA ATATCCTAGT AACGACGCAC CATAGTAGAC CGAAT	165

(2) INFORMATION FOR SEQ ID NO: 29:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 207 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:120
- (D) OTHER INFORMATION:/note= "N = A or C or G or T"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:129
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:162
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:178
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:194
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:195
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:199
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION:203
- (D) OTHER INFORMATION:/note= "N = A or T or C or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:

ATGAAGATTT CACCAGAGAC AGTAAATAAA CTACAACTGG ATGCATCGTG TATAAGAAAC	60
---	----

ATCTGTATTT TAGCACATGT CGACCACGGT AAAACCTCAT TGAGTGACTC ATTATTAGCN 120
 ACCAATGGNA TCATTTCCCA ACGTATGGCA GGTAAGTTA GNTATCTTGA TTCGAGANGA 180
 GATGAACAAT TGANNGGTNT AANCATG 207

(2) INFORMATION FOR SEQ ID NO: 30:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 69 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:

Met Lys Ile Ser Pro Glu Thr Val Asn Lys Leu Gln Ser Asp Ala Ser
 1 5 10 15
 Cys Ile Arg Asn Ile Cys Ile Leu Ala His Val Asp His Gly Lys Thr
 20 25 30
 Ser Leu Ser Asp Ser Leu Leu Xaa Thr Asn Xaa Ile Ile Ser Gln Arg
 35 40 45
 Met Ala Gly Lys Val Xaa Tyr Leu Asp Ser Arg Xaa Asp Glu Gln Leu
 50 55 60
 Xaa Gly Xaa Xaa Met
 65

(2) INFORMATION FOR SEQ ID NO: 31:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 2510 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
 (B) LOCATION: 2481
 (D) OTHER INFORMATION: /note= "N = A or T or C or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:

AAGTCATGCG ATTGCAACAA GGATCACAAG AACCAAGT TCACGAACAT TTGATTAATT 60
 TGATTGATTC ACCTGGGCAT ATTGACTTTT CGTCTGAAGT GAGTACTTCT TCGAGATTAT 120
 GTGATGGTGC AGTTGTTTTG GTCGATGTCG TCGAAGGTGT CTGCTCACAA ACAGTCAACG 180
 TTCTACGCCA ATGTTGGATT GATAAGTTGA AGCCATTACT AGTTATTAAC AAAATTGATA 240
 GGTTAATCAC AGAATGGAAA TTGTCTCCCT TGGAGGCATA CCAACACATT TCCAGAATTA 300
 TAGAACAAGT AACTCTGTG ATTGGGTCAT TTTTGTCTGG TGATAGACTA GAAGATGACT 360
 TGAATTGGCG TGAGGCTGGT TCTGTCGGGG AGTTTATCGA GAAGAGTGAT GAAGACTTGT 420

ATTTACACACC	TGAAAAGAAT	AATGTAATAT	TTGCCTCGGC	AATAGATGGA	TGGGCATTTT	480
CAGTCAATAC	ATTGCCAAA	ATATACCTGA	AAAAATTAGG	GTTCTCTCAA	CAAGCATTGT	540
CAAAAACCTCT	CTGGGGAGAC	TTTTACTTGG	ATATGAAAAA	TAAAAAATC	ATCCCTGGTA	600
AAAAATTGAA	AAATAATAGT	AACAGTTTGA	AGCCATTATT	TGTTTCGTTG	ATTTTGGACC	660
AGGTTTGGGC	TGTTTATGAA	AACTGTGTTA	TTGAAAGAAA	TCAAGACAAG	TTGGAAAAAA	720
TCATTGAGAA	ATTAGGGGCC	AAAATCACCC	CTCGTGATTT	GCGATCCAAA	GATTACAAGA	780
ACTTGCTAAA	CTTGATTATG	TCTCAGTGGA	TTCTTTTGAG	TCATGCCATA	TTGGGGTCAG	840
TGATTGAATA	CTTGCCAAGC	CCCATTGTTG	CTCAGCGTGA	AAGAATAGAC	AAGATTTTGG	900
ATGAAACGAT	TTATAGTGCA	GTGGATTGAG	AACTGAGATA	AATCCAAACT	AGTCGACCCCT	960
TCATTTGTCA	AGGCGATGCA	GGAATGTGAT	AGTTACACACC	CGGAAACCCA	TACAATAGCA	1020
TATGTATCAA	AATTGTTGTC	AATCCCCAAT	GAAGACTTAC	CCAAAGCTAG	TAATGCCGCT	1080
ACTGGAGGAT	TGACGGCCGA	TGAAATCCAA	GAACGAGGAA	GAATTGCTCG	AGAATTAGCC	1140
AAAAAGGCAT	CTGAAGCAGC	TGCTTTGGCA	CAAGAAGGTT	CCAAAAATGA	AGATGAGTTT	1200
GCCATTAAAC	CCAAGAAAGA	TCCATTTGAA	TGGGAATTTG	AGGAGGACGA	TTTTGAGAAT	1260
GAGGAAGATG	AGAGCGATGC	AAACGCAGTT	GAAGAATCAA	CTGAAACCAT	AGTGGGTTTC	1320
ACTCGTATTT	ATTCTGGATC	GTTATCTAGA	GGCCAAAAGC	TCACGGTAAT	TGGACCCAAA	1380
TACGACCCTT	CATTACCTAG	AGACCATCAA	ACCAACTTTG	AACAAATAAC	CAATGAAGTT	1440
GAAATTAAAG	ACTTGTTTTT	AATCATGGGA	CGAGAATTAG	TGAGAATGGA	AAAAGTCCTG	1500
CGGGTAATAT	TGTTGGGGTT	GTTGGATTGG	ATACGCCGTG	CTTAAGAATG	CCACAATTTG	1560
CTCACCGTTA	CCTGAAGATA	AACCATACAT	TAATTTAGCT	TCAACATCAA	CCTTGATCCA	1620
CAATAAACCA	ATTATGAAAA	TAGCAGTTGA	ACCAACAAAC	CCAATAAAAC	TAGCAAAATT	1680
GGAACGAGGA	TTAGATTTAT	TGGCCAAAGC	CGACCCGGTT	TTGGAATGGT	ATGTCGACGA	1740
CGAGTCAGGT	GAATTGATTG	TTTGTGTTGC	TGGAGAATTG	CATCTAGAAC	GATGCTTGAA	1800
AGATTTAGAA	GAGAGATTCG	CTAAGGGTTG	TGAAGTTACC	GTCAAAGAGC	CAGTCATTCC	1860
CTTCAGAGAG	GGGTTGGCAG	ATGACAAAAT	CAGTACCAAC	ACCAATAATA	ACAACGACGA	1920
CAATGAAGAT	CATGAATTAG	ATGAAAACGA	AGATGAGCTT	GCTGATTTAG	AGTTTGATAT	1980
TTCTCCGTTG	CCATTAGAAG	TGACTCAGTT	TTTAATTGAG	AATGAAACGA	TTATTGCCGA	2040
AATTGTCAAC	AACAAGCAAG	ATACTCATGA	AATTAGAAAC	GATTTTATTG	AAAAATTTGC	2100
CACTATTATT	GATAATTCTA	ATTTGGCTAC	ACAATTTCCA	GACACCAAGT	CTTTTATCAA	2160
CAATATAATT	TGCTTTGGAC	CTAAACGTGT	TGGGCCTAAT	ATTTTCATTG	AAGATTATGG	2220
GTAAACAAA	TTTAGACATC	TACTTGGTGA	ATCTGCCACT	GAATCTCGAT	TTGTTTATGA	2280
GAATAATGTG	TTCAATGGGG	TTCAATTGGT	ATTCAATGGG	GGTCCGTTAG	CATCAGAGCC	2340
AATGCAAGGT	ATTATTGTTA	GACTTAAGAA	GGCAGAAAAA	AGAGAAGTTG	ACGAGGATAA	2400
GATAGTCAAC	CCTGGTAAAA	TAATCACACA	GACTCGTGAC	TTGATTTACA	AGCGGTTTTT	2460
GCAAAAATCA	CCACGCTTGT	NCCTTGCAAT	GTATACGTGT	GAAATCCAAG		2510

(2) INFORMATION FOR SEQ ID NO: 32:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 310 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

Val Met Arg Leu Gln Gln Gly Ser Gln Glu Pro Glu Val His Glu His
1 5 10 15
Leu Ile Asn Leu Ile Asp Ser Pro Gly His Ile Asp Phe Ser Ser Glu
20 25 30
Val Ser Thr Ser Ser Arg Leu Cys Asp Gly Ala Val Val Leu Val Asp
35 40 45
Val Val Glu Gly Val Cys Ser Gln Thr Val Asn Val Leu Arg Gln Cys
50 55 60
Trp Ile Asp Lys Leu Lys Pro Leu Leu Val Ile Asn Lys Ile Asp Arg
65 70 75 80
Leu Ile Thr Glu Trp Lys Leu Ser Pro Leu Glu Ala Tyr Gln His Ile
85 90 95
Ser Arg Ile Ile Glu Gln Val Asn Ser Val Ile Gly Ser Phe Phe Ala
100 105 110
Gly Asp Arg Leu Glu Asp Asp Leu Asn Trp Arg Glu Ala Gly Ser Val
115 120 125
Gly Glu Phe Ile Glu Lys Ser Asp Glu Asp Leu Tyr Phe Thr Pro Glu
130 135 140
Lys Asn Asn Val Ile Phe Ala Ser Ala Ile Asp Gly Trp Ala Phe Ser
145 150 155 160
Val Asn Thr Phe Ala Lys Ile Tyr Ser Lys Lys Leu Gly Phe Ser Gln
165 170 175
Gln Ala Leu Ser Lys Thr Leu Trp Gly Asp Phe Tyr Leu Asp Met Lys
180 185 190
Asn Lys Lys Ile Ile Pro Gly Lys Lys Leu Lys Asn Asn Ser Asn Ser
195 200 205
Leu Lys Pro Leu Phe Val Ser Leu Ile Leu Asp Gln Val Trp Ala Val
210 215 220
Tyr Glu Asn Cys Val Ile Glu Arg Asn Gln Asp Lys Leu Glu Lys Ile
225 230 235 240
Ile Glu Lys Leu Gly Ala Lys Ile Thr Pro Arg Asp Leu Arg Ser Lys
245 250 255
Asp Tyr Lys Asn Leu Leu Asn Leu Ile Met Ser Gln Trp Ile Pro Leu
260 265 270
Ser His Ala Ile Leu Gly Ser Val Ile Glu Tyr Leu Pro Ser Pro Ile
275 280 285
Val Ala Gln Arg Glu Arg Ile Asp Lys Ile Leu Asp Glu Thr Ile Tyr
290 295 300

Ser Ala Val Asp Ser Glu
305 310

(2) INFORMATION FOR SEQ ID NO: 33:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 188 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

Asp	Lys	Ser	Lys	Leu	Val	Asp	Pro	Ser	Phe	Val	Lys	Ala	Met	Gln	Glu	1	5	10	15
Cys	Asp	Ser	Ser	His	Pro	Glu	Thr	His	Thr	Ile	Ala	Tyr	Val	Ser	Lys	20	25	30	
Leu	Leu	Ser	Ile	Pro	Asn	Glu	Asp	Leu	Pro	Lys	Ala	Ser	Asn	Ala	Ala	35	40	45	
Thr	Gly	Gly	Leu	Thr	Ala	Asp	Glu	Ile	Gln	Glu	Arg	Gly	Arg	Ile	Ala	50	55	60	
Arg	Glu	Leu	Ala	Lys	Lys	Ala	Ser	Glu	Ala	Ala	Ala	Leu	Ala	Gln	Glu	65	70	75	80
Gly	Ser	Lys	Asn	Glu	Asp	Glu	Phe	Ala	Ile	Lys	Pro	Lys	Lys	Asp	Pro	85	90	95	
Phe	Glu	Trp	Glu	Phe	Glu	Glu	Asp	Asp	Phe	Glu	Asn	Glu	Glu	Asp	Glu	100	105	110	
Ser	Asp	Ala	Asn	Ala	Val	Glu	Glu	Ser	Thr	Glu	Thr	Ile	Val	Gly	Phe	115	120	125	
Thr	Arg	Ile	Tyr	Ser	Gly	Ser	Leu	Ser	Arg	Gly	Gln	Lys	Leu	Thr	Val	130	135	140	
Ile	Gly	Pro	Lys	Tyr	Asp	Pro	Ser	Leu	Pro	Arg	Asp	His	Gln	Thr	Asn	145	150	155	160
Phe	Glu	Gln	Ile	Thr	Asn	Glu	Val	Glu	Ile	Lys	Asp	Leu	Phe	Leu	Ile	165	170	175	
Met	Gly	Arg	Glu	Leu	Val	Arg	Met	Glu	Lys	Val	Ser					180	185		

(2) INFORMATION FOR SEQ ID NO: 34:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 336 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:

Gly Asn Ile Val Gly Val Val Gly Leu Asp Xaa Ala Val Leu Lys Asn
 1 5 10 15
 Ala Thr Ile Cys Ser Pro Leu Pro Glu Asp Lys Pro Tyr Ile Asn Leu
 20 25 30
 Ala Ser Thr Ser Thr Leu Ile His Asn Lys Pro Ile Met Lys Ile Ala
 35 40 45
 Val Glu Pro Thr Asn Pro Ile Lys Leu Ala Lys Leu Glu Arg Gly Leu
 50 55 60
 Asp Leu Leu Ala Lys Ala Asp Pro Val Leu Glu Trp Tyr Val Asp Asp
 65 70 75 80
 Glu Ser Gly Glu Leu Ile Val Cys Val Ala Gly Glu Leu His Leu Glu
 85 90 95
 Arg Cys Leu Lys Asp Leu Glu Glu Arg Phe Ala Lys Gly Cys Glu Val
 100 105 110
 Thr Val Lys Glu Pro Val Ile Pro Phe Arg Glu Gly Leu Ala Asp Asp
 115 120 125
 Lys Ile Ser Thr Asn Thr Asn Asn Asn Asn Asp Asp Asn Glu Asp His
 130 135 140
 Glu Leu Asp Glu Asn Glu Asp Glu Leu Ala Asp Leu Glu Phe Asp Ile
 145 150 155 160
 Ser Pro Leu Pro Leu Glu Val Thr Gln Phe Leu Ile Glu Asn Glu Thr
 165 170 175
 Ile Ile Ala Glu Ile Val Asn Asn Lys Gln Asp Thr His Glu Ile Arg
 180 185 190
 Asn Asp Phe Ile Glu Lys Phe Ala Thr Ile Ile Asp Asn Ser Asn Leu
 195 200 205
 Ala Thr Gln Phe Pro Asp Thr Lys Ser Phe Ile Asn Asn Ile Ile Cys
 210 215 220
 Phe Gly Pro Lys Arg Val Gly Pro Asn Ile Phe Ile Glu Asp Tyr Gly
 225 230 235 240
 Leu Asn Lys Phe Arg His Leu Leu Gly Glu Ser Ala Thr Glu Ser Arg
 245 250 255
 Phe Val Tyr Glu Asn Asn Val Phe Asn Gly Val Gln Leu Val Phe Asn
 260 265 270
 Gly Gly Pro Leu Ala Ser Glu Pro Met Gln Gly Ile Ile Val Arg Leu
 275 280 285
 Lys Lys Ala Glu Lys Arg Glu Val Asp Glu Asp Lys Ile Val Asn Pro
 290 295 300
 Gly Lys Ile Ile Thr Gln Thr Arg Asp Leu Ile Tyr Lys Arg Phe Leu
 305 310 315 320
 Gln Lys Ser Pro Arg Leu Xaa Leu Ala Met Tyr Thr Cys Glu Ile Gln
 325 330 335

(2) INFORMATION FOR SEQ ID NO: 35:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 841 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

(A) NAME/KEY: misc_feature

(B) LOCATION:8

(D) OTHER INFORMATION:/note= "N = A or T or C or G"

(ix) FEATURE:

(A) NAME/KEY: misc_feature

(B) LOCATION:9

(D) OTHER INFORMATION:/note= "N = A or T or G or C"

(ix) FEATURE:

(A) NAME/KEY: misc_feature

(B) LOCATION:18

(D) OTHER INFORMATION:/note= "N = A or T or C or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:

CGCGAAGNNT CAATCATNTC AGAAGAAATG AAAGAAGGTA CTCCGTTCTT TACTATTGTG	60
GCAAGAATCC CTGTGATTGA GGCATTGTTGGG TTTTCCGAGG ATATTAGAAA GAAGACATCC	120
GGGGCAGCTA GTCCTCAATT AGTTTTTGAT GGGTATGATA TGTTAGATAT CGATCCATTT	180
TGGGTTCCAC ATACTGAAGA AGAATTAGAA GAATTGGGTG AATTTCGAGA AAGAGAAAAT	240
GTTGCTAGAA GATATATGAA TAATATCAGA AGAAGAAAAG GGTTATTTGT TGATGAGAAA	300
GTCGTCAAAA ATGCTGAAAA GCAAAGAACT TTGAAAAGAG ATTAGATTAT CCAGTAAAC	360
AGGCAATATG TGTGAAATTG TTACAGAAAA GACAGATACG ATGTGGCCAT TATTTGTTTA	420
ATATTCAACA ACAAGTAAAT GTATTGATAT AGATGTATAA TATAGTCAAA GTTGAGACT	480
ATCCGAATAG ACATAGACAC ACAACTCAGC CTGTCAGGGC TGTTTATTAA GTTGTGATGT	540
ATACTAAAT CCATCCACAC TTCTCGTAAT TGTAGGGAAG AATTACAAAA AAGATCACAT	600
AAAAATAATA ATTCTATCAC ACTTTGAAAA TTTGATTGAA GGTGTTACTA GTATTGTTTC	660
AACATTACTC TTTTCAAACA ACGAGATCCA AATACTGCAC AATCTTCAA CGAACGGAGT	720
TACATCACTA TAGTTTCTA TTGTTGTAAG ATCAATACAG ACAAAAAGAA AGTGTAGCAT	780
AAATAATTGA TTGCAATTTG CCAAAC TAGA AAACAAAGAG GAAAAAAGA AAAAAATTC	840
A	841

(2) INFORMATION FOR SEQ ID NO: 36:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 114 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:

Arg Glu Xaa Ser Ile Xaa Ser Glu Glu Met Lys Glu Gly Thr Pro Phe
 1 5 10 15
 Phe Thr Ile Val Ala Arg Ile Pro Val Ile Glu Ala Phe Gly Phe Ser
 20 25 30
 Glu Asp Ile Arg Lys Lys Thr Ser Gly Ala Ala Ser Pro Gln Leu Val
 35 40 45
 Phe Asp Gly Tyr Asp Met Leu Asp Ile Asp Pro Phe Trp Val Pro His
 50 55 60
 Thr Glu Glu Glu Leu Glu Glu Leu Gly Glu Phe Ala Glu Arg Glu Asn
 65 70 75 80
 Val Ala Arg Arg Tyr Met Asn Asn Ile Arg Arg Arg Lys Gly Leu Phe
 85 90 95
 Val Asp Glu Lys Val Val Lys Asn Ala Glu Lys Gln Arg Thr Leu Lys
 100 105 110
 Arg Asp

(2) INFORMATION FOR SEQ ID NO: 37:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 564 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:

AACCTAAAAA TGGCTAAGTT CATCAAATCT GGTAAAGTTG CTATTGTTGT AAGAGGTCGT	60
TACGCTGGTA AAAAAGTAGT CATTGTGAAA CCACATGATG AAGGTACCAA ATCTCACCCA	120
TTCCCACATG CCATTGTCGC TGGTATTGAA AGAGCTCCAT TGAAGGTTAC CAAGAAGATG	180
GATGCTAAAA AAGTTACCAA AAGAACTAAA GTCAAGCCAT TTGTTAAATT AGTAAACTAC	240
AACCATTTAA TGCCAAC TAG ATACTCATTG GATGTTGAAT CATTCAAATC TGCTGTCACT	300
TCTGAAGCTT TAGAAGAACC ATCTCAAAGA GAAGAAGCTA AAAAAGTTGT CAAGAAGGCT	360
TTTGAAGAAA AACATCAAGC TGGTAAGAAC AAATGGTTCT TCCAAAAATT ACACTTTTAA	420
GAAAGGAACC ACCTTTATTT GAATGTTTGT AATATAGGTT GAATCAGAGA GACAAAGTAG	480
AAGAAAATAC AAAAAAGAGA GTATATCTGT ATAGTATAAT TTAATGGGGG TCTAATTAC	540
TTACCACTTT ATTCGTGCAT TATT	564

(2) INFORMATION FOR SEQ ID NO: 38:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 136 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:

Met Ala Lys Phe Ile Lys Ser Gly Lys Val Ala Ile Val Val Arg Gly
 1 5 10 15
 Arg Tyr Ala Gly Lys Lys Val Val Ile Val Lys Pro His Asp Glu Gly
 20 25 30
 Thr Lys Ser His Pro Phe Pro His Ala Ile Val Ala Gly Ile Glu Arg
 35 40 45
 Ala Pro Leu Lys Val Thr Lys Lys Met Asp Ala Lys Lys Val Thr Lys
 50 55 60
 Arg Thr Lys Val Lys Pro Phe Val Lys Leu Val Asn Tyr Asn His Leu
 65 70 75 80
 Met Pro Thr Arg Tyr Ser Leu Asp Val Glu Ser Phe Lys Ser Ala Val
 85 90 95
 Thr Ser Glu Ala Leu Glu Glu Pro Ser Gln Arg Glu Glu Ala Lys Lys
 100 105 110
 Val Val Lys Lys Ala Phe Glu Glu Lys His Gln Ala Gly Lys Asn Lys
 115 120 125
 Trp Phe Phe Gln Lys Leu His Phe
 130 135

(2) INFORMATION FOR SEQ ID NO: 39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1192 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:

TTTGAAACGA TTAAGTCCAA TCAAACAATC TTATTCAAAA GTA CTGCAA TACGTACAAT 60
 GTCAATTCCA TCTACTCAGT ACGGATTTTT TTATAATAAA GCTAGTGGTC TTAATTTGAA 120
 AAAAGACTTG CCGGTTAACA AGCCAGGTGC TGGTCAATTG CTTTTAAAGG TTGATGCAGT 180
 TGGCCTTTGT CATTCAAGATT TACATGTTCT CTATGAAGGT TTGGATTGTG GTGATAATTA 240
 TGTGATGGGC CACGAAATTG CTGGGACTGT TGCTGAACTA GGTGAAGAGG TGAGTGAGTT 300
 TGCAGTTGGA GATCGTGTCG CTTGTGTCGG CCCCATGGA TGTGGTCTTT GTAAACACTG 360
 TCTTACTGGT AACGATAATG TTTGTACCAA GTCGTTTTTG GATTGGTTTG GATTGGGTGA 420
 CAATGGAGGT TACGAGCAAT TTTTGTAGT CAAGAGACCA AGAACTTGG TCAAGATCCC 480
 TGACAATGTT ACTTCCGAGG AAGCTGCAGC TATTACGGAT GCCGTATTGA CTCCTTACCA 540
 TGCTATCAAG TCTGCAGGTG TTGGTCCAGC AAGTAATATA TTAATTATCG GAGCTGGTGG 600
 ATTAGGAGGT AACGCTATTC AAGTTGCAAA AGCATTGGT GCGAAGGTTA CTGTTTTGGA 660

TAAAAAGGAT AAGGCAAGAG ACCAAGCTAA GGCCTTTGGA GCTGACCAGG TTTACAGTGA 720
ATTACCAGAC AGCGTTTTAC CTGGGTCATT CAGTGCTTGT TTTGATTTTG TTTCGGTTCA 780
GGCAACATAC GATTTGTGTC AAAAGTATTG TGAGCCAAAG GGTACTATTG TTCCCGTAGG 840
TCTAGGTGCA ACTTCGCTTA ACATAAATCT TGCTGATTGA GATCTTCGTG AAATTACCGT 900
CAAGGGCTCA TTCTGGGGTA CCCTGATGGA TTTAAGAGAA GCATTTGAAT TGGCTGCACA 960
GGGAAAGGTC AAACCAAATG TTGCTCATGC TCCATTGTCA GAATTGCCTA AGTATATGGA 1020
GAAGTTGAGA GCCGGTGGTT ATGAAGGAAG AGTCGTGTTT AATCCATAAT ACTGAAAAGT 1080
GAAGAAACCA TCAATAATAG CTTGGTGAGT ATGTATGGGA AATATTCATT TATGTATGTA 1140
GGTCATTTAT ATGTGTGTAA TGATTTCTAA TCTGAATTTC GTACAATTCT TT 1192

(2) INFORMATION FOR SEQ ID NO: 40:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 336 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 40:

Met Ser Ile Pro Ser Thr Gln Tyr Gly Phe Phe Tyr Asn Lys Ala Ser
1 5 10 15
Gly Leu Asn Leu Lys Lys Asp Leu Pro Val Asn Lys Pro Gly Ala Gly
20 25 30
Gln Leu Leu Leu Lys Val Asp Ala Val Gly Leu Cys His Ser Asp Leu
35 40 45
His Val Leu Tyr Glu Gly Leu Asp Cys Gly Asp Asn Tyr Val Met Gly
50 55 60
His Glu Ile Ala Gly Thr Val Ala Glu Leu Gly Glu Glu Val Ser Glu
65 70 75 80
Phe Ala Val Gly Asp Arg Val Ala Cys Val Gly Pro Asn Gly Cys Gly
85 90 95
Leu Cys Lys His Cys Leu Thr Gly Asn Asp Asn Val Cys Thr Lys Ser
100 105 110
Phe Leu Asp Trp Phe Gly Leu Gly Tyr Asn Gly Gly Tyr Glu Gln Phe
115 120 125
Leu Leu Val Lys Arg Pro Arg Asn Leu Val Lys Ile Pro Asp-Asn Val
130 135 140
Thr Ser Glu Glu Ala Ala Ala Ile Thr Asp Ala Val Leu Thr Pro Tyr
145 150 155 160
His Ala Ile Lys Ser Ala Gly Val Gly Pro Ala Ser Asn Ile Leu Ile
165 170 175
Ile Gly Ala Gly Gly Leu Gly Gly Asn Ala Ile Gln Val Ala Lys Ala
180 185 190
Phe Gly Ala Lys Val Thr Val Leu Asp Lys Lys Asp Lys Ala Arg Asp

195	200	205
Gln Ala Lys Ala Phe Gly Ala Asp Gln Val Tyr Ser Glu Leu Pro Asp		
210	215	220
Ser Val Leu Pro Gly Ser Phe Ser Ala Cys Phe Asp Phe Val Ser Val		
225	230	235 240
Gln Ala Thr Tyr Asp Leu Cys Gln Lys Tyr Cys Glu Pro Lys Gly Thr		
245	250	255
Ile Val Pro Val Gly Leu Gly Ala Thr Ser Leu Asn Ile Asn Leu Ala		
260	265	270
Asp Leu Asp Leu Arg Glu Ile Thr Val Lys Gly Ser Phe Trp Gly Thr		
275	280	285
Ser Met Asp Leu Arg Glu Ala Phe Glu Leu Ala Ala Gln Gly Lys Val		
290	295	300
Lys Pro Asn Val Ala His Ala Pro Leu Ser Glu Leu Pro Lys Tyr Met		
305	310	315 320
Glu Lys Leu Arg Ala Gly Gly Tyr Glu Gly Arg Val Val Phe Asn Pro		
325	330	335

(2) INFORMATION FOR SEQ ID NO: 41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2021 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 1270
- (D) OTHER INFORMATION: /note= "R = A or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 1395
- (D) OTHER INFORMATION: /note= "R = A or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 41:

ATGGAAAAA TTGACATTAA TACAAATTCA AACAAAATCC AACAAGCATA CGATAAAGTT	60
GTTAGAGGAG ACCCAAATGC AACATTCGTC GTTTATTCTG TTGACAAAAA CGCCACTATG	120
GACGTCCTG AACACAGGGA CGGATCATT GAGGATTTTG TTGAACATT TACTGATGGA	180
CAAGTTCAAT TTGGTTTAGC CAGGGTTACT GTTCCAGGAT CTGACGTTTC CAAAAACATC	240
TTGTTAGGAT GGTGTCCTGA CAGTGCTCCA GCAAAATTGA GATTGTCATT TGCCAATAAT	300
TTTGCTGATG TGTCCAGAGT ATTGAGCGGA TACCATGTGC AAATTACTGC AAGGGATCAA	360
GATGATTAG ACGTGAATGA ATTCTTGAAT AGAGTTGGTG CTGCTGCTGG TGCAAGATAT	420
TCCACTCAA CTTCCGGACT CAAAAACCA TCCCCTGCTG CACCTAAACC TACTTCAAAA	480
CCTGTTGTTG CTAAATCTAG TTCTGCTTCA AAACCTTCAT TTGTACCCAA ATCTACTGGG	540
AAGCCTGTTG CTCCAGCTAA GCCAAAACCA AAGAACATCA CCAAGGATGC TGTTGGGGT	600

GATGCTGAAG ACGTTGAGGA AAGAGACTTT GACAAGAAAC CTTTGGATAA CGTTCCATCG	660
GCAATAA AAC CAACAAAGGT TAACATTGAC GAATTGAGAA AACAAAATC AGATACAAC	720
AGCTCAACTC CTAAACATT CAAATCTGAA CCACAAGAAG AAAAGAATGA CGATGATGGG	780
CAATCCAAAC CTTTATCGGA AAGGATGAAA GCCTATGATC AACCATCAAG TAGTGATGGA	840
AGATTGACTT CTTTACCAA ACCAAAGATT GGACATTCTG TTGCCGATAA ATATAAAGCT	900
AGTGCATCTG GGAATGGTGC TGCTCCTGCG TTTGGTGCTA AACCAGCATT TGGTACACAA	960
TCAGTTGATT CAAGAAAGGA TAAATTGGTA GGTGTTTGT CGAGAGATT TGGTGCTGAA	1020
AATGGAAAA CTCCGGCACA AATTGGGCT GAAAAAGGG GAAATACAA AACAGTGGCC	1080
TCCGATGAGA AAGAACTAA CTCAAGTGAA AAAGTTGATG AGCCAGAGGA ACATCATGCT	1140
GCCGACTTGG CCAAAAAATT TGAAGAAAAG GCAAATATTG CTGGCGATAC TCCTTCCTTG	1200
CCAAC TAGAA ACTTACCACC AGCACCACCA GCACGAGAAA CCGCAATTCC ATCTAACGAA	1260
AAAGACAAAR AAGAAAAGGA AGAGGAAGAA CAAGCTCCAG CACCATCTTT GCCTACTAGA	1320
AACTTACCAC CACCGTCACA AAGACAACCT GAGCCC GAAC CAGAACCAGA AGAAGAGGAG	1380
GAAGAAGAAG AAGARGAGGC TCCTGCTCCA AGCTTACCAG CAAGAAATCT CCCACCAGCA	1440
CCAAAAGCAG AAGCAGAAGA ATCAAAAAA CAGTCAACCA CAGCCACCGC AGAGTATGAT	1500
TACGAAAAGG ACGAAGATAA TGAAATTGGA TTCTCCGAAG GTGACTTGAT TATTGATATT	1560
GAATTTGTGG ATGACGATTG GTGGCAAGGT AAACATGCTA AAAGTGGTGA AGTTGGTTTG	1620
TTCTCTGCCA CTTATGTGTC ATTAAATGAA AAAGCTGCTG ACAAAGAAGA GGAAGCCCCA	1680
GCTCCAGCTC CAGCGCCATC ATTACCTTCT AGAGAAGAAA CACAAGCAGC ACCAGCATT	1740
CCAAGTAGAT CAGAGCAAAA ACCAGAATCA AAAACTGCTA CAGCTGAATA CGATTACGAA	1800
AAGGACGAAG ACAATGAAAT TGGTTTTTCA GAAGGTGATT TGATTGTTGA AATCGAATTT	1860
GTTGACGATG ATTGGTGGCA AGGAAAACAT TCCAAGACAG GAGAAGTCGG ATTGTTCCCT	1920
GCTAACTATG TTGCTTGAA TGAGTAGATT TAGTATAAAC AATATTCGTT TTTTTTTAT	1980
ATGAATCTAT AATATAAATA CAAAGAAAAG ATAAATTGGT G	2021

(2) INFORMATION FOR SEQ ID NO: 42:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 648 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 42:

Met	Glu	Lys	Ile	Asp	Ile	Asn	Thr	Asn	Ser	Asn	Lys	Ile	Gln	Gln	Ala
1					5				10					15	

Tyr	Asp	Lys	Val	Val	Arg	Gly	Asp	Pro	Asn	Ala	Thr	Phe	Val	Val	Tyr
			20					25					30		

Ser Val Asp Lys Asn Ala Thr Met Asp Val Thr Glu Thr Gly Asp Gly
 35 40 45
 Ser Leu Glu Asp Phe Val Glu His Phe Thr Asp Gly Gln Val Gln Phe
 50 55 60
 Gly Leu Ala Arg Val Thr Val Pro Gly Ser Asp Val Ser Lys Asn Ile
 65 70 75 80
 Leu Leu Gly Trp Cys Pro Asp Ser Ala Pro Ala Lys Leu Arg Leu Ser
 85 90 95
 Phe Ala Asn Asn Phe Ala Asp Val Ser Arg Val Leu Ser Gly Tyr His
 100 105 110
 Val Gln Ile Thr Ala Arg Asp Gln Asp Asp Leu Asp Val Asn Glu Phe
 115 120 125
 Leu Asn Arg Val Gly Ala Ala Ala Gly Ala Arg Tyr Ser Thr Gln Thr
 130 135 140
 Ser Gly Leu Lys Lys Pro Ser Pro Ala Ala Pro Lys Pro Thr Ser Lys
 145 150 155 160
 Pro Val Val Ala Lys Ser Ser Ser Ala Ser Lys Pro Ser Phe Val Pro
 165 170 175
 Lys Ser Thr Gly Lys Pro Val Ala Pro Ala Lys Pro Lys Pro Lys Asn
 180 185 190
 Ile Thr Lys Asp Ala Gly Trp Gly Asp Ala Glu Asp Val Glu Glu Arg
 195 200 205
 Asp Phe Asp Lys Lys Pro Leu Asp Asn Val Pro Ser Ala Tyr Lys Pro
 210 215 220
 Thr Lys Val Asn Ile Asp Glu Leu Arg Lys Gln Lys Ser Asp Thr Thr
 225 230 235 240
 Ser Ser Thr Pro Lys Thr Phe Lys Ser Glu Pro Gln Glu Glu Lys Asn
 245 250 255
 Asp Asp Asp Gly Gln Ser Lys Pro Leu Ser Glu Arg Met Lys Ala Tyr
 260 265 270
 Asp Gln Pro Ser Ser Ser Asp Gly Arg Leu Thr Ser Leu Pro Lys Pro
 275 280 285
 Lys Ile Gly His Ser Val Ala Asp Lys Tyr Lys Ala Ser Ala Ser Gly
 290 295 300
 Asn Gly Ala Ala Pro Ala Phe Gly Ala Lys Pro Ala Phe Gly Thr Gln
 305 310 315 320
 Ser Val Asp Ser Arg Lys Asp Lys Leu Val Gly Gly Leu Ser Arg Asp
 325 330 335
 Phe Gly Ala Glu Asn Gly Lys Thr Pro Ala Gln Ile Trp Ala Glu Lys
 340 345 350
 Arg Gly Lys Tyr Lys Thr Val Ala Ser Asp Glu Lys Glu Thr Asn Ser
 355 360 365
 Ser Glu Lys Val Asp Glu Pro Glu Glu His His Ala Ala Asp Leu Ala
 370 375 380
 Lys Lys Phe Glu Glu Lys Ala Asn Ile Ala Gly Asp Thr Pro Ser Leu
 385 390 395 400
 Pro Thr Arg Asn Leu Pro Pro Ala Pro Pro Ala Arg Glu Thr Ala Ile
 405 410 415

Pro Ser Asn Glu Lys Asp Lys Xaa Glu Lys Glu Glu Glu Glu Gln Ala
 420 425 430
 Pro Ala Pro Ser Leu Pro Thr Arg Asn Leu Pro Pro Pro Ser Gln Arg
 435 440 445
 Gln Pro Glu Pro Glu Pro Glu Pro Glu Glu Glu Glu Glu Glu Glu
 450 455 460
 Xaa Glu Ala Pro Ala Pro Ser Leu Pro Ala Arg Asn Leu Pro Pro Ala
 465 470 475 480
 Pro Lys Ala Glu Ala Glu Glu Ser Lys Lys Gln Ser Thr Thr Ala Thr
 485 490 495
 Ala Glu Tyr Asp Tyr Glu Lys Asp Glu Asp Asn Glu Ile Gly Phe Ser
 500 505 510
 Glu Gly Asp Leu Ile Ile Asp Ile Glu Phe Val Asp Asp Asp Trp Trp
 515 520 525
 Gln Gly Lys His Ala Lys Thr Gly Glu Val Gly Leu Phe Pro Ala Thr
 530 535 540
 Tyr Val Ser Leu Asn Glu Lys Ala Ala Asp Lys Glu Glu Glu Ala Pro
 545 550 555 560
 Ala Pro Ala Pro Ala Pro Ser Leu Pro Ser Arg Glu Glu Thr Gln Ala
 565 570 575
 Ala Pro Ala Leu Pro Ser Arg Ser Glu Gln Lys Pro Glu Ser Lys Thr
 580 585 590
 Ala Thr Ala Glu Tyr Asp Tyr Glu Lys Asp Glu Asp Asn Glu Ile Gly
 595 600 605
 Phe Ser Glu Gly Asp Leu Ile Val Glu Ile Glu Phe Val Asp Asp Asp
 610 615 620
 Trp Trp Gln Gly Lys His Ser Lys Thr Gly Glu Val Gly Leu Phe Pro
 625 630 635 640
 Ala Asn Tyr Val Val Leu Asn Glu
 645

(2) INFORMATION FOR SEQ ID NO: 43:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1340 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 43:

ATGTGTGACG TCGTATTAGG ATCTCAATGG GGGGATGAAG GTAAAGGTAA ATTAGTCGAT	60
TTATTATGTG ATGATATCGA TGTTTGTGCC AGGTGTCAAG GTGGTAACAA TGCTGGCCAC	120
ACAATTGTTG TTGGTAAAGT CAAGTATGAC TTCCACATGT TACCTTCTGG TTTGGTCAAT	180
CCTAAATGTC AAAACTTAGT TGGATCTGGT GTTGTATATCC ACGTTCCTTC CTTCTTTGCT	240
GAATTGGAAA ACTTGAAGC AAAAGGGTTA GATTGTCGTG ATAGATTGTT TGTTCATCT	300

```

AGAGCTCATT TGGTCTTTGA CTTCCATCAA CGTACTGATA AATTGAAAGA AGCTGAATTA      360
TCAACCAATA AGAAATCAAT AGGTACTACC GGTAAAGGTA TTGGTCCAAC TTAICTAACC      420
AAGGCAAGTA GATCAGGTAT CAGAGTCCAC CATTAGTCA ACCCTGATCC AGAAGCTTGG      480
GAAGAATTCA AAACCTAGATA TTTGAGATTA GTCGAGAGTA GACAAAAAAG ATACGGTGAA      540
TTTGAATATG ATCCTAAGGA AGAATTGGCA AGATTTGAAA AATACCGTGA AACCTTGAGA      600
CCATTCTGTCG TCGACTCCGT CAACTTCATG CACGAAGCTA TTGCTGCCAA TAAAAAATC      660
TTGGTTGAAG GTGCTAATGC GTTAATGTTG GATATTGATT TCGGTACTTA TCCATACGTC      720
ACTTCTTCAT CAACTGGTAT TGGTGGTGTT TTGACTGGGT TGGGTATTCC TCCAAGAACC      780
ATCAGAAATG TCTATGGTGT TGTTAAAGCC TACACCACTA GAGTTGGTGA GGGTCCATTC      840
CCAACAGAAC AATTGAACAA GGTAGGTGAA ACTTTGCAAG ATGTTGGTGC CGAATATGGT      900
GTTACTACTG GAAGAAAAAG AAGATGTGGT TGGTTGGATT TGGTTGTGTT GAAATATTCC      960
AACCTGATCA ACGGATACAC TTCTTTGAAC ATCACCAAAT TGGATGTTTT GGATAAATTC     1020
AAGGAAATTG AAGTTGGTGT TGCTTATAAA TTGAATGGAA AAGAGTTGCC AAGTTTCCCT     1080
GAAGATTGTA TTGATTTAGC TAAAGTCGAG GTTGTGTATA AGAAATTCCC AGGTTGGGAA     1140
CAAGATATCA CCGGTATCAA GAAATATGAA GACTTGCCAG AAAACGCTAA GAACTATCTT     1200
AAATTCATTG AAGATTACTT GCAAGTTCCA ATCCAATGGG TAGGTACCGG TCCAGCTAGA     1260
GATTCTATGT TAGAAAAGAA GATTTAGTTG TACACATGCT ACGGAAGACG ATTAGATTTG     1320
TTTTATTAGA TTAATAACCT                                     1340

```

(2) INFORMATION FOR SEQ ID NO: 44:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 428 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 44:

```

Met Cys Asp Val Val Leu Gly Ser Gln Trp Gly Asp Glu Gly Lys Gly
 1           5           10           15
Lys Leu Val Asp Leu Leu Cys Asp Asp Ile Asp Val Cys Ala Arg Cys
 20           25           30
Gln Gly Gly Asn Asn Ala Gly His Thr Ile Val Val Gly Lys Val Lys
 35           40           45
Tyr Asp Phe His Met Leu Pro Ser Gly Leu Val Asn Pro Lys Cys Gln
 50           55           60
Asn Leu Val Gly Ser Gly Val Val Ile His Val Pro Ser Phe Phe Ala
 65           70           75           80
Glu Leu Glu Asn Leu Glu Ala Lys Gly Leu Asp Cys Arg Asp Arg Leu
 85           90           95
Phe Val Ser Ser Arg Ala His Leu Val Phe Asp Phe His Gln Arg Thr

```

```

100              105              110
Asp Lys Leu Lys Glu Ala Glu Leu Ser Thr Asn Lys Lys Ser Ile Gly
115              120              125
Thr Thr Gly Lys Gly Ile Gly Pro Thr Tyr Ser Thr Lys Ala Ser Arg
130              135              140
Ser Gly Ile Arg Val His His Leu Val Asn Pro Asp Pro Glu Ala Trp
145              150              155              160
Glu Glu Phe Lys Thr Arg Tyr Leu Arg Leu Val Glu Ser Arg Gln Lys
165              170              175
Arg Tyr Gly Glu Phe Glu Tyr Asp Pro Lys Glu Glu Leu Ala Arg Phe
180              185              190
Glu Lys Tyr Arg Glu Thr Leu Arg Pro Phe Val Val Asp Ser Val Asn
195              200              205
Phe Met His Glu Ala Ile Ala Ala Asn Lys Lys Ile Leu Val Glu Gly
210              215              220
Ala Asn Ala Leu Met Leu Asp Ile Asp Phe Gly Thr Tyr Pro Tyr Val
225              230              235              240
Thr Ser Ser Ser Thr Gly Ile Gly Gly Val Leu Thr Gly Leu Gly Ile
245              250              255
Pro Pro Arg Thr Ile Arg Asn Val Tyr Gly Val Val Lys Ala Tyr Thr
260              265              270
Thr Arg Val Gly Glu Gly Pro Phe Pro Thr Glu Gln Leu Asn Lys Val
275              280              285
Gly Glu Thr Leu Gln Asp Val Gly Ala Glu Tyr Gly Val Thr Thr Gly
290              295              300
Arg Lys Arg Arg Cys Gly Trp Leu Asp Leu Val Val Leu Lys Tyr Ser
305              310              315              320
Asn Ser Ile Asn Gly Tyr Thr Ser Leu Asn Ile Thr Lys Leu Asp Val
325              330              335
Leu Asp Lys Phe Lys Glu Ile Glu Val Gly Val Ala Tyr Lys Leu Asn
340              345              350
Gly Lys Glu Leu Pro Ser Phe Pro Glu Asp Leu Ile Asp Leu Ala Lys
355              360              365
Val Glu Val Val Tyr Lys Lys Phe Pro Gly Trp Glu Gln Asp Ile Thr
370              375              380
Gly Ile Lys Lys Tyr Glu Asp Leu Pro Glu Asn Ala Lys Asn Tyr Leu
385              390              395              400
Lys Phe Ile Glu Asp Tyr Leu Gln Val Pro Ile Gln Trp Val Gly Thr
405              410              415
Gly Pro Ala Arg Asp Ser Met Leu Glu Lys Lys Ile
420              425

```

(2) INFORMATION FOR SEQ ID NO: 45:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2481 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 45:

ATGACTGGTG	AAGAAGATAA	AAAACAACAT	TTTGATGCTT	CTGGTGCTTC	TGCTGTAGAT	60
GATAAAACAG	CAACTGCAAT	TTTAAGAAGA	AAAAAGAAAG	ATAATGCCTT	GGTCGTTGAT	120
GACGCCACCA	ACGATGACAA	TTCTGTCATA	ACCATGTTCGT	CAAACACAAT	GGAATTGTTA	180
CAATTATTCC	GTGGTGATAC	AGTCTTGGTG	AAAGGTAAGA	AGAGAAAGGA	CACAGTGTTG	240
ATCGTTTTAG	CTGATGATGA	TATGCCTGAT	GGCGTTGCTA	GAGTTAACAG	ATGTGTTTCGT	300
AACAATTTGC	GTGTCAGATT	GGGAGATATC	GTTACTGTCC	ATCCATGTCC	TGATATTAAA	360
TATGCCAACA	GAATCTCAGT	ATTGCCAATT	GCTGATACTG	TTGAAGGTAT	TAATGGTTCC	420
TTATTCGACC	TTTACTTGAA	GCCATATTTT	GTTGAAGCCT	ATAGACCAGT	GAGAAAAGGT	480
GATTTATTCA	CTGTGAGGGG	TGGTATGAGA	CAAGTAGAAT	TCAAAGTTGT	TGAAGTTGAC	540
CCTGAAGAAA	TTGCAATTGT	TGCTCAAGAT	ACCATTATTC	ATTGTGAAGG	AGAACCTATT	600
AATCGTGAAG	ATGAAGAAAA	TAGCTTGAAT	GAAGTGGGTT	ACGACGATAT	TGGAGGTTGT	660
AAGAAACAAA	TGGCCCAAAT	TAGAGAATTG	GTTGAATTGC	CTTTAAGACA	TCCACAATTA	720
TTCAAATCGA	TTGGTATTAA	GCCACCAAAG	GGTATTTTGA	TGTATGGTCC	ACCTGGTACC	780
GGTAAACCA	TTATGGCAAG	AGCAGTGGCC	AATGAAACAG	GTGCCTTCTT	TTTCTTAATA	840
AATGGTCCAG	AAATTATGTC	TAAAATGGCT	GGTGAGTCTG	AATCCAATTT	AAGAAAAGCT	900
TTTGAAGAGG	CTGAAAAGAA	TTCTCCTTCC	ATTATTTTCA	TTGATGAGAT	TGACTCTATT	960
GCCCCAAAGA	GAGACAAAAC	TAATGGTGAA	GTAAGAAAGAA	GAGTTGTTTC	TCAATTGTTA	1020
ACCCTTATGG	ATGGTATGAA	GGCCAGATCT	AATGTAGTTG	TTATTGCTGC	TACTAACAGA	1080
CCAAATTCTA	TTGATCCTGC	TTTGAGAAGA	TTTGGGAAGAT	TCGACAGAGA	AGTTGACATT	1140
GGTGTTCCGG	ATGCTGAAGG	ACGTTTAGAG	ATTTTGAGAA	TCCACACAAA	GAATATGAAA	1200
TTGGCTGATG	ATGTTGACTT	GGAAGCCATC	GCTTCTGAAA	CACATGGTTT	CGTTGGTGCT	1260
GATATTGCTT	CATTATGTTT	AGAAGCTGCT	ATGCAACAAA	TCCGTGAAAA	GATGGATCTT	1320
ATCGACTTGG	AAGAAGAAAC	CATTGATACT	GAAGTGTGTA	ACTCTTTGGG	TGTCACTCAA	1380
GACAACTTCA	GATTTGCTCT	CGGAAACTCC	AACCCATCTG	CCTTGCGTGA	AAGTGTGTTT	1440
GAAAATGTTA	ATGTCACITG	GGATGATATT	GGTGGTTTGG	ACAACATTAA	GAATGAATTA	1500
AAAGAAACCG	TGGAGTATCC	TGTTTTACAT	CCAGATCAAT	ACCAAAAATT	CGGATTGGCA	1560
CCAACAAAAG	GTGTTTTGTT	CTTTGGTCCA	CCAGGTACTG	GTAAGACACT	TTTGGCCAAG	1620
GCTGTTGCTA	CTGAAGTTTC	TGCTAATTTT	ATTTCTGTCA	AAGGTCCAGA	ATTGTTGAGT	1680
ATGTGGTATG	GTGAATCTGA	GTCTAATATC	CGTGATATAT	TTGACAAGGC	CAGAGCTGCT	1740
GCTCCTACTG	TGGTGTTTTT	GGATGAATTG	GACTCCATTG	CCAAAGCTAG	AGGTGGTTCT	1800
CACGGTGATG	CTGGTGGTGC	CTCCGACAGA	GTGGTCAATC	AATTGTTGAC	TGAAATGGAC	1860
GGTATGAATG	CTAAGAAGAA	TGTGTTTGTC	ATTGGTGCCA	CTAACAGACC	AGATCAAATT	1920
GATCCTGCAT	TATTGAGACC	AGGTAGATTG	GATCAATTAA	TTTATGTCCC	ATTGCCAGAT	1980

GAGCCAGCTA GATTGTCAT TTTACAAGCT CAATTGAGAA ACACTCCATT AGAACCTGGT 2040
 TTGGACTTGA ACGAAATTGC CAAGATCACT CACGGTTTCT CGGGTGCAGA TTTGTCTTAT 2100
 ATTGTTCAAA GATCTGCTAA ATTTGCTATT AAAGACTCTA TTGAAGCCCA AGTAAAGATT 2160
 AACAAAGATTA AAGAAGAAAA AGAAAAGGTG AAAACTGAAG ATGTTGATAT GAAGGTAGAT 2220
 GAAGTTGAAG AAGAAGACCC TGTGCCTTAC ATTACCAGAG CTCACCTTGA AGAGGCTATG 2280
 AAGACCGCAA AAAGATCTGT TTCAGACGCT GAATTACGTC GTTATGAGTC TTACGCTCAA 2340
 CAATTGCAAG CCTCAAGAGG TCAATTTTCT AGCTTTAGAT TCAATGAAAA TGCTGGTGCC 2400
 ACTGATAATG GTTCAGCAGC AGGTGCCAAC TCAGGTGCAG CTTTCGGAAA CGTTGAAGAG 2460
 GAAGACGATT TGTACAGTTG A 2481

(2) INFORMATION FOR SEQ ID NO: 46:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 826 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 46:

Met Thr Gly Glu Glu Asp Lys Lys Gln His Phe Asp Ala Ser Gly Ala
 1 5 10 15
 Ser Ala Val Asp Asp Lys Thr Ala Thr Ala Ile Leu Arg Arg Lys Lys
 20 25 30
 Lys Asp Asn Ala Leu Val Val Asp Asp Ala Thr Asn Asp Asp Asn Ser
 35 40 45
 Val Ile Thr Met Ser Ser Asn Thr Met Glu Leu Leu Gln Leu Phe Arg
 50 55 60
 Gly Asp Thr Val Leu Val Lys Gly Lys Lys Arg Lys Asp Thr Val Leu
 65 70 75 80
 Ile Val Leu Ala Asp Asp Asp Met Pro Asp Gly Val Ala Arg Val Asn
 85 90 95
 Arg Cys Val Arg Asn Asn Leu Arg Val Arg Leu Gly Asp Ile Val Thr
 100 105 110
 Val His Pro Cys Pro Asp Ile Lys Tyr Ala Asn Arg Ile Ser Val Leu
 115 120 125
 Pro Ile Ala Asp Thr Val Glu Gly Ile Asn Gly Ser Leu Phe Asp Leu
 130 135 140
 Tyr Leu Lys Pro Tyr Phe Val Glu Ala Tyr Arg Pro Val Arg Lys Gly
 145 150 155 160
 Asp Leu Phe Thr Val Arg Gly Gly Met Arg Gln Val Glu Phe Lys Val
 165 170 175
 Val Glu Val Asp Pro Glu Glu Ile Ala Ile Val Ala Gln Asp Thr Ile
 180 185 190

Ile His Cys Glu Gly Glu Pro Ile Asn Arg Glu Asp Glu Glu Asn Ser
 195 200 205
 Leu Asn Glu Val Gly Tyr Asp Asp Ile Gly Gly Cys Lys Lys Gln Met
 210 215 220
 Ala Gln Ile Arg Glu Leu Val Glu Leu Pro Leu Arg His Pro Gln Leu
 225 230 235 240
 Phe Lys Ser Ile Gly Ile Lys Pro Pro Lys Gly Ile Leu Met Tyr Gly
 245 250 255
 Pro Pro Gly Thr Gly Lys Thr Ile Met Ala Arg Ala Val Ala Asn Glu
 260 265 270
 Thr Gly Ala Phe Phe Phe Leu Ile Asn Gly Pro Glu Ile Met Ser Lys
 275 280 285
 Met Ala Gly Glu Ser Glu Ser Asn Leu Arg Lys Ala Phe Glu Glu Ala
 290 295 300
 Glu Lys Asn Ser Pro Ser Ile Ile Phe Ile Asp Glu Ile Asp Ser Ile
 305 310 315 320
 Ala Pro Lys Arg Asp Lys Thr Asn Gly Glu Val Glu Arg Arg Val Val
 325 330 335
 Ser Gln Leu Leu Thr Leu Met Asp Gly Met Lys Ala Arg Ser Asn Val
 340 345 350
 Val Val Ile Ala Ala Thr Asn Arg Pro Asn Ser Ile Asp Pro Ala Leu
 355 360 365
 Arg Arg Phe Gly Arg Phe Asp Arg Glu Val Asp Ile Gly Val Pro Asp
 370 375 380
 Ala Glu Gly Arg Leu Glu Ile Leu Arg Ile His Thr Lys Asn Met Lys
 385 390 395 400
 Leu Ala Asp Asp Val Asp Leu Glu Ala Ile Ala Ser Glu Thr His Gly
 405 410 415
 Phe Val Gly Ala Asp Ile Ala Ser Leu Cys Ser Glu Ala Ala Met Gln
 420 425 430
 Gln Ile Arg Glu Lys Met Asp Leu Ile Asp Leu Glu Glu Glu Thr Ile
 435 440 445
 Asp Thr Glu Val Leu Asn Ser Leu Gly Val Thr Gln Asp Asn Phe Arg
 450 455 460
 Phe Ala Leu Gly Asn Ser Asn Pro Ser Ala Leu Arg Glu Thr Val Val
 465 470 475 480
 Glu Asn Val Asn Val Thr Trp Asp Asp Ile Gly Gly Leu Asp Asn Ile
 485 490 495
 Lys Asn Glu Leu Lys Glu Thr Val Glu Tyr Pro Val Leu His Pro Asp
 500 505 510
 Gln Tyr Gln Lys Phe Gly Leu Ala Pro Thr Lys Gly Val Leu Phe Phe
 515 520 525
 Gly Pro Pro Gly Thr Gly Lys Thr Leu Leu Ala Lys Ala Val Ala Thr
 530 535 540
 Glu Val Ser Ala Asn Phe Ile Ser Val Lys Gly Pro Glu Leu Leu Ser
 545 550 555 560
 Met Trp Tyr Gly Glu Ser Glu Ser Asn Ile Arg Asp Ile Phe Asp Lys
 565 570 575

Ala Arg Ala Ala Ala Pro Thr Val Val Phe Leu Asp Glu Leu Asp Ser
580 585 590

Ile Ala Lys Ala Arg Gly Gly Ser His Gly Asp Ala Gly Gly Ala Ser
595 600 605

Asp Arg Val Val Asn Gln Leu Leu Thr Glu Met Asp Gly Met Asn Ala
610 615 620

Lys Lys Asn Val Phe Val Ile Gly Ala Thr Asn Arg Pro Asp Gln Ile
625 630 635 640

Asp Pro Ala Leu Leu Arg Pro Gly Arg Leu Asp Gln Leu Ile Tyr Val
645 650 655

Pro Leu Pro Asp Glu Pro Ala Arg Leu Ser Ile Leu Gln Ala Gln Leu
660 665 670

Arg Asn Thr Pro Leu Glu Pro Gly Leu Asp Leu Asn Glu Ile Ala Lys
675 680 685

Ile Thr His Gly Phe Ser Gly Ala Asp Leu Ser Tyr Ile Val Gln Arg
690 695 700

Ser Ala Lys Phe Ala Ile Lys Asp Ser Ile Glu Ala Gln Val Lys Ile
705 710 715 720

Asn Lys Ile Lys Glu Glu Lys Glu Lys Val Lys Thr Glu Asp Val Asp
725 730 735

Met Lys Val Asp Glu Val Glu Glu Glu Asp Pro Val Pro Tyr Ile Thr
740 745 750

Arg Ala His Phe Glu Glu Ala Met Lys Thr Ala Lys Arg Ser Val Ser
755 760 765

Asp Ala Glu Leu Arg Arg Tyr Glu Ser Tyr Ala Gln Gln Leu Gln Ala
770 775 780

Ser Arg Gly Gln Phe Ser Ser Phe Arg Phe Asn Glu Asn Ala Gly Ala
785 790 795 800

Thr Asp Asn Gly Ser Ala Ala Gly Ala Asn Ser Gly Ala Ala Phe Gly
805 810 815

Asn Val Glu Glu Glu Asp Asp Leu Tyr Ser
820 825

(2) INFORMATION FOR SEQ ID NO: 47:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1918 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 47:

TTTTTTTTTC TCCCTCTCTC TCGTTCAGAT TCTGTAGAAT TGATTGGTTG AGAGTAAAG	60
TCAGACTTTT TTTTTTGCTC TCCATCTAGT GGGACAAATA AGAAGTTTAA CAAAGAACGA	120
CAAAAAATCC TCACCAGAAG AAAAAAAAAAT CAATTTTCAC AGGTAAAGTT GTACGGACAG	180
CACGACAGAC ACAAAACTAA AGTAAATCCA TGAGGAAAAA AGTAAAAAAA AAAAAATTGT	240

TCACCACAAC	TTCAAGAGCC	ATTAAAACCA	AAAATTTGGA	ATATAAATTT	CAACTGATTT	300
CTTGCTGGAT	TTTTTTGTAT	ATATTTGCAA	TTGATTTCTT	TTTACTTTTT	TTTTTTCCAT	360
TTCTTCTTTT	CCTTTTTC	TCTTTTAAGT	TTCTTTTAGA	ATATAGTATA	TTTATCAAAC	420
AATGTCTGCA	TTCAGATCAA	TTCAACGTTT	AACCAACGTA	GCCAAGAGCA	CTTTCAAAA	480
CAGCATCAGA	ACATATGCTT	CTGCTGAACC	AGTATGTATT	CACTTTTTTTG	AGGATCCGGG	540
CAATGTGCTT	GGGATTTTAC	TTTTAACGTA	TATACAAAGA	TAATTTACTA	ACTTGCTTTC	600
TTAGACCTTA	AAACAAAGAT	TGGAAGAAAT	CTTGCCAGCC	AAAGCTGAAG	AAGTTAAACA	660
ATTCAAAAAA	GAACACGGTA	AAACTGTCAT	TGGTGAAGTT	TTATTAGAAC	AAGCTTACGG	720
TGGTATGAGA	GGTATCAAAG	GTTTAGTTTG	GGAAGGTTCT	GTTTTGGACC	CAATTGAAGG	780
TATCCGTTTC	AGAGGAAGAA	CCATCCCAGA	CATTCAAAAA	GAATTGCCAA	AAGCACCAGG	840
TGGTGAAGAA	CCATTACCAG	AAGCTCTTTT	CTGGTTGTTG	TTGACTGGTG	AAGTTCCAAC	900
TGACGCCCAA	ACTAAGGCTT	TATCCGAAGA	ATTTGCTGCT	AGATCAGCAT	TACCAAAGCA	960
CGTTGAAGAA	TTGATCGACA	GATCTCCATC	TCACTTGCAC	CCAATGGCTC	AATTCTCCAT	1020
TGCCGTTACT	GCTTTGGAAT	CTGAATCCCA	ATTTGCCCAA	GCTTATGCTA	AAGGTGCCAA	1080
CAAATCCGAA	TACTGGAAAT	ACACTTACGA	AGATTCCATC	GATTTGTTAG	CTAAATTGCC	1140
AACCATTGCT	GCTAAGATTT	ACAGAAACGT	TTTCCACGAT	GGTAAATTGC	CAGCTGCCAT	1200
TGACTCCAAA	TTGGATTACG	GTGCTAACTT	GGCCAGTTTG	TTAGGTTTTG	GTGACAACAA	1260
GGAATTTGTT	GAATTAATGA	GATTGTACCT	TACCATCCAC	TCTGACCACG	AAGGTGGTAA	1320
CGTCTCTGCA	CACACCACCC	ACTTGGTTGG	TTCCGCTTTA	TCTTCCCCAT	TCTTGTCATT	1380
AGCTGCTGGT	TTGAATGGTT	TAGCTGGTCC	ATTACACGGT	AGAGCTAACC	AAGAAGTTTT	1440
GGAATGGTTG	TTCAAATTAA	GAGAAGAATT	AAACGGTGAC	TACTCCAAGG	AAGCCATTGA	1500
AAAATACTTG	TGGGAAACCT	TGAACTCCGG	TAGAGTTGTC	CCAGGTTACG	GTCACGCTGT	1560
CTTGAGAAAG	ACCGATCCAA	GATACACTGC	TCAAAGAGAA	TTTGCTCTTA	AACATATGCC	1620
AGACTACGAA	TTGTTCAAAT	TGGTTTCAAA	CATTTACGAA	GTCGCTCCAG	GTGTTTTAAC	1680
CAAACACGGT	AAGACCAAGA	ACCCATGGCC	AAATGTGGAC	TCCCACTCTG	GTGTCTTGTT	1740
ACAATACTAC	GGTTTGA	TGCTTCTT	CTACACTGTC	TTGTTCCGGT	TTTCCAGAGC	1800
CTTTGGTGTC	TTGCCACAAT	TGATCTTGA	CCGTGGTATC	GGTATGCCAA	TTGAAAGACC	1860
AAAATCTTTC	TCCACTGAAA	AATACATTGA	ATTGGTCAAA	AACATCAACA	AAGCTTAA	1918

(2) INFORMATION FOR SEQ ID NO: 48:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 466 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 48:

Met Ser Ala Phe Arg Ser Ile Gln Arg Ser Thr Asn Val Ala Lys Ser
 1 5 10 15
 Thr Phe Lys Asn Ser Ile Arg Thr Tyr Ala Ser Ala Glu Pro Thr Leu
 20 25 30
 Lys Gln Arg Leu Glu Glu Ile Leu Pro Ala Lys Ala Glu Glu Val Lys
 35 40 45
 Gln Phe Lys Lys Glu His Gly Lys Thr Val Ile Gly Glu Val Leu Leu
 50 55 60
 Glu Gln Ala Tyr Gly Gly Met Arg Gly Ile Lys Gly Leu Val Trp Glu
 65 70 75 80
 Gly Ser Val Leu Asp Pro Ile Glu Gly Ile Arg Phe Arg Gly Arg Thr
 85 90 95
 Ile Pro Asp Ile Gln Lys Glu Leu Pro Lys Ala Pro Gly Gly Glu Glu
 100 105 110
 Pro Leu Pro Glu Ala Leu Phe Trp Leu Leu Leu Thr Gly Glu Val Pro
 115 120 125
 Thr Asp Ala Gln Thr Lys Ala Leu Ser Glu Glu Phe Ala Ala Arg Ser
 130 135 140
 Ala Leu Pro Lys His Val Glu Glu Leu Ile Asp Arg Ser Pro Ser His
 145 150 155 160
 Leu His Pro Met Ala Gln Phe Ser Ile Ala Val Thr Ala Leu Glu Ser
 165 170 175
 Glu Ser Gln Phe Ala Gln Ala Tyr Ala Lys Gly Ala Asn Lys Ser Glu
 180 185 190
 Tyr Trp Lys Tyr Thr Tyr Glu Asp Ser Ile Asp Leu Leu Ala Lys Leu
 195 200 205
 Pro Thr Ile Ala Ala Lys Ile Tyr Arg Asn Val Phe His Asp Gly Lys
 210 215 220
 Leu Pro Ala Ala Ile Asp Ser Lys Leu Asp Tyr Gly Ala Asn Leu Ala
 225 230 235 240
 Ser Leu Leu Gly Phe Gly Asp Asn Lys Glu Phe Val Glu Leu Met Arg
 245 250 255
 Leu Tyr Leu Thr Ile His Ser Asp His Glu Gly Gly Asn Val Ser Ala
 260 265 270
 His Thr Thr His Leu Val Gly Ser Ala Leu Ser Ser Pro Phe Leu Ser
 275 280 285
 Leu Ala Ala Gly Leu Asn Gly Leu Ala Gly Pro Leu His Gly Arg Ala
 290 295 300
 Asn Gln Glu Val Leu Glu Trp Leu Phe Lys Leu Arg Glu Glu Leu Asn
 305 310 315 320
 Gly Asp Tyr Ser Lys Glu Ala Ile Glu Lys Tyr Leu Trp Glu Thr Leu
 325 330 335
 Asn Ser Gly Arg Val Val Pro Gly Tyr Gly His Ala Val Leu Arg Lys
 340 345 350
 Thr Asp Pro Arg Tyr Thr Ala Gln Arg Glu Phe Ala Leu Lys His Met
 355 360 365
 Pro Asp Tyr Glu Leu Phe Lys Leu Val Ser Asn Ile Tyr Glu Val Ala

```

370              375              380
Pro Gly Val Leu Thr Lys His Gly Lys Thr Lys Asn Pro Trp Pro Asn
385              390              395              400
Val Asp Ser His Ser Gly Val Leu Leu Gln Tyr Tyr Gly Leu Thr Glu
405              410              415
Gln Ser Phe Tyr Thr Val Leu Phe Gly Val Ser Arg Ala Phe Gly Val
420              425              430
Leu Pro Gln Leu Ile Leu Asp Arg Gly Ile Gly Met Pro Ile Glu Arg
435              440              445
Pro Lys Ser Phe Ser Thr Glu Lys Tyr Ile Glu Leu Val Lys Asn Ile
450              455              460
Asn Lys
465

```

(2) INFORMATION FOR SEQ ID NO: 49:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 678 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 49:

```

TTTTCTGATT ATCATGTTAT TTGGTTAGCT AACCGGAATA ATGGGATAAT GGAAGCTGAA      60
TATCGATTAT ATTTATTAGT TATCACTTTA ATCATTTTAC CCGTAGGGTT AATTATGTTT      120
GGTGTGGTG CCGCTAGAGA ATGGCCATGG CAAGTGATTT ATGTTGGATT AGGTTTCATT      180
GGGTTTGGTT GGGGATCAAT TGGTGATACT TCAATGTCTT ATTTAATGGA TGCTTATCCT      240
GATATTGTCA TTCAAGGAAT GGTGGGAGTA AGTATTATTA ATAATACTTT GGCTTGTTAT      300
TTCACTTTTG CTGTCTCTTA TTGGTTAGAT GGATCAGGAA CACAAAACAC ATATATTGCC      360
TTGTCAATTA TTGATTTTGC TACCATAGCA TTGGTTTTC CCTTTTTATA TTATGGTAAA      420
ACATTTAGAA GGAAACTAA AAGACTTTAT GTTCAATGG TTGAATTGAC TCAAGGGATG      480
GGATAAGAGA GTGAGTGGTA AAAGAATTTT ATTAATGATA CATTTATTAT TAGAATTACT      540
ACTATGGAAA TCCGAGTCTG TGTTTTTTTT AGAAGTATAT TTTAGACGTA TTTAGAGTTG      600
TTTTTCTCCT TTGTACTTTA TTTAGCATTT TATAATATAT TAATTCAAGT TGCATTAATA      660
TATATAAATA AAAAAACT

```

(2) INFORMATION FOR SEQ ID NO: 50:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 159 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 50:

Ser Asp Tyr His Val Ile Trp Leu Ala Lys Arg Asn Asn Gly Ile Met
 1 5 10 15
 Glu Ala Glu Tyr Arg Leu Tyr Leu Leu Val Ile Thr Leu Ile Ile Ser
 20 25 30
 Pro Val Gly Leu Ile Met Phe Gly Val Gly Ala Ala Arg Glu Trp Pro
 35 40 45
 Trp Gln Val Ile Tyr Val Gly Leu Gly Phe Ile Gly Phe Gly Trp Gly
 50 55 60
 Ser Ile Gly Asp Thr Ser Met Ser Tyr Leu Met Asp Ala Tyr Pro Asp
 65 70 75 80
 Ile Val Ile Gln Gly Met Val Gly Val Ser Ile Ile Asn Asn Thr Leu
 85 90 95
 Ala Cys Ile Phe Thr Phe Ala Cys Ser Tyr Trp Leu Asp Gly Ser Gly
 100 105 110
 Thr Gln Asn Thr Tyr Ile Ala Leu Ser Ile Ile Asp Phe Ala Thr Ile
 115 120 125
 Ala Leu Val Phe Pro Phe Leu Tyr Tyr Gly Lys Thr Phe Arg Arg Lys
 130 135 140
 Thr Lys Arg Leu Tyr Val Ser Met Val Glu Leu Thr Gln Gly Met
 145 150 155

(2) INFORMATION FOR SEQ ID NO: 51:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1480 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 1060
- (D) OTHER INFORMATION: /note= "R = A or G"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 1063
- (D) OTHER INFORMATION: /note= "Y = C or T"

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 1123
- (D) OTHER INFORMATION: /note= "Y = C or T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 51:

TTTGATTTT CAATTACAAG ATATTTTGCA TCATGTTGAA AGCAAATGGT TTGGTGGGTT 60
 TATTCAGGT ATTTCACTA ATGACAATGA CGTTGAAAAT GAATCCAAGA ACGTGTTC 120
 TAAATTCAAA CAAGATTAA TGAAATTTT GAAAGATTGT TTAACCGTAA GTGACGATAA 180

```

ATCGAATATA GAGAGGTTTC TTCAGTTTAA TGAATTTATT TATTACTGCT TTTACTCAAT      240
GGAGGAATAT AATTATGAAT TGGTTGATGA TTTGATAAAA TTTATAACTA TAAATATGAA      300
TTCTCATGGC AGAATAGTTA ATTTTGGCAC TAATGTTAAA ATTAATAAAT TACACGAATT      360
AATTAAGAAT TTGATTGATA AAGTTAATAA AAACAAACAA AATGTGACTA GCAACAACAA      420
AAACAACAAC AACAACAACA GCAACAACAA CAGCAACAGC AACAATTCCC AACATATTGT      480
TTTGATACCT AATGCCAACT GTTCCAATTT CCCATGGGAA TCGATGGAAT TTCTTCGTAG      540
TAAATCAATT TCAAGAATGC CATCAATTCA TATGTTACTT GATCTAGTCA AATCAAACAC      600
CAATAACAAG AACAAAGTTAA TGTGTTGTTGA TAAATCTAAT TTGTATTATT TGATTAATCC      660
CAGTGGTGAT TTAATTCGAT CAGAAAATCG ATTCAAAAAA CTATTTGAAT CAAATCATTT      720
ATGGAGAGGG GAAATTGGAA AATTATCAAG TAATGAACAT GAAGATTATC AAGATTCAAT      780
ATTATGTGAA ATCTTGAAAA GTCATTTATT TGTTTATATT GGTCATGGTG GTTGTGATCA      840
ATATATTAAA GTATCAAAAT TATTTAAAAA ATGTGGCAAT AATCAAGATT TACTGAATAA      900
ATTACCTCCT AGTTTATTGT TAGGTTGTTT ATCAGTTAAA TTAGATAATT GTAATTATAA      960
CTATAATTCC AGTATGTTAC AACCACTGGG TAATATTTAT AATTGGTTGA ACTGTAAATC     1020
GTCAATGATA CTCGGAATC TATGGGATGT TACTGATAAR GAYATTGATA TTTTACACT      1080
TTCATTACTA CAAAATGGG GGTTAATAGA TGATTATAAT GGYAGTGGCC ATGATTATGG      1140
TATGAAGAAA TTGGATTGA CTAATTGTGT TGTTCAAAGT CGAAGTAAAT GTACTTTGAA      1200
ATACTTGAAT GGATCAGCAC CTGTGGTTTA TGGTCTACCA ATGTATTTAA AATAGACATT      1260
CTGTTTGCAT ATAAGTTTAT ATATTTTAAAT AATAAGAAAA AGAGCATAAT TTGGATCTTG      1320
ATTTTGTATT GTTTGGTTTG TTATGAACAA ATTTTGCACC CAATCACTAT CGAACTTTCT      1380
TTTTTAAACA GAGAACATTT AATCAACATT TATGTTACAT TTAAGCGTTT AAATACATAT      1440
TTGTGTTAGA TAGTTATATA ATGTTTGATG CAAACATACA      1480

```

(2) INFORMATION FOR SEQ ID NO: 52:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 417 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 52:

```

Leu Asp Phe Gln Leu Gln Asp Ile Leu His His Val Glu Ser Lys Trp
1           5           10           15
Phe Gly Gly Phe Ile Ser Gly Ile Phe Thr Asn Asp Asn Asp Val Glu
20           25           30
Asn Glu Ser Lys Asn Val Phe His Lys Phe Lys Gln Asp Leu Met Lys
35           40           45
Ile Leu Lys Asp Cys Leu Thr Val Ser Asp Asp Lys Ser Asn Ile Glu

```

50 55 60
 Arg Phe Leu Gln Phe Asn Glu Phe Ile Tyr Tyr Cys Phe Tyr Ser Met
 65 70 75 80
 Glu Glu Tyr Asn Tyr Glu Leu Val Asp Asp Leu Ile Lys Phe Ile Thr
 85 90 95
 Ile Asn Met Asn Ser His Gly Arg Ile Val Asn Phe Gly Thr Asn Val
 100 105 110
 Lys Ile Asn Lys Leu His Glu Leu Ile Lys Asn Leu Ile Asp Lys Val
 115 120 125
 Asn Lys Asn Lys Gln Asn Val Thr Ser Asn Asn Lys Asn Asn Asn Asn
 130 135 140
 Asn Asn Ser Asn Asn Asn Ser Asn Ser Asn Asn Ser Gln His Ile Val
 145 150 155 160
 Leu Ile Pro Asn Ala Asn Cys Ser Asn Phe Pro Trp Glu Ser Met Glu
 165 170 175
 Phe Leu Arg Ser Lys Ser Ile Ser Arg Met Pro Ser Ile His Met Leu
 180 185 190
 Leu Asp Leu Val Lys Ser Asn Thr Asn Asn Lys Asn Lys Leu Met Phe
 195 200 205
 Val Asp Lys Ser Asn Leu Tyr Tyr Leu Ile Asn Pro Ser Gly Asp Leu
 210 215 220
 Ile Arg Ser Glu Asn Arg Phe Lys Lys Leu Phe Glu Ser Asn His Leu
 225 230 235 240
 Trp Arg Gly Glu Ile Gly Lys Leu Ser Ser Asn Glu His Glu Asp Tyr
 245 250 255
 Gln Asp Ser Ile Leu Cys Glu Ile Leu Lys Ser His Leu Phe Val Tyr
 260 265 270
 Ile Gly His Gly Gly Cys Asp Gln Tyr Ile Lys Val Ser Lys Leu Phe
 275 280 285
 Lys Lys Cys Gly Asn Asn Gln Asp Leu Ser Asn Lys Leu Pro Pro Ser
 290 295 300
 Leu Leu Leu Gly Cys Ser Ser Val Lys Leu Asp Asn Cys Asn Tyr Asn
 305 310 315 320
 Tyr Asn Ser Ser Met Leu Gln Pro Ser Gly Asn Ile Tyr Asn Trp Leu
 325 330 335
 Asn Cys Lys Ser Ser Met Ile Leu Gly Asn Leu Trp Asp Val Thr Asp
 340 345 350
 Xaa Xaa Ile Asp Ile Phe Thr Leu Ser Leu Leu Gln Lys Trp Gly Leu
 355 360 365
 Ile Asp Asp Tyr Asn Xaa Ser Gly His Asp Tyr Gly Met Lys Lys Leu
 370 375 380
 Asp Leu Thr Asn Cys Val Val Gln Ser Arg Ser Lys Cys Thr Leu Lys
 385 390 395 400
 Tyr Leu Asn Gly Ser Ala Pro Val Val Tyr Gly Leu Pro Met Tyr Leu
 405 410 415
 Lys

(2) INFORMATION FOR SEQ ID NO: 53:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1443 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 53:

CTTCTTTTAG AGACAATGCA GTGGTTTTCT TACCAGATGC ATGACCCCCA CCCAATAAAA	60
CTATAATCGA TCTATTCACA GTATTTGATG CCATTTTGAT GGTGATGAAT GATGTGATGT	120
GATGCTCATC TTATTGGGAG TTTCAAAAAA AAAAGTTACA CTCGAAAAA AAAAAATAGC	180
ATTATAAATA GAAGCTTTAC TATCTTATAG AACAAAACAA AAAACACTAT CTTCTAATTA	240
ATAATGGATG ATTTTGATAG AGATTTAGAT AATGAGTTGG AATTTAGTCA TAAATCAACG	300
AAAGGAATAA AGGTTTCATCG CACTTTTGAA AGTATGAATT TGAAACCTGA TCTTTTGAAA	360
GGAATATATG CCTATGGATT TGAAGCACCA TCTGCTATTC AATCTAGGGC TATTATGCAG	420
ATCATCAGTG GTAGAGACAC AATAGCACAG GCACAATCTG GAACTGGTAA AACTGCTACT	480
TTTTCTATTG GTATGCTTGA GGTATAGAT ACTAAATCAA AAGAGTGTCA AGCACTTATC	540
TTGTCTCCTA CTAGAGAGTT GGCAATTCAA ATACAAAATG TGGTCATGCA TTTAGGAGAT	600
TATATGAACA TTCACACCCA TGCCTGTATT GGTGGGAAAA ATGTCGGTGA GGATGTTAAG	660
AAATTGCAGC AAGGGCAACA AATAGTTAGT GGGACACCAG GTAGAGTGAT TGATGTGATA	720
AAAAGAAGAA ATCTACAAAC TAGAAATATC AAGGTTCTTA TTTAGATGA AGCTGATGAA	780
CTTTTACAA AAGGGTTTAA AGAACAGATC TACGAAATCT ACAAACATTT ACCACCTTCG	840
GTTCAAGTAG TAGTTGTTAG TGCCACTTTG CCACGTGAAG TATTGGAGAT GACAAGTAAG	900
TTTACCACTG ATCCAGTGAA AATCTTGGTG AAGAGGGATG AGATTTTCGCT TCTGGGAATC	960
AAACAATATT ATGTTCAATG TGAACGTGAA GATTGGAAGT TTGATACACT ATGTGATTTG	1020
TATGACAACC TTACAATAAC TCAAGCAGTG ATATTTTGTA ATACCAAATT GAAGGTGAAT	1080
TGGCTTGCTG ATCAAATGAA AAAGCAAAAC TTTACTGTTG TGGCAATGCA TGGTGATATG	1140
AAACAAGATG AACGAGATTC AATTATGAAC GATTTTAGAA GGGGGAATTC AAGAGTATTA	1200
ATATCTACAG ATGTTTGGGC AAGAGGTATT GATGTCCAAC AAGTCTCGTT GGTAATAAAT	1260
TATGATTTGC CCACCGATAA GGAAACTAT ATTCATAGAA TTGGACGATC AGGTAGATTT	1320
GGTAGAAAGG GAACAGCTAT AAACCTGATA ACTAAAGATG ATGTGGTCAC TTTAAAAGAA	1380
TTGGAGAAAT ATTATTCAAC GAAAATTAAG GAAATGCCAA TGAATATTAA TGATATAATG	1440
TAA	1443

(2) INFORMATION FOR SEQ ID NO: 54:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 399 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:

- (D) TOPOLOGY: unknown
(ii) MOLECULE TYPE: peptide
(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 54:

```

Met Asp Asp Phe Asp Arg Asp Leu Asp Asn Glu Leu Glu Phe Ser His
 1          5          10          15
Lys Ser Thr Lys Gly Ile Lys Val His Arg Thr Phe Glu Ser Met Asn
 20          25          30
Leu Lys Pro Asp Leu Leu Lys Gly Ile Tyr Ala Tyr Gly Phe Glu Ala
 35          40          45
Pro Ser Ala Ile Gln Ser Arg Ala Ile Met Gln Ile Ile Ser Gly Arg
 50          55          60
Asp Thr Ile Ala Gln Ala Gln Ser Gly Thr Gly Lys Thr Ala Thr Phe
 65          70          75          80
Ser Ile Gly Met Leu Glu Val Ile Asp Thr Lys Ser Lys Glu Cys Gln
 85          90          95
Ala Leu Ile Leu Ser Pro Thr Arg Glu Leu Ala Ile Gln Ile Gln Asn
 100          105          110
Val Val Met His Leu Gly Asp Tyr Met Asn Ile His Thr His Ala Cys
 115          120          125
Ile Gly Gly Lys Asn Val Gly Glu Asp Val Lys Lys Leu Gln Gln Gly
 130          135          140
Gln Gln Ile Val Ser Gly Thr Pro Gly Arg Val Ile Asp Val Ile Lys
 145          150          155          160
Arg Arg Asn Leu Gln Thr Arg Asn Ile Lys Val Leu Ile Leu Asp Glu
 165          170          175
Ala Asp Glu Leu Phe Thr Lys Gly Phe Lys Glu Gln Ile Tyr Glu Ile
 180          185          190
Tyr Lys His Leu Pro Pro Ser Val Gln Val Val Val Val Ser Ala Thr
 195          200          205
Leu Pro Arg Glu Val Leu Glu Met Thr Ser Lys Phe Thr Thr Asp Pro
 210          215          220
Val Lys Ile Leu Val Lys Arg Asp Glu Ile Ser Leu Ser Gly Ile Lys
 225          230          235          240
Gln Tyr Tyr Val Gln Cys Glu Arg Glu Asp Trp Lys Phe Asp Thr Leu
 245          250          255
Cys Asp Leu Tyr Asp Asn Leu Thr Ile Thr Gln Ala Val Ile Phe Cys
 260          265          270
Asn Thr Lys Leu Lys Val Asn Trp Leu Ala Asp Gln Met Lys Lys Gln
 275          280          285
Asn Phe Thr Val Val Ala Met His Gly Asp Met Lys Gln Asp Glu Arg
 290          295          300
Asp Ser Ile Met Asn Asp Phe Arg Arg Gly Asn Ser Arg Val Leu Ile
 305          310          315          320
Ser Thr Asp Val Trp Ala Arg Gly Ile Asp Val Gln Gln Val Ser Leu

```

325

330

335

Val Ile Asn Tyr Asp Leu Pro Thr Asp Lys Glu Asn Tyr Ile His Arg
 340 345 350

Ile Gly Arg Ser Gly Arg Phe Gly Arg Lys Gly Thr Ala Ile Asn Leu
 355 360 365

Ile Thr Lys Asp Asp Val Val Thr Leu Lys Glu Leu Glu Lys Tyr Tyr
 370 375 380

Ser Thr Lys Ile Lys Glu Met Pro Met Asn Ile Asn Asp Ile Met
 385 390 395

(2) INFORMATION FOR SEQ ID NO: 55:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 1020 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 55:

AACGTTGGCC TGGCCAGTT AATTCCGTTT CCAAGCAAAT GAATGTCGAT ACCGACATCA	60
TCACGTTGAC CCGTTTTATT TTACAAGAAC AGCAAAGTGT TGCTCCCACC GCCACCGGTG	120
AGTTGTCGTT GTTGTTGAAT GCGCTTCAAT TTGCATTCAA GTTTATTGCC CACAATATCA	180
GAAGAGCTGA GTTGGTCAAC CTTATTGGTG TTTCTGGCTC TGCCAACTCT ACCGGTGATG	240
TTCAGAAGAA ATTGGATGTG ATTGGTGATG AGATCTTTAT CAATGCCATG AGATCTTCCA	300
ACAACGTCAA GGTTTTGGTT TCTGAAGAGC AAGAAGACCT TATTGTGTTC CCAGGTGGTG	360
GCACATATGC TGTTTGTACT GATCCAATTG ATGGGTCGTC CAATATCGAT GCTGGTGTTT	420
CTGTTGGTAC GATTTTTGGT GTGTACAAGT TGCAAGAGGG GTCTACTGGT GGCATCAGCG	480
ATGCTTTCGCG TCCTGGTAAG GAGATGGTCG CTGCGGGGTA CACCATGTAC GGTGCATCTG	540
CCCATTGGC ATTGACTACA GGTCACGGTG TCAATCTTTT TACTTTGGAT ACTCAGTTGG	600
GTGAATTTAT CTTGACCCAT CCAAAGTTGA AGTTGCCAGA TACTAAGAAC ATCTACTCGT	660
TGAATGAAGG GACTCGAAC AAATCCCAG AATACGTTCA AGATTATCTG AAGGACATTA	720
AAAAGGAAGG GTACAGTTTG AGATACATTG GACTGATGGT TGCTGATGTC CATCGTACTC	780
TTTTGTATGG TGGTATTTTT GCTTACCCTA CATTAAAGTT GAGAGTGTG TATGAATGTT	840
TCCCCATGGC CTTGTTGATG GAACAAGCAG GCGGTTCTGC TGTCACCATC AAGGGTGAGA	900
GGATCTTGA TATCTTGCCA AAAGGTATAC ACGACAAGAG TTCTATTGTG TTGGGATCCA	960
AGGGTGAAGT TGAAAAGTAT TTAAAGCATG TACCAAAATA GATTATGTAG AAAATTTATG	1020

(2) INFORMATION FOR SEQ ID NO: 56:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 320 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 56:

```

Met Asn Val Asp Thr Asp Ile Ile Thr Leu Thr Arg Phe Ile Leu Gln
 1           5           10           15
Glu Gln Gln Thr Val Ala Pro Thr Ala Thr Gly Glu Leu Ser Leu Leu
          20           25           30
Leu Asn Ala Leu Gln Phe Ala Phe Lys Phe Ile Ala His Asn Ile Arg
          35           40           45
Arg Ala Glu Leu Val Asn Leu Ile Gly Val Ser Gly Ser Ala Asn Ser
          50           55           60
Thr Gly Asp Val Gln Lys Lys Leu Asp Val Ile Gly Asp Glu Ile Phe
          65           70           75           80
Ile Asn Ala Met Arg Ser Ser Asn Asn Val Lys Val Leu Val Ser Glu
          85           90           95
Glu Gln Glu Asp Leu Ile Val Phe Pro Gly Gly Gly Thr Tyr Ala Val
          100          105          110
Cys Thr Asp Pro Ile Asp Gly Ser Ser Asn Ile Asp Ala Gly Val Ser
          115          120          125
Val Gly Thr Ile Phe Gly Val Tyr Lys Leu Gln Glu Gly Ser Thr Gly
          130          135          140
Gly Ile Ser Asp Val Leu Arg Pro Gly Lys Glu Met Val Ala Ala Gly
          145          150          155          160
Tyr Thr Met Tyr Gly Ala Ser Ala His Leu Ala Leu Thr Thr Gly His
          165          170          175
Gly Val Asn Leu Phe Thr Leu Asp Thr Gln Leu Gly Glu Phe Ile Leu
          180          185          190
Thr His Pro Asn Leu Lys Leu Pro Asp Thr Lys Asn Ile Tyr Ser Leu
          195          200          205
Asn Glu Gly Tyr Ser Asn Lys Phe Pro Glu Tyr Val Gln Asp Tyr Ser
          210          215          220
Lys Asp Ile Lys Lys Glu Gly Tyr Ser Leu Arg Tyr Ile Gly Ser Met
          225          230          235          240
Val Ala Asp Val His Arg Thr Leu Leu Tyr Gly Gly Ile Phe Ala Tyr
          245          250          255
Pro Thr Leu Lys Leu Arg Val Leu Tyr Glu Cys Phe Pro Met Ala Leu
          260          265          270
Leu Met Glu Gln Ala Gly Gly Ser Ala Val Thr Ile Lys Gly Glu Arg
          275          280          285
Ile Leu Asp Ile Leu Pro Lys Gly Ile His Asp Lys Ser Ser Ile Val
          290          295          300
Leu Gly Ser Lys Gly Glu Val Glu Lys Tyr Leu Lys His Val Pro Lys
          305          310          315          320

```

(2) INFORMATION FOR SEQ ID NO: 57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 825 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 57:

```

AACCCACCT TCAAAGACAA AGAAGATTTC GTCAAGCAAA CGAATGTCAG AGCAGAAAAG      60
AACCAAGAAC TAATCAAATT TGCCCGTGAC AACCTTAACC ATTTACCATT CACCGAAAAA      120
GACGGAGGTG CATGGGAAAA CTATGAACGA ATGATCAGTG GTATGCTCTA CAACTGTTTA      180
CAAAAAGAAT TGGAAACAAC ACGTATGTCT TGCAGAGACT ACATGTTGGA CTACGGCAGT      240
TTCAGAACTA GAGATTATAA AACAACCCAA GAATTTCTTG ATGCAAAATA CAAACATTTA      300
GAAAGTTTCA TTGGACATGT TGGCAAAAAT GCATTTATGG AATATCCAAT CTATTTTGAT      360
TATGGGTTTA ACACCTATTT GGGTGATAAT TTCTATTCCA ATTACAATT GACAATTTTG      420
GATGTTTCCA TAGTCAGAAT TGGAATAAAT GTCAAGTGTG GTCCCAATGT ATCTATCCTT      480
ACCCCAACAC ACCCAGTGGA TCCCACTTTG CGCTATGATC AATTGGAAAA TGCCTTGCCCT      540
GTGACGGTGG GTAACGGGGT CTGGTTGTGT GGAAGCTGTA CCATTCTTGG TGGGGTGACA      600
GTAGGTGATG GCAGCATTGT GGCTGCTGGT GCAGTTGTCA ACAAGGACGT TCCACCAAAC      660
ACTGTAGTTG CGGGAGTTCC TGCTAGGGTA GTTAAGCAGC TAGAACCTAG AGACCCTAAC      720
TTTGACACTA TGGCAGTTTT GAAACAATAT GGTATGGGTT ATATAGATTA GTAATTAGAT      780
TTGATGTAAT GTACACGACT ACACTATTTG CTGGTGTCTG TTTT                      825

```

(2) INFORMATION FOR SEQ ID NO: 58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 206 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 58:

```

Met Ile Ser Gly Met Leu Tyr Asn Cys Leu Gln Lys Glu Leu Glu Thr
 1               5               10              15
Thr Arg Met Ser Cys Arg Asp Tyr Met Leu Asp Tyr Gly Ser Phe Arg
          20              25              30
Thr Arg Asp Tyr Lys Thr Thr Gln Glu Phe Leu Asp Ala Lys Tyr Lys
          35              40              45
His Leu Glu Ser Phe Ile Gly His Val Gly Lys Asn Ala Phe Met Glu

```

50	55	60
Tyr Pro Ile Tyr Phe Asp Tyr Gly Phe Asn Thr Tyr Leu Gly Asp Asn		
65	70	75
Phe Tyr Ser Asn Tyr Asn Leu Thr Ile Leu Asp Val Ser Ile Val Arg		
	85	90
Ile Gly Asn Asn Val Lys Cys Gly Pro Asn Val Ser Ile Leu Thr Pro		
	100	105
Thr His Pro Val Asp Pro Thr Leu Arg Tyr Asp Gln Leu Glu Asn Ala		
	115	120
Leu Pro Val Thr Val Gly Asn Gly Val Trp Leu Cys Gly Ser Cys Thr		
	130	135
Ile Leu Gly Gly Val Thr Val Gly Asp Gly Ser Ile Val Ala Ala Gly		
	145	150
Ala Val Val Asn Lys Asp Val Pro Pro Asn Thr Val Val Ala Gly Val		
	165	170
Pro Ala Arg Val Val Lys Gln Leu Glu Pro Arg Asp Pro Asn Phe Asp		
	180	185
Thr Met Ala Val Leu Lys Gln Tyr Gly Met Gly Tyr Ile Asp		
	195	200

(2) INFORMATION FOR SEQ ID NO: 59:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1380 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 59:

AATTACAATC TGGTTTGTGA CTACCATATC CCATTAGTGT TATTGTCATT GTAGATATTG	60
ATAATGGTTA AAGGATTGGT TTTCATTTTT TGTGTAATGA ATGAGCCAAA ATAAAAAATC	120
AATTCGATGC GATGCAATGA AGTTTAATAA AATTTTTTTT TTTCTTTATT TCTTTTAATC	180
AACCCATCAA TCATTAAATT GAATCAATAC CTACCATTAA CATACTTCTA TATACATATA	240
TATATATAAC AAAATATCAT GGGGAAGATA ACAACTAGTG ATACTAAAAC AAAACAACGT	300
CATAATCCAT TATTAAAAGA TATTTATCC CAAGGTGGGA ATTTAAGAAC CGTTCCAAGA	360
TCATCATCAT CATCATCATC ACAAAGAAG AAATCATCAA AGAAACAAAG ACATAACGAT	420
GAAGACGACG AAGAAAATGG TGGCGGTGAA GGATTTTTAG ATGCTTCTAG TTCAAGAAAG	480
ATTTTACAAT TGGCAAAAGA ACAACAAGAT GAACTTGAAC AAGAAGATGA AATACAAAT	540
AAACCTTCAT TTGCTCAATC ATTTAAAAAT CAACAAATAG ATAGTGAAGA AGAAGAAGAG	600
GAAGATGAGT ATTCAGATT TGAAGAAGAA GAAGAAGTTG AAGAGATAGT ATATGATGAA	660
GAAGATGCAG AAGTTGATCC CAAAGATGCA GAATTATTTA ATAAATATTT CCAATCCAAC	720
GGTGAAGCTA ATAATAATGA TGATGATAAT TCATTTCAAC CAACAATAAA TTTAGCTGAT	780

```

AAAATCTTAG CCAAAATTCA AGAAAAAGAA TCCCAACAAC AACAACAACA ACAAGCTCT      840
CCAGATAATA GTAATGAAGA TGCCGTATTG TTACCACCAA AAGTCATTTT AGCTTATGAA      900
AAAATTGGTC AAATTTTATC AACTTATACT CATGGGAAAT TACCTAAATT ATTTAAAATT      960
TTACCAAGTT TAAAAAATTG GCAAGATGTA TTATACGTGA CAAATCCAAA TAGTTGGACT     1020
CCTCATGCCA CATATGAAGC AACTAAATTA TTTGTGTCGA ATTTATCAAG TAATGAAGCT     1080
ACAGTTTTCA TTGAAACTAT CTTGTTGCCA CGATTCCGTG ATTCTATTGA AAATCCGAT      1140
GATCATTCAAT TAAATTATCA TATTTATCGA GCATTAAAAA AATCATTATA TAAACCAGGA     1200
GCTTTTTTCA AAGGGTTCTT GTTACCTTTA GTCGATGGTT ATTGTTCTGT ACGTGAAGCC     1260
ACTATTGCTG CTTCAAGTGT AACTAAAGTT TCTGTCCCTG TTTTACATTC ATGTCATTAT      1320
TGTGGCGTAC TGATGAATAA AAAACGAGAA TCACCTGTAT TTGTCCTACG GCGAATATAA      1380

```

(2) INFORMATION FOR SEQ ID NO: 60:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 373 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 60:

```

Met Gly Lys Ile Thr Thr Ser Asp Thr Lys Thr Lys Gln Arg His Asn
 1           5           10           15
Pro Leu Leu Lys Asp Ile Ser Ser Gln Gly Gly Asn Leu Arg Thr Val
 20           25           30
Pro Arg Ser Ser Ser Ser Ser Ser Ser Gln Lys Lys Lys Ser Ser Lys
 35           40           45
Lys Gln Arg His Asn Asp Glu Asp Asp Glu Glu Asn Gly Gly Gly Glu
 50           55           60
Gly Phe Leu Asp Ala Ser Ser Ser Arg Lys Ile Leu Gln Leu Ala Lys
 65           70           75           80
Glu Gln Gln Asp Glu Leu Glu Gln Glu Asp Glu Ile Gln Asn Lys Pro
 85           90           95
Ser Phe Ala Gln Ser Phe Lys Asn Gln Gln Ile Asp Ser Glu Glu Glu
100           105           110
Glu Glu Glu Asp Glu Tyr Ser Asp Phe Glu Glu Glu Glu Glu Val Glu
115           120           125
Glu Ile Val Tyr Asp Glu Glu Asp Ala Glu Val Asp Pro Lys Asp Ala
130           135           140
Glu Leu Phe Asn Lys Tyr Phe Gln Ser Asn Gly Glu Ala Asn Asn Asn
145           150           155           160
Asp Asp Asp Asn Ser Phe Gln Pro Thr Ile Asn Leu Ala Asp Lys Ile
165           170           175
Leu Ala Lys Ile Gln Glu Lys Glu Ser Gln Gln Gln Gln Gln Gln

```

180

185

190

```

Ser Ser Pro Asp Asn Ser Asn Glu Asp Ala Val Leu Leu Pro Pro Lys
  195                200                205

Val Ile Leu Ala Tyr Glu Lys Ile Gly Gln Ile Leu Ser Thr Tyr Thr
  210                215                220

His Gly Lys Leu Pro Lys Leu Phe Lys Ile Leu Pro Ser Leu Lys Asn
  225                230                235                240

Trp Gln Asp Val Leu Tyr Val Thr Asn Pro Asn Ser Trp Thr Pro His
                245                250                255

Ala Thr Tyr Glu Ala Thr Lys Leu Phe Val Ser Asn Leu Ser Ser Asn
                260                265                270

Glu Ala Thr Val Phe Ile Glu Thr Ile Leu Leu Pro Arg Phe Arg Asp
                275                280                285

Ser Ile Glu Asn Ser Asp Asp His Ser Leu Asn Tyr His Ile Tyr Arg
  290                295                300

Ala Leu Lys Lys Ser Leu Tyr Lys Pro Gly Ala Phe Phe Lys Gly Phe
  305                310                315                320

Leu Leu Pro Leu Val Asp Gly Tyr Cys Ser Val Arg Glu Ala Thr Ile
                325                330                335

Ala Ala Ser Val Leu Thr Lys Val Ser Val Pro Val Leu His Ser Cys
                340                345                350

His Tyr Cys Gly Val Ser Met Asn Lys Lys Arg Glu Ser Pro Val Phe
  355                360                365

Val Leu Arg Arg Ile
  370

```

(2) INFORMATION FOR SEQ ID NO: 61:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 823 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 61:

```

AACCAACAAT GAGTCAAGTC GCTCCAAAGT GGTACCAATC AGAAGACGTT CCAGCTCCAA      60
AACAAACCAG AAAGACTGCT CGTCCACAAA AATTACGTGC CTCTTTAGTC CCAGGTACCG      120
TTTTAATTTT ATTGGCCGGT AGATTCAAGAG GTAAAAGAGT TGTTTACTTG AAGAACTTGG      180
AAGACAACAC CTTATTGGTT TCTGGTCCAT TCAAAGTCAA TGGTGTTCCTA TTGAGAAGAG      240
TTAACGCTAG ATACGTTATC GCCACCTCCA CCAAAGTCAA CGTTTCTGGT GTTGATGTTT      300
CTAAATTCAA CGTCGAATAC TTTGCTAGAG AAAAATCTTC TAAATCTAAA AAATCCGAAG      360
CTGAATTCTT CAATGAATCT CAACCAAAGA AAGAAATCAA AGCTGAAAGA GTTGCTGACC      420
AAAAATCTGT CGATGCTGCT TTATTAAGTG AAATCAAAAA GACCCCATTA TTGAAACAAT      480
ACTTGCCCGC TTCATTCTCT TTGAAGAACG GTGACAGACC ACACTTGTTA AAATTTTAAT      540

```


TTAGGTGAAA TTAATATTTT GCAAACATGT TCATGATAAA TAACAATGTG GCTTTTAAAG 600
 CAATGGATGG GATATGGTTA AGAGGATGTC TTTATATTTT GAGTTTTATA TATGGGTACT 660
 TTGTTTAATA ATGGAAGGTA TTGGCTCAGA TGAACCTCAA AATGGAGATT ACTTTTTTCT 720
 TTTACTTTTA CAATATTTTC GTCTATTTGC TGTTTAAGCT GCAAAAACAA ATTTTAAATC 780
 GGTGTATCTT AACTCTTATT CATTTTGTAT ATTTAATACA TAT 823

(2) INFORMATION FOR SEQ ID NO: 62:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 176 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 62:

Met Ser Gln Val Ala Pro Lys Trp Tyr Gln Ser Glu Asp Val Pro Ala
 1 5 10 15
 Pro Lys Gln Thr Arg Lys Thr Ala Arg Pro Gln Lys Leu Arg Ala Ser
 20 25 30
 Leu Val Pro Gly Thr Val Leu Ile Leu Leu Ala Gly Arg Phe Arg Gly
 35 40 45
 Lys Arg Val Val Tyr Leu Lys Asn Leu Glu Asp Asn Thr Leu Leu Val
 50 55 60
 Ser Gly Pro Phe Lys Val Asn Gly Val Pro Leu Arg Arg Val Asn Ala
 65 70 75 80
 Arg Tyr Val Ile Ala Thr Ser Thr Lys Val Asn Val Ser Gly Val Asp
 85 90 95
 Val Ser Lys Phe Asn Val Glu Tyr Phe Ala Arg Glu Lys Ser Ser Lys
 100 105 110
 Ser Lys Lys Ser Glu Ala Glu Phe Phe Asn Glu Ser Gln Pro Lys Lys
 115 120 125
 Glu Ile Lys Ala Glu Arg Val Ala Asp Gln Lys Ser Val Asp Ala Ala
 130 135 140
 Leu Leu Ser Glu Ile Lys Lys Thr Pro Leu Leu Lys Gln Tyr Leu Ala
 145 150 155 160
 Ala Ser Phe Ser Leu Lys Asn Gly Asp Arg Pro His Leu Leu Lys Phe
 165 170 175

(2) INFORMATION FOR SEQ ID NO: 63:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 415 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 63:

```

AACATTAAAG CAAGATGGAA AACGATAAAG GTCAATTAGT TGAATTATAC GTCCCAAGAA      60
AATGTTCTGC TACCAACAGA ATCATTAAAG CCAAAGATCA CGCTTCTGTT CAAATCTCAA      120
TTGCTAAAGT TGATGAAGAC GGTAGAGCTA TTGCTGGTGA AAACATCACT TACGCTTTAA      180
GTGGTTACGT TAGAGGTAGA GGTGAAGCTG ATGACTCATT AAACAGATTG GCTCAACAAG      240
ACGGTTTATT GAAGAACGTC TGGTCTTACT CTCGTTAAGA GAATAGAAGA ATAGACAAAA      300
TTGATAATTG GGTATTTTAA GAAATTACTT TTTTATATT GCAAATTAAT TTTAATCTTT      360
CTTCTGTGTA TATTTAATGT CTTAACATAA TAAAAAAGAA GAATAGAAAT GGTTT      415

```

(2) INFORMATION FOR SEQ ID NO: 64:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 87 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 64:

```

Met Glu Asn Asp Lys Gly Gln Leu Val Glu Leu Tyr Val Pro Arg Lys
 1              5              10              15
Cys Ser Ala Thr Asn Arg Ile Ile Lys Ala Lys Asp His Ala Ser Val
      20              25              30
Gln Ile Ser Ile Ala Lys Val Asp Glu Asp Gly Arg Ala Ile Ala Gly
      35              40              45
Glu Asn Ile Thr Tyr Ala Leu Ser Gly Tyr Val Arg Gly Arg Gly Glu
      50              55              60
Ala Asp Asp Ser Leu Asn Arg Leu Ala Gln Gln Asp Gly Leu Leu Lys
      65              70              75              80
Asn Val Trp Ser Tyr Ser Arg
      85

```

(2) INFORMATION FOR SEQ ID NO: 65:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1519 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

- (ix) FEATURE:
 - (A) NAME/KEY: misc_feature
 - (B) LOCATION: 749

(D) OTHER INFORMATION:/note= "N = A or T or C or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 65:

ACCATGTGTC AAATTGCTTG GTCGTGTCCT TTCACCACAC ATTTTTTTGG ATTAAATTC	60
TCGCACGCTC AAAAAATGAC TTCGACAAAA AGCAATGCCA CTCTTCCTAC AATTAATTCC	120
CTCCGCCCTT TCCTTTTCAT ATACTATCTC CTTTCCTTCT TCCTTCTCCT TTTATTTTTT	180
CAATTATTAC AATCTTATGT CATTTAAAGG ATTCAAAAAG GGTGTCCTTA GGGCCCCACA	240
GACAATGCGT CAGAAATCA ACATGGGAGA AATCACCCAA GATGCTGTTT ATCTCGATGC	300
TGAAAGAAGA TTCAAAGAAA TCGAAACGGA AACAAAAAAG TTGAGTGAAG AATCCAAGAA	360
ATATTTCAAT GCTGTCAATG GGATGTTAGA TGAACAAATT GATTTTGCCA AAGCCGTGGC	420
TGAGATTTAT AAACCAATCA GTGGTAGATT ATCGGACCCC AGTGCTACGG TACCAGAAGA	480
TAACCCACAA GGTATTGAAG CATCGGAACT GTACCAAGCA GTGGTTAAAG ATCTCAAAGA	540
TACCTTAAAA CCGATTGG AATTGATTGA AAAAGAATT GTTGAACCAG CACAAGAATT	600
ATTGAAGATT ATACAAGCTA TAAGGAAAAT GTCAGTGAAA AGAGACCATA AACAATTGGA	660
TTGGATCGT CATAAGAGAA ATTTTCTAA ATATGAACTG AAGAAAGAAA GAACTGTTAA	720
AGATGAAGAA AAAATGTTCA GTGCTCAANC AGAAGTAGAA ATTGCTCAAC AAGAGTACGA	780
TTATTATAAT GATTTGTTAA AGAATGAATT GCCAGTTTG TTTCAAATGC AAAGTGATT	840
TATCAAACCA TTGTTTGTTT CATTCTATTA CATGCAGTTG AATATTTTCT ACACATTATA	900
CACTAGAATG GAAGAGTTGA AAATTCCATA TTTTGATTG TCTACTGATA TTGTCGAAGC	960
TTATACTGCC AAGAAGGGGA ACATTGAGGA ACAAACCGAT GCTATTGGAA TCACTCATT	1020
CAAAGTCGGG CATGCCAAAT CCAAATTGGA AGCCACTAAA AGAAGACATG CTGCTATGAA	1080
TAGTCCACCT CCTACCGGTG CCAGCTCTAT TGCATCTACA GGTACTGGTG GTGAATTACC	1140
TGCATACTCC CCAGGAGGTT ACAACCAACC ATATGGTGAT AGCAAGTATC AACCACCATC	1200
TTCTCCAGCA ACATACCAAT CTCCAGTAGT AGCAGCCACT GCTCAATCTC CAGCTACTTA	1260
TCAATCGCCA GTGGCTACTG GACAACCTCC ATCATATTTA CCACAAACTC CAGCCAGTGC	1320
TCCACCACCA CAAGTTGGTA GTGGCCTTCC AACATGCACG GCTTTATACG ATTATACTGC	1380
ACAAGCCCAG GGTGACTTGA CTTTCCCTGC AGGAGCTGTT ATTGAAATTA TACAAAGAAC	1440
CGAAGATGCC AACGGATGGT GGACTGGTAA ATACAATGGT CAAACCGGTG TGTCCCTGG	1500
TAATTATGTG CAATTATAG	1519

(2) INFORMATION FOR SEQ ID NO: 66:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 440 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 66:

```

Met Ser Phe Lys Gly Phe Lys Lys Gly Val Leu Arg Ala Pro Gln Thr
1      5      10      15
Met Arg Gln Lys Phe Asn Met Gly Glu Ile Thr Gln Asp Ala Val Tyr
20     25     30
Leu Asp Ala Glu Arg Arg Phe Lys Glu Ile Glu Thr Glu Thr Lys Lys
35     40     45
Leu Ser Glu Glu Ser Lys Lys Tyr Phe Asn Ala Val Asn Gly Met Leu
50     55     60
Asp Glu Gln Ile Asp Phe Ala Lys Ala Val Ala Glu Ile Tyr Lys Pro
65     70     75     80
Ile Ser Gly Arg Leu Ser Asp Pro Ser Ala Thr Val Pro Glu Asp Asn
85     90     95
Pro Gln Gly Ile Glu Ala Ser Glu Ser Tyr Gln Ala Val Val Lys Asp
100    105    110
Leu Lys Asp Thr Leu Lys Pro Asp Leu Glu Leu Ile Glu Lys Arg Ile
115    120    125
Val Glu Pro Ala Gln Glu Leu Lys Ile Ile Gln Ala Ile Arg Lys
130    135    140
Met Ser Val Lys Arg Asp His Lys Gln Leu Asp Leu Asp Arg His Lys
145    150    155    160
Arg Asn Phe Ser Lys Tyr Glu Ser Lys Lys Glu Arg Thr Val Lys Asp
165    170    175
Glu Glu Lys Met Phe Ser Ala Gln Xaa Glu Val Glu Ile Ala Gln Gln
180    185    190
Glu Tyr Asp Tyr Tyr Asn Asp Leu Leu Lys Asn Glu Leu Pro Val Leu
195    200    205
Phe Gln Met Gln Ser Asp Phe Ile Lys Pro Leu Phe Val Ser Phe Tyr
210    215    220
Tyr Met Gln Leu Asn Ile Phe Tyr Thr Leu Tyr Thr Arg Met Glu Glu
225    230    235    240
Leu Lys Ile Pro Tyr Phe Asp Leu Ser Thr Asp Ile Val Glu Ala Tyr
245    250    255
Thr Ala Lys Lys Gly Asn Ile Glu Glu Gln Thr Asp Ala Ile Gly Ile
260    265    270
Thr His Phe Lys Val Gly His Ala Lys Ser Lys Leu Glu Ala Thr Lys
275    280    285
Arg Arg His Ala Ala Met Asn Ser Pro Pro Pro Thr Gly Ala Ser Ser
290    295    300
Ile Ala Ser Thr Gly Thr Gly Gly Glu Leu Pro Ala Tyr Ser Pro Gly
305    310    315    320
Gly Tyr Asn Gln Pro Tyr Gly Asp Ser Lys Tyr Gln Pro Pro Ser Ser
325    330    335
Pro Ala Thr Tyr Gln Ser Pro Val Val Ala Ala Thr Ala Gln Ser Pro
340    345    350
Ala Thr Tyr Gln Ser Pro Val Ala Thr Gly Gln Pro Pro Ser Tyr Leu
355    360    365
Pro Gln Thr Pro Ala Ser Ala Pro Pro Pro Gln Val Gly Ser Gly Leu

```

370	375	380
Pro Thr Cys Thr Ala Leu Tyr Asp Tyr Thr Ala Gln Ala Gln Gly Asp		
385	390	395 400
Leu Thr Phe Pro Ala Gly Ala Val Ile Glu Ile Ile Gln Arg Thr Glu		
	405	410 415
Asp Ala Asn Gly Trp Trp Thr Gly Lys Tyr Asn Gly Gln Thr Gly Val		
	420	425 430
Phe Pro Gly Asn Tyr Val Gln Leu		
	435	440

(2) INFORMATION FOR SEQ ID NO: 67:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 855 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 67:

ATAATTTTCA GAAAGAGACT AGATTCTGAT AGAAATATAG ACGCATCACT ATATTTTGGG	60
AATATAGATC CACAAGTTAC GGAGTTGTTA ATGTATGAGT TGTTTCATCCA ATTTGGTCCC	120
GTCAAATCAA TCAATATGCC AAAGGATCGT ATATTGAAAA CACACCAGGG GTATGGATTT	180
GTCGAATTTA AAAACTCAGC AGATGCCAAA TATACTATGG AAATACTACG AGGAATAAGA	240
CTTTATGGAA AAGCATTGAA ATTGAAACGA ATTGATGCCA AGTCTCAGTC ATCAACAAAC	300
AACCCAAATA ATCAACAAT AGGAACATTT GTACAATCAG ATTTGATCAA TCCAAATTAC	360
ATAGATGTTG GAGCTAAACT ATTTATCAAC AATCTTAATC CATTGGTCGA TGAATCCTTT	420
TTAATGGATA CGTTTAGTAA GTTTGGAACC CTTATAAGAA ACCCAATAAT TAGACGTGAT	480
TCAGAGGGAC ACTCTTTGGG ATACGGATTT CTTACGTACG ATGACTTTGA AAGTAGTGAT	540
TTATGCATAC AAAAAATGAA CAACACGATT TTGATGAATA ACAAATTC TATCAGTTAT	600
GCATTCAAGG ATCTGAGTGT TGATGGGAAG AAATCCCGGC ATGGAGATCA AGTGGAGCGG	660
AAATTGGCTG AAAGTGCCAA AAAGAATAAT TTGTTGGTAA CGAAAACTTC TAAGGCAGGT	720
ACGACGAAGG GAAATAAAAG GAAGAATAAA CCACATAAAG TGACCAAACC GTGAGACAAT	780
GAGTTAGCTC CCCCTTTCAA AATAAGTAGA GTATCACCAT AGTTTATGAA ACAATTGATA	840
TATTAAGCTT CTCTG	855

(2) INFORMATION FOR SEQ ID NO: 68:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 257 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 68:

Ile Ile Phe Arg Lys Arg Leu Asp Ser Asp Arg Asn Ile Asp Ala Ser
 1 5 10 15
 Leu Tyr Phe Gly Asn Ile Asp Pro Gln Val Thr Glu Leu Leu Met Tyr
 20 25 30
 Glu Leu Phe Ile Gln Phe Gly Pro Val Lys Ser Ile Asn Met Pro Lys
 35 40 45
 Asp Arg Ile Leu Lys Thr His Gln Gly Tyr Gly Phe Val Glu Phe Lys
 50 55 60
 Asn Ser Ala Asp Ala Lys Tyr Thr Met Glu Ile Leu Arg Gly Ile Arg
 65 70 75 80
 Leu Tyr Gly Lys Ala Leu Lys Leu Lys Arg Ile Asp Ala Lys Ser Gln
 85 90 95
 Ser Ser Thr Asn Asn Pro Asn Asn Gln Thr Ile Gly Thr Phe Val Gln
 100 105 110
 Ser Asp Leu Ile Asn Pro Asn Tyr Ile Asp Val Gly Ala Lys Leu Phe
 115 120 125
 Ile Asn Asn Leu Asn Pro Leu Val Asp Glu Ser Phe Leu Met Asp Thr
 130 135 140
 Phe Ser Lys Phe Gly Thr Leu Ile Arg Asn Pro Ile Ile Arg Arg Asp
 145 150 155 160
 Ser Glu Gly His Ser Leu Gly Tyr Gly Phe Leu Thr Tyr Asp Asp Phe
 165 170 175
 Glu Ser Ser Asp Leu Cys Ile Gln Lys Met Asn Asn Thr Ile Leu Met
 180 185 190
 Asn Asn Lys Ile Ala Ile Ser Tyr Ala Phe Lys Asp Ser Ser Val Asp
 195 200 205
 Gly Lys Lys Ser Arg His Gly Asp Gln Val Glu Arg Lys Leu Ala Glu
 210 215 220
 Ser Ala Lys Lys Asn Asn Leu Leu Val Thr Lys Thr Ser Lys Ala Gly
 225 230 235 240
 Thr Thr Lys Gly Asn Lys Arg Lys Asn Lys Pro His Lys Val Thr Lys
 245 250 255
 Pro

(2) INFORMATION FOR SEQ ID NO: 69:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1685 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 69:

CTGTTTATTA AATGGATATA TGTTAAACCA TGAACCTCGG TTTATCAGAA AAATTGGTGC	60
TGGTACCTAT GGTGTGATTT ACCTTGTTGA AAATATCTAC ACTAAACAAC AATTGCTGC	120
TAAAATGGTT CTTGAACAGC CATTACTCAA ACAAAGCAA CAACAACAAC AAAGTCATCA	180
TGGACATAAA GGAGAATCTA GTATGAACAA ACAAATAATA CTGCAAGAAT TTTATCAATA	240
TTTTTTAAAC AATAGTATGC CACAACCACG AAATTTGGAC TTGAATTACC TTCGAGACAA	300
CGGACATGAT TGCCCCTTTT TGACTGAAAT CTCATTACAT TTAAAAGTAC ATCAACACCC	360
AAACATAGCG ACTATTCATC AAGTATTAAA CATTGAAGAT TTTGCCATAA TAATATTGAT	420
GGATCATTTT GAGCAAGGAG ATTTGTTTAC TAATATCATT GATAGACAAA TATTCACCAA	480
TAATAGTCAT AGAAAAGTTC CAAGAACAGA TTTTGAAACC CAATTATTAA TGAAGAATGC	540
CATGTTACAA TTGATAGAAG CCATTGAATA TTGTCACGAA AATAATATTT ACCATTGTGA	600
TTTAAACCA GAAACATTA TGGTTAGATA TAATCCATAC TATGTTTCGTC CAACTATCAA	660
TAACAATAAT ACAAATGGAG AAGATGATTT ATGCTATGCC AACAGTATTA TTGACTATAA	720
TGAATTACAC CTCGTGTTGA TTGATTTTGG TTTAGCTATG GACTCTGCTA CCATTTGTTG	780
TAATTCATGT CGTGGATCGT CATTTTACAT GGCACCAGAA AGAACCACCA ATTATAACAC	840
CCATCGTTTA ATCAACCAAT TAATTGATAT GAATCAATAT GAGTCAATTG AAATCAATGG	900
GACAACAGTG ACAAATCAA ACTGTAAATA TTTACCTACA TTGGCTGGGG ATATTGGTGC	960
ATTGGGAGTA TTGTTTATTA ATATCACTTG TTCAAGAAAC CCATGGCCCA TTGCATCATT	1020
TGATAATAAT CAAAATAATG AAGTGTTTAA GAATTATATG TTGAATAATA ACAAGGCTGT	1080
TTTGAGCAAA ATCTTACCCA TTTCTCACA ATTTAATCGC TTATTAGATA GAATTTTCAA	1140
ATTGAATCCT AATGATAGAA TAGATTTACC AACTTTATAC AAAGAAGTTA TTCGTGTGA	1200
TTTCTTCAA GATGATCATT ACTACTATGC CCAACATCAA CATCATCACA ATCACAATCA	1260
AATCAATAAT GCTTACAATC ACTATCAGAA ACAACCTAAT CAAGCAAGAC CTACTGCAAA	1320
CCAACAATTG TATACACCAC CGGAAACCAC CACTTATAAT TCATACGCTA GTGATATGGA	1380
AGAAGATGAA ATTAGTGATG ATGAGTTTTA TTCTGATGAA GAAGATGAAG ATATTGAAGA	1440
CTATGAAGAG GAAGAGGAAG AGTATTTTGG TAATGAGCAA CAACAACAAC AGCAAGTCAC	1500
AACAGTGAAT GGTAAATTTG GTCAAGTTAA AGGTACCTGT TATTACGATA CCAAACCAA	1560
AACAACCTACA TATATAAAC CACCAGCTGC ATATACTTTA GAGACGCCTA GTCAAAGTGT	1620
TGAATACTGT TAAGTTGTAC ACATAAATAA TTAATGACAA TTAATAATAA CGATTAATAA	1680
TATAG	1685

(2) INFORMATION FOR SEQ ID NO: 70:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 537 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 70:

Met Leu Asn His Glu Leu Arg Phe Ile Arg Lys Ile Gly Ala Gly Thr
1 5 10 15
Tyr Gly Leu Ile Tyr Leu Val Glu Asn Ile Tyr Thr Lys Gln Gln Phe
20 25 30
Ala Ala Lys Met Val Leu Glu Gln Pro Leu Leu Lys Gln Lys Gln Gln
35 40 45
Gln Gln Gln Ser His His Gly His Lys Gly Glu Ser Ser Met Asn Lys
50 55 60
Gln Ile Ile Ser Gln Glu Phe Tyr Gln Tyr Phe Leu Asn Asn Ser Met
65 70 75 80
Pro Gln Pro Arg Asn Leu Asp Leu Asn Tyr Leu Arg Asp Asn Gly His
85 90 95
Asp Cys Pro Phe Leu Thr Glu Ile Ser Leu His Leu Lys Val His Gln
100 105 110
His Pro Asn Ile Ala Thr Ile His Gln Val Leu Asn Ile Glu Asp Phe
115 120 125
Ala Ile Ile Ile Leu Met Asp His Phe Glu Gln Gly Asp Leu Phe Thr
130 135 140
Asn Ile Ile Asp Arg Gln Ile Phe Thr Asn Asn Ser His Arg Lys Val
145 150 155 160
Pro Arg Thr Asp Phe Glu Thr Gln Leu Leu Met Lys Asn Ala Met Leu
165 170 175
Gln Leu Ile Glu Ala Ile Glu Tyr Cys His Glu Asn Asn Ile Tyr His
180 185 190
Cys Asp Leu Lys Pro Glu Asn Ile Met Val Arg Tyr Asn Pro Tyr Tyr
195 200 205
Val Arg Pro Thr Ile Asn Asn Asn Asn Asn Asn Gly Glu Asp Asp Leu
210 215 220
Cys Tyr Ala Asn Ser Ile Ile Asp Tyr Asn Glu Leu His Leu Val Leu
225 230 235 240
Ile Asp Phe Gly Leu Ala Met Asp Ser Ala Thr Ile Cys Cys Asn Ser
245 250 255
Cys Arg Gly Ser Ser Phe Tyr Met Ala Pro Glu Arg Thr Thr Asn Tyr
260 265 270
Asn Thr His Arg Leu Ile Asn Gln Leu Ile Asp Met Asn Gln Tyr Glu
275 280 285
Ser Ile Glu Ile Asn Gly Thr Thr Val Thr Lys Ser Asn Cys Lys Tyr
290 295 300
Leu Pro Thr Leu Ala Gly Asp Ile Trp Ser Leu Gly Val Leu Phe Ile
305 310 315 320
Asn Ile Thr Cys Ser Arg Asn Pro Trp Pro Ile Ala Ser Phe Asp Asn
325 330 335
Asn Gln Asn Asn Glu Val Phe Lys Asn Tyr Met Leu Asn Asn Asn Lys
340 345 350
Ala Val Leu Ser Lys Ile Leu Pro Ile Ser Ser Gln Phe Asn Arg Leu

355	360	365
Leu Asp Arg Ile Phe Lys Leu Asn Pro Asn Asp Arg Ile Asp Leu Pro		
370	375	380
Thr Leu Tyr Lys Glu Val Ile Arg Cys Asp Phe Phe Lys Asp Asp His		
385	390	400
Tyr Tyr Tyr Ala Gln His Gln His His His Asn His Asn Gln Ile Asn		
	405	410
Asn Ala Tyr Asn His Tyr Gln Lys Gln Pro Asn Gln Ala Arg Pro Thr		
	420	425
Ala Asn Gln Gln Leu Tyr Thr Pro Pro Glu Thr Thr Thr Tyr Asn Ser		
	435	440
Tyr Ala Ser Asp Met Glu Glu Asp Glu Ile Ser Asp Asp Glu Phe Tyr		
	450	455
Ser Asp Glu Glu Asp Glu Asp Ile Glu Asp Tyr Glu Glu Glu Glu Glu		
	465	470
Glu Tyr Phe Gly Asn Glu Gln Gln Gln Gln Gln Val Thr Thr Val		
	485	490
Asn Gly Asn Phe Gly Gln Val Lys Gly Thr Cys Tyr Tyr Asp Thr Lys		
	500	505
Thr Lys Thr Thr Thr Tyr Ile Lys Pro Pro Ala Ala Tyr Thr Leu Glu		
	515	520
Thr Pro Ser Gln Ser Val Glu Tyr Cys		
	530	535

(2) INFORMATION FOR SEQ ID NO: 71:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 848 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 71:

AACCAATTTT AGAAACAATG GCTCGTCAAT TTTTCGTAGG TGGTAACTTC AAAGCTAACG	60
GTACCAAACA ACAAATCACT TCAATCATCG ACAACTTGAA CAAGGCTGAT TTACCAAAGG	120
ATGTCGAAGT TGTCATTTGT CCACCCGCCC TTTACCTTGG TTTAGCTGTA GAGCAAAACA	180
AACAACCAAC TGTGTCATT GGTGCTCAAA ATGTTTTTGA CAAGTCATGT GGTGCTTTCA	240
CTGGTGAAAC CTGTGCTTCT CAAATCTTGG ATGTTGGTGC CAGCTGGACT TTAAGTGGTC	300
ACAGTGAAAG AAGAACCATT ATCAAAGAAT CCGATGAATT CATGCTGAA AAAACCAAGT	360
TTGCCCTTGA CACTGGTGTC AAAGTTATTT TATGTATTGG TGAAACCTTA GAGGAAAGAA	420
AAGGTGGTGT CACTTTGGAT GTTTGTGCCA GACAATTGGA TGCTGTTTCC AAGATTGTTT	480
CTGATTGGTC AAACATTGTT GTTGCTTACG AACCTGTTTG GGCAATTGGT ACTGGTTTAG	540
CCGCTACCCC AGAAGATGCT GAAGAAACCC ACAAAGGTAT TAGAGCTCAT TTGGCCAAGA	600

CCATTGGTGC CGAACAAGCT GAAAAAACCA GAATCTTGTA CGGTGGTTCA GTTAACGGTA 660
 AGAACGCTAA GGATTTCAA GACAAAGCAA ATGTTGATGG TTTCTTAGTC GGTGGTGCTT 720
 CATTAAAACC AGAATTTGTT GATATCATCA AATCTAGATT ATAAACAGTA TATTA AAAAC 780
 TATATGCCTA TAGAATTTAG CATGTTGTTG TGAATTTGTA ATGAATCTAT AAAAATGTGC 840
 TCATGAAC 848

(2) INFORMATION FOR SEQ ID NO: 72:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 248 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 72:

Met Ala Arg Gln Phe Phe Val Gly Gly Asn Phe Lys Ala Asn Gly Thr
 1 5 10 15
 Lys Gln Gln Ile Thr Ser Ile Ile Asp Asn Leu Asn Lys Ala Asp Leu
 20 25 30
 Pro Lys Asp Val Glu Val Val Ile Cys Pro Pro Ala Leu Tyr Leu Gly
 35 40 45
 Leu Ala Val Glu Gln Asn Lys Gln Pro Thr Val Ala Ile Gly Ala Gln
 50 55 60
 Asn Val Phe Asp Lys Ser Cys Gly Ala Phe Thr Gly Glu Thr Cys Ala
 65 70 75 80
 Ser Gln Ile Leu Asp Val Gly Ala Ser Trp Thr Leu Thr Gly His Ser
 85 90 95
 Glu Arg Arg Thr Ile Ile Lys Glu Ser Asp Glu Phe Ile Ala Glu Lys
 100 105 110
 Thr Lys Phe Ala Leu Asp Thr Gly Val Lys Val Ile Leu Cys Ile Gly
 115 120 125
 Glu Thr Leu Glu Glu Arg Lys Gly Gly Val Thr Leu Asp Val Cys Ala
 130 135 140
 Arg Gln Leu Asp Ala Val Ser Lys Ile Val Ser Asp Trp Ser Asn Ile
 145 150 155 160
 Val Val Ala Tyr Glu Pro Val Trp Ala Ile Gly Thr Gly Leu Ala Ala
 165 170 175
 Thr Pro Glu Asp Ala Glu Glu Thr His Lys Gly Ile Arg Ala His Leu
 180 185 190
 Ala Lys Thr Ile Gly Ala Glu Gln Ala Glu Lys Thr Arg Ile Leu Tyr
 195 200 205
 Gly Gly Ser Val Asn Gly Lys Asn Ala Lys Asp Phe Lys Asp Lys Ala
 210 215 220
 Asn Val Asp Gly Phe Leu Val Gly Gly Ala Ser Leu Lys Pro Glu Phe
 225 230 235 240

23-12-1998

EP98310694.9

DESC

Val Asp Ile Ile Lys Ser Arg Leu
245



Claims

1. A nucleic acid molecule encoding a polypeptide which is critical for survival and growth of the yeast *Candida albicans* and which nucleic acid molecule comprises any of the sequences of nucleotides in Sequence ID Numbers 1 to 3, 5, 6, 8 to 11, 13, 15, 16, 18, 20, 21, 23, 25 to 29, 31, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69 and 71.

2. A nucleic acid molecule encoding a polypeptide which is critical for survival and growth of the yeast *Candida albicans* and which nucleic acid molecule comprises any of the sequences of nucleotides in Sequence ID Numbers 28, 35, 37 and 39 and fragments or derivatives of said nucleic acid molecules.

3. A nucleic acid molecule encoding a polypeptide which is critical for survival and growth of the yeast *Candida albicans* and which polypeptide has an amino acid sequence according to the sequence of any of Sequence ID Numbers 4, 7, 12, 14, 17, 19, 22, 24, 30, 32 to 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 and 72.

4. A nucleic acid molecule according to any of claims 1 to 3 which is mRNA.

5. A nucleic acid molecule according to any of claims 1 to 3 which is DNA.

6. A nucleic acid molecule according to claim 5 which is cDNA.

- 101 -

7. A nucleic acid molecule capable of hybridising to the molecules according to any of claims 1 to 5 under high stringency conditions.

5 8. A polypeptide having the amino acid sequences of any of Sequence ID Numbers 4, 7, 12, 14, 17, 19, 22, 24, 30, 32 to 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 and 72.

10 9. A polypeptide encoded by the nucleic acid molecule according to any of claims 1 to 6.

15 10. A polypeptide according to claim 9 having an amino acid sequence of any of Sequence ID Numbers 4, 7, 12, 14, 17, 19, 22, 24, 30, 32 to 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70 and 72.

20 11. An expression vector comprising a nucleic acid molecule according to claim 5 or 6.

 12. An expression vector according to claim 11 which comprises an inducible promoter.

25 13. An expression vector according to claim 11 or 12 which comprises a sequence encoding a reporter molecule.

30 14. A nucleic acid molecule according to any of claims 1 to 7 for use as a medicament.

35 15. Use of a nucleic acid molecule according to any of claims 1 to 7 in the preparation of a medicament for treating *Candida albicans* associated diseases.

- 102 -

16. A polypeptide according to any of claims 8 or 10 for use as a medicament.

5 17. Use of a polypeptide according to any of claims 8 to 10 in the preparation of a medicament for treating *Candida albicans* associated infections.

10 18. A pharmaceutical composition comprising a nucleic acid molecule according to any of claims 1 to 7 or a polypeptide according to any of claims 8 to 10 together with a pharmaceutically acceptable carrier diluent or excipient therefor.

15 19. A *Candida albicans* cell comprising an induced mutation in the DNA sequence encoding the polypeptide according to any of claims 8 to 10.

20 20. A method of identifying compounds which selectively modulate expression of polypeptides which are crucial for growth and survival of *Candida albicans*, which method comprises:

- 25 (a) contacting a compound to be tested with one or more *Candida albicans* cells having a mutation in a nucleic acid molecule according to any of claims 1 to 6 which mutation results in overexpression or underexpression of said polypeptides in addition to contacting one or more wild type *Candida albicans* cells with said compound,
- 30 (b) monitoring the growth and/or activity of said mutated cell compared to said wild type; wherein differential growth or activity of said one or more mutated *Candida* cells is indicative of selective action of
- 35 said compound on a polypeptide or another

- 103 -

polypeptide in the same or a parallel pathway.

21. A compound identifiable according to the
5 method of claim 20.

22. A compound according to claim 21 for use as
a medicament.

10 23. Use of a compound according to claim 21 in
the preparation of a medicament for treating *Candida*
albicans associated diseases.

15 24. A pharmaceutical composition comprising a
compound according to claim 21 together with a
pharmaceutically acceptable carrier, diluent or
excipient therefor.

20 25. A method of identifying DNA sequences from a
cell or organism which DNA encodes polypeptides which
are critical for growth or survival of said cell or
organism, which method comprises:

- 25 (a) preparing a cDNA or genomic library from
said cell or organism in a suitable
expression vector which vector is such that
it can either integrate into the genome in
said cell or that it permits transcription
of antisense RNA from the nucleotide
sequences in said cDNA or genomic library,
30 (b) selecting transformants exhibiting impaired
growth and determining the nucleotide
sequence of the cDNA or genomic sequence
from the library included in the vector from
said transformant.

35

- 104 -

26. A method according to claim 25 wherein said cell or organism is a yeast or filamentous fungi.

27. A method according to claim 25 or 26 wherein
5 said cell or organism is any of *Saccharomyces cerevisiae*, *Saccharomyces pombe* or *Candida albicans*.

28. Plasmid pGAL1PSiST-1 having the sequence of nucleotides illustrated in Figure 2.
10

29. Plasmid pGAL1PNiST-1 having the sequence of nucleotides illustrated in Figure 4.

30. An antibody capable of binding to a
15 polypeptide according to any of claims 8 or 10.

31. An oligonucleotide comprising a fragment of from 10 to 50 contiguous nucleic acid sequences of a nucleic acid molecule according to any of claims 1 to
20 7.

32. A nucleic acid molecule encoding a polypeptide which is critical for survival and growth of the yeast *Candida albicans*, said nucleic acid
25 molecule comprising the sequences of any of the nucleotide sequences illustrated in Figures 5 to 28.

33. A polypeptide which is critical for survival and growth of the yeast *Candida albicans*, said
30 polypeptide comprising the amino acid sequences of any of the sequences illustrated in Figures 29 to 39.






Figure 1

HindIII

1 AGCTTGAGTA TTCTATAGTG TCACCTAAAT AGCTTGCGCT AATCATGGTC
TCGAACATCAT AAGATATCAC AGTGGATTTA TCGAACCACA TTAGTACCAG

51 ATAGCTGTTT CCTGTGTGAA ATTGTTATCC GCTCACAATT CCACACAACA
TATCGACAAA GGACACACTT TAACAATAGG CGAGTGTAA GGTGTGTTGT

101 TACGAGCCGG AAGCATAAAG TGTAAAGCCT GGGGTGCCTA ATGAGTGAGC
ATGCTCGGCC TTCGTATTTC ACATTTCCGA CCCACGGAT TACTCACTCG

151 TAACTCACAT TAATTGCGTT GCGCTCACTG CCCGCTTTC AGTCGGGAAA
ATTGAGTGTA ATTAACGCA CGCGAGTGAC GGGCGAAAGG TCAGCCCTTT

201 CCTGTCGTGC CAGCTGCATT AATGAATCGG CCAACGCGCG GGGAGAGGCG
GGACAGCACG GTCGACGTAA TTACTTAGCC GGTGCGCGC CCCTCTCCGC

251 GTTTGCGTAT TGGGCGCTCT TCCGCTTCCT CGCTCACTGA CTCGCTGCGC
CAAACGCATA ACCGCGGAGA AGGCGAAGGA GCGAGTGA CTGAGGACGCG

301 TCGGTGCTTC GGCTGCGGCG AGCGGTATCA GCTCACTCAA AGGCGGTAAT
AGCCAGCAAG CCGACGCGCG TCGCCATAGT CGAGTGAGTT TCCGCCATTA

351 ACGGTTATCC ACAGAATCAG GGGATAACGC AGGAAAGAAC ATGTGAGCAA
TGCCAATAGG TGTCTTAGTC CCCTATTGCG TCCTTTCTTG TACTCTGTT

401 AAGGCCAGCA AAAGGCCAGG AACCCTAAAA AGGCCGCGTT GCTGGCGTTT
TTCCGGTCGT TTTCCGGTCC TTGGCATTTT TCCGGCGCAA CGACCGCAA

451 TTCCATAGGC TCCGCCCCC TGACGAGCAT CACAAAAATC GACGCTCAAG
AAGGTATCCG AGGCGGGGGG ACTGCTCGTA GTGTTTTTAG CTGCGAGTTC

501 TCAGAGGTGG CGAAACCCGA CAGGACTATA AAGATACCAG GCGTTTCCCC
AGTCTCCACC GCTTTGGGCT GTCCTGATAT TTCTATGGTC CGCAAAGGGG

551 CTGGAAGCTC CCTCGTGCGC TCTCCTGTTT CGACCCTGCC GCTTACCGGA
GACCTTCGAG GGAGCACGCG AGAGGACAAG GCTGGGACGG CGAATGGCCT

601 TACCTGTCCG CCTTTCTCCC TTCGGGAAGC GTGGCGTTT CTCATAGCTC
ATGGACAGGC GGAAAGAGGG AAGCCCTTCG CACCGCGAAA GAGTATCGAG

651 ACGTGTAGG TATCTCAGTT CGGTGTAGGT CGTTCGCTCC AAGCTGGGCT
TGCGACATCC ATAGAGTCAA GCCACATCCA GCAAGCGAGG TTCGACCCGA

ApaLI

701 GTGTGCACGA ACCCCCCGTT CAGCCCGACC GCTGCGCCTT ATCCGGTAAC
CACACGTGCT TGGGGGGCAA GTCGGGCTGG CGACGCGGAA TAGGCCATTG

751 TATCGTCTTG AGTCCAACCC GGTAAGACAC GACTTATCGC CACTGGCAGC
ATAGCAGAAC TCAGGTGGG CCATTCTGTG CTGAATAGCG GTGACCGTCG

801 AGCCACTGGT AACAGGATTA GCAGAGCGAG GTATGTAGGC GGTGCTACAG
TCGGTGACCA TTGTCCTAAT CGTCTCGCTC CATACTCCG CCACGATGTC

851 AGTTCTTGAA GTGGTGGCCT AACTACGGCT AACTAGAAG GACAGTATTT
TCAAGAACTT CACCACCGGA TTGATGCCGA TGTGATCTTC CTGTCATAAA

901 GGTATCTGCG CTCTGCTGAA GCCAGTTACC TTCGGAAAAA GAGTTGGTAG
CCATAGACGC GAGACGACTT CGGTCAATGG AAGCCTTTTT CTCAACCATC

951 CTCTTGATCC GGCAAACAAA CCACCGCTGG TAGCGGTGGT TTTTGTGTTT
GAGAACTAGG CCGTTTGTGTT GGTGGCGACC ATCGCCACCA AAAAAACAAA
.....
1001 GCAAGCAGCA GATTACGCGC AGAAAAAAG GATCTCAAGA AGATCCTTTG
CGTTCGTCTG CTAATGCGCG TCTTTTTC CTAGAGTTCT TCTAGGAAAC
.....
1051 ATCTTTTCTA CGGGGTCTGA CGCTCAGTGG AACGAAACT CACGTTAAGG
TAGAAAAGAT GCCCAGACT GCGAGTCACC TTGCTTTTGA GTGCAATTCC
.....
1101 GATTTTGGTC ATGAGATTAT CAAAAAGGAT CTTACCTAG ATCCTTTTAA
CTAAAACCAG TACTCTAATA GTTTTCCTA GAAGTGGATC TAGGAAAATT
.....
1151 ATTAAAAATG AAGTTTATAA TCAATCTAAA GTATATATGA GTAACTTGG
TAATTTTAC TTCAAAATTT AGTTAGATTT CATATATACT CATTTGAACC
.....
1201 TCTGACAGTT ACCAATGCTT AATCAGTGAG GCACCTATCT CAGCGATCTG
AGACTGTCAA TGGTTACGAA TTAGTCACTC CGTGGATAGA GTCGCTAGAC
.....
1251 TCTATTTCTG TCATCCATAG TTGCCTGACT CCCCGTCGTG TAGATAACTA
AGATAAAGCA AGTAGGTATC AACGGACTGA GGGGCAGCAC ATCTATTGAT
.....
1301 CGATACGGGA GGGCTTACCA TCTGGCCCCA GTGCTGCAAT GATACCGCGA
GCTATGCCCT CCCGAATGGT AGACCGGGT CACGACGTTA CTATGGCGCT
.....
1351 GACCCACGCT CACCGGCTCC AGATTTATCA GCAATAAACC AGCCAGCCGG
CTGGGTGCGA GTGGCCGAGG TCTAAATAGT CGTTATTGCG TCGGTGCGCC
.....
1401 AAGGGCCGAG CGCAGAAGTG GTCCTGCAAC TTTATCCGCC TCCATCCAGT
TTCCCGGCTC GCGTCTTCAC CAGGACGTTG AAATAGGCGG AGGTAGGTCA
.....
1451 CTATTAATTG TTGCCGGGAA GCTAGAGTAA GTAGTTCGCC AGTTAATAGT
GATAATTAAC AACGGCCCTT CGATCTCATT CATCAAGCGG TCAATTATCA
.....
1501 TTGCGCAACG TTGTTGCCAT TGCTACAGGC ATCGTGGTGT CACGCTCGTC
AACGCGTTGC AACACCGGTA ACGATGTCCG TAGCACCACA GTGCGAGCAG
.....
1551 GTTTGGTATG GCTTCATTCA GCTCCGGTTC CCAACGATCA AGGCGAGTTA
CAAACCATAC CGAAGTAAGT CGAGGCCAAG GGTGCTAGT TCCGCTCAAT
.....
1601 CATGATCCCC CATGTTGTGC AAAAAAGCGG TTAGCTCCTT CGGTCCTCCG
GTACTAGGGG GTACAACACG TTTTTCGCC AATCGAGGAA GCCAGGAGGC
.....
1651 ATCGTTGTCA GAAGTAAGTT GGCCGCGAGT TTATCACTCA TGGTTATGGC
TAGCAACAGT CTTCAATCAA CCGGCGTCAC AATAGTGAGT ACCAATACCG
.....
1701 AGCACTGCAT AATTCTCTTA CTGTCATGCC ATCCGTAAGA TGCTTTTCTG
TCGTGACGTA TTAAGAGAA GACAGTACGG TAGGCATTCT ACGAAAAGAC
.....
1751 TGACTGGTGA GTACTCAACC AAGTCATTCT GAGAATAGTG TATGCGGCGA
ACTGACCACT CATGAGTTGG TTCAGTAAGA CTCATTATCAC ATACGCCGCT
.....
1801 CCGAGTTGCT CTTGCCCGGC GTCAATACGG GATAATACCG CGCCACATAG
GGCTCAACGA GAACGGGCCG CAGTTATGCC CTATTATGGC GCGGTGTATC
.....
1851 CAGAACTTTA AAAGTGCTCA TCATTGGAAA ACGTTCCTCG GGGCGAAAAC
GTCTTGAAAT TTTCACGAGT AGTAACCTTT TGCAAGAAAG CCCGCTTTTG
.....

ApaLI

1901 TCTCAAGGAT CTTACCGCTG TTGAGATCCA GTTCGATGTA ACCCACTCGT
AGAGTTCCTA GAATGGCGAC AACTCTAGGT CAAGCTACAT TGGGTGAGCA

ApaLI

1951 GCACCCAACT GATCTTCAGC ATCTTTTACT TTCACCAGCG TTTCTGGGTG
CGTGGGTGTA CTAGAAGTCG TAGAAAATGA AAGTGGTCGC AAAGACCCAC

2001 AGCAAAAACA GGAAGGCAAA ATGCCGCAAA AAAGGGAATA AGGGCGACAC
TCGTTTTTGT CCTTCCGTTT TACGGCGTTT TTTCCCTTAT TCCCGCTGTG

2051 GGAAATGTTG AATACTCATA CTCTTCCTTT TTCAATATTA TTGAAGCATT
CCTTTACAAC TTATGAGTAT GAGAAGGAAA AAGTTATAAT AACTTCGTAA

2101 TATCAGGGTT ATTGTCTCAT GAGCGGATAC ATATTTGAAT GTATTTAGAA
ATAGTCCCAA TAACAGAGTA CTCGCCTATG TATAAACTTA CATAAATCTT

2151 AAATAAACAA ATAGGGGTTT CGCGCACATT TCCCCGAAAA GTGCCACCTG
TTTATTTGTT TATCCCCAAG GCGCGTGTA AGGGGCTTTT CACGGTGGAC

2201 ACGTCTAAGA AACCATTATT ATCATGACAT TAACCTATAA AAATAGGCGT
TGCAGATTCT TTGGTAATA TAGTACTGTA ATTGGATATT TTTATCCGCA

2251 ATCACGAGGC CCTTTCGTCT CGCGCGTTTC GGTGATGACG GTGAAAACCT
TAGTGCTCCG GGAAAGCAGA GCGCGCAAAG CCACTACTGC CACTTTTGA

2301 CTGACACATG CAGCTCCCGG AGACGGTCAC AGCTTGCTG TAAGCGGATG
GACTGTGTAC GTCGAGGGCC TCTGCCAGTG TCGAACAGAC ATTGCCTAC

2351 CCGGGAGCAG ACAAGCCCGT CAGGGCGCGT CAGCGGGTGT TGGCGGGTGT
GGCCCTCGTC TGTTCGGGCA GTCCCGCGCA GTCGCCACA ACCGCCACA

ApaLI

2401 CGGGGCTGGC TTAACATATGC GGCATCAGAG CAGATTGTAC TGAGACTGCA
GCCCCGACCG AATTGATACG CCGTAGTCTC GTCTAACATG ACTCTCACGT

ApaLI

2451 CCATATGCGG TGTGAAATAC CGCACAGATG CGTAAGGAGA AAATACCGCA
GGTATACGCC ACACCTTTATG GCGTGTCTAC GCATTCTCT TTTATGGCGT

2501 TCAGGCGAAA TTGTAAACGT TAATATTTTG TTAAATTCG CGTTAAATAT
AGTCCGCTTT AACATTTGCA ATTATAAAAC AATTTTAAGC GCAATTTATA

2551 TTGTAAATC AGCTCATTTT TTAACCAATA GGCCGAAATC GGCAAAATCC
AACAATTTAG TCGAGTAAAA AATTGGTTAT CCGGCTTTAG CCGTTTATAG

2601 CTTATAAATC AAAAGAATAG ACCGAGATAG GGTGAGTGT TGTTCAGTT
GAATATTTAG TTTTCTTATC TGGCTCTATC CCAACTCACA ACAAGGTCAA

2651 TGGAACAAGA GTCCACTATT AAAGAACGTG GACTCCAACG TCAAAGGGCG
ACCTTGTTCT CAGGTGATAA TTTCTTGCAC CTGAGGTTGC AGTTTCCCGC

2701 AAAAACCCTC TATCAGGGCG ATGGCCCACT ACGTGAACCA TCACCCAAAT
TTTTTGGCAG ATAGTCCCGC TACCGGGTGA TGCATTGGT AGTGGGTTTA

2751 CAAGTTTTTT GCGGTCGAGG TGCCGTAAAG CTCTAAATCG GAACCCTAAA
GTTCAAAAA CGCCAGCTCC ACGGCATTTT GAGATTTAGC CTTGGGATTT

2801 GGGAGCCCCC GATTTAGAGC TTGACGGGGA AAGCCGGCGA ACGTGGCGAG
CCCTCGGGGG CTAAATCTCG AACTGCCCCCT TTCGGCCGCT TGCACCGCTC
.....
2851 AAAGGAAGGG AAGAAAGCGA AAGGAGCGGG CGCTAGGGCG CTGGCAAGTG
TTTCCTTCCC TTCTTTTCGCT TTCCTCGCCC GCGATCCCGC GACCGTTCAC
.....
2901 TAGCGGTCAC GCTGCGCGTA ACCACCACAC CCGCCGCGCT TAATGCGCCG
ATCGCCAGTG CGACGCGCAT TGGTGGTGTG GCGCGCGCGA ATTACGCGGC
.....
2951 CTACAGGGCG CGTCCATTTC CCATTTCAGGC TGCGCAACTG TTGGGAAGGG
GATGTCCCGC GCAGGTAAGC GGTAAGTCCG ACGCGTTGAC AACCCCTTCCC
.....
3001 CGATCGGTGC GGGCCTCTTC GCTATTACGC CAGCTGGCGA AAGGGGGATG
GCTAGCCACG CCCGAGAGAAG CGATAATGCG GTCGACCGCT TTCCCCCTAC
.....
3051 TGCTGCAAGG CGATTAAAGT GGGTAACGCC AGGGTTTTC CAGTCACGAC
ACGACGTTCC GCTAAATCAA CCCATTGCGG TCCCAAAAGG GTCAGTGCTG
.....
3101 GTTGTAAGAC GACGCGCAGT GAATTGTAAT ACGACTCACT ATAGGGCGAA
CAACATTTTG CTGCCGGTCA CTTAACATTA TGCTGAGTGA TATCCCGCTT
.....
3151 TTGGTTTTTC AATGATGAGC ACTTTTAAAG TTCTGCTATG TGGCGCGGTA
AACCAGAAAG TTACTACTCG TGAAAATTC AAGACGATAC ACCGCGCCAT
.....
3201 TTATCCCGTG TTGACGCCGG GCAAGAGCAA CTCGGTCGCC GCATACACTA
AATAGGGCAC AACTGCGGCC CGTTCCTCGT GAGCCAGCGG CGTATGTGAT
.....
3251 TTCTCAGAAT GACTTGGTTG AGTACTAATA GGAATTGATT TGGATGGTAT
AAGAGTCTTA CTGAACCAAC TCATGATTAT CCTTAACATA ACCTACCATA
.....
3301 AAACGGAAAC AAAAAAAGA GCTGGTACTA CTTCTTTTAA AATTATTTTA
TTTGCCTTTG TTTTFTTCT CGACCATGAT GAAAGAAATT TTAATAAAAT
.....
3351 TTATTTGATT TTATTTAATA GTATATATTA TATTTTGAAC GTAGATTATT
AATAAACTAA AATAAATTAT CATATATAAT ATAAACTTG CATCTAATAA
.....
3401 TTGTTGAAAG TTGCTGTAGT GCCATTGATT CGTAACACTA ATTCTGTATT
AACAACCTTC AACGACATCA CGGTAACATA GCATTGTGAT TAAGACATAA
.....
3451 AGTCATTCTT CTGTTTGTGAT AGTATCCAAA AAAACGGCTA TTTTTTTGCA
TCAGTAAGGA GAACAACTA TCATAGGTTT TTTTGCCGAT AAAAAACGT
.....
3501 ATCTTATTTT CTGCATATTA TACAGATAAC ATAATGAAAG AAAAAATCTT
TAGAATAAAG GACGTATAAT ATGTCTATTG TATTACTTTC TTTTTTAGAA
.....
3551 TTTTTTTGTT CTTCAATGAT GATTTCAACC ATTCTTTTAA ACATTGATCA
AAAAAAACAA GAAGTTACTA CTAAAGTTGG TAAGAAAATT TGTAACCTAGT
.....
3601 ATTCCTGAGC AACAAACCCA TACACACTGG TTTATATACC GCCCCTTTTA
TAAGGACTCG TTGTTGGGGT ATGTGTGACC AAATATATGG CGGGGAAAT
.....
3651 CAGTTGAAGA AAGAAATAGA AATAGAAATA GCAAACAAAA GATATGACAG
GTCAACTTCT TTCTTTATCT TTATCTTAT CGTTTGTTTT CTATACTGTC
.....
3701 TCAACACTAA GACCTATAGT GAGAGAGCAG AAACCTCATGC CTCACCAGTA
AGTTGTGATT CTGGATATCA CTCTCTCGTC TTTGAGTACG GAGTGGTCAT
.....
3751 GCACAGCGAT TATTTTCGATT AATGGAACATG AAGAAAACCA ATTTATGTGC
CGTGTGCGTA ATAAAGCTAA TTACCTTGAC TTCTTTTGGT TAAATACAG

EcoRI

3801 ATCAATTGAC GTTGATACCA CTAAGGAATT CCTTGAATTA ATTGATAAAT
TAGTTAACTG CAACTATGGT GATTCCTTAA GGAACCTAAT TAACTATTTA
.....
3851 TAGGTCCTTA TGTATGCTTA ATCAAGACTC ATATTGATAT AATCAATGAT
ATCCAGGAAT ACATACGAAT TAGTTCTGAG TATAACTATA TTAGTTACTA
.....
3901 TTTTCCTATG AATCCACTAT TGAACCATT A TAGAACTTT CACGTAAACA
AAAAGGATAC TTAGGTGATA ACTTGGTAAT AATCTTGAAA GTGCATTGTG
.....
3951 TCAATTTATG ATTTTGAAG ATAGAAAATT TGCTGATATT GGTAATACCG
AGTTAAATAC TAAAAACTTC TATCTTTTAA ACGACTATAA CCATTATGGC
.....
4001 TAAAGAAACA ATATATTGGT GGAGTTTATA AAATTAGTAG TTGGGCAGAT
ATTTCTTTGT TATATAACCA CCTCAAATAT TTTAATCATC AACCCGTCTA
.....
4051 ATTACCAATG CTCATGGTGT CACTGGGAAT GGAGTGGTTG AAGGATTAAA
TAATGGTTAC GAGTACCACA GTGACCCTTA CCTCACCAAC TTCCTAATTT
.....
4101 ACAGGGAGCT AAAGAAACCA CCACCAACCA AGAGCCAAGA GGGTTATTGA
TGTCCTCGA TTTCTTTGGT GGTGGTTGGT TCTCGGTTCT CCCAATAACT
.....
4151 TGTTAGCTGA ATTATCATCA GTGGGATCAT TAGCATATGG AGAATATTCT
ACAATCGACT TAATAGTAGT CACCCTAGTA ATCGTATACC TCTTATAAGA
.....
4201 CAAAAAAGCT TTGAAATTGC TAAATCCGAT AAGGAATTTG TTATTGGATT
GTTTTTTGAC AACTTTAACG ATTTAGGCTA TTCCTTAAAC AATAACCTAA
.....
4251 TATTGCCCAA CGTGATATGG GTGGCCAAGA AGAAGGATTT GATTGGCTTA
ATAACGGGTT GCACTATACC CACCGGTTCT TCTTCCTAAA CTAACCGAAT
.....
4301 TTATGACACC TGGAGTTGGA TTAGATGATA AAGGTGATGG ATTAGGACAA
AATACTGTGG ACCTCAACCT AATCTACTAT TTCCACTACC TAATCCTGTT
.....
4351 CAATATAGAA CTGTTGATGA AGTTGTTAGC ACTGGAAGT ATATTATCAT
GTTATATCTT GACAACTACT TCAACAATCG TGACCTTGAC TATAATAGTA
.....
4401 TGTGTTGAGA GGATTGTTTG GTAAAGGAAG AGATCCAGAT ATTGAAGGTA
ACAACCATCT CCTAACAAAC CATTTCCCTC TCTAGGTCTA TAACTTCCAT
.....
4451 AAAGGTATAG AAATGCTGGT TGAATGCTT ATTTGAAAAA GACTGGCCAA
TTTCCATATC TTACGACCA ACCTTACGAA TAAACTTTTT CTGACCGGTT
.....
4501 TTATAAATGT GAAGGGGGAG ATTTTCACTT TATTAGATTT GTATATATGT
AATATTTACA CTTCCTCCCTC TAAAAGTGAA ATAATCTAAA CATATATACA
.....
4551 AGAATAAATA AATAAATAAG TTAAATAAAT AATTAAATAA GGGTGGTAAT
TCTTATTTAT TTATTTATTC AATTTATTTA TTAATTTATT CCCACCATTA
.....
4601 TATTACTATT TACAATCAAA GGTGGTCTTT CTAGCTGTAA TCCGGGCAGC
ATAATGATAA ATGTTAGTTT CCACCAGGAA GATCGACATT AGGCCCGTCG
.....
4651 GCAACGGAAC ATTCATCAGT GTAAAAATGG AATCAATAAA GCCCTGCGCA
CGTTGCCTTG TAAGTAGTCA CATTTTACC TTAGTTATTT CGGGACGCGT
.....
4701 GCGCGCAGGG TCAGCCTGAA TACGCGTTTA ATGACCAGCA CAGTCGTGAT
CGCGCGTCCC AGTCGGACTT ATGCGCAAAT TACTGGTCGT GTCAGCACTA
.....

4751 GGCAAGGTCA GAATAGCCCA AGTCGGCCGA GGGGCCTGTA CAGTGAGGGA
CCGTTCCAGT CTTATCGGGT TCAGCCGGCT CCCC GGACAT GTCACCTCCCT

4801 AGATCTGATA TTGACGAAGA GGAACCAATG TAACGTTACA CTGAAGAAAA
TCTAGACTAT AACTGCTTCT CCTTGGTTAC ATTGCAATGT GACTTCTTTT

4851 CACACAATAA ACGGGAAGAA ACGGTGTAAA AGTGTGAAAA TAATTTTGA
GTGTGTTATT TGCCCTTCTT TGCCACATTT TCACACTTTT ATTA AAAACT

4901 ATATCATTTT CCTTGGTTTA ATTCCAAACG AAACGTGTTT TTTT TAGAGA
TATAGTAAAG GGAACCAAAT TAAGGTTTGC TTTGCACAAA AAAAATCTCT

EcoRI

ApaLI

4951 ATGGGAATTC TTATTGGATG TCTAGATTGT TTGTTTACTC CAGACTGTGC
TACCCTTAAG AATAACCTAC AGATCTAACA AACAAATGAG GTCTGACACG

ApaLI

5001 ACAAAAACGT TTGGATGGAT GATCAGAAGA TATTTT TAGG CTTAGCTCTA
TGTTTTTGCA AACCTACCTA CTAGTCTTCT ATAAAAATCC GAATCGAGAT

5051 AATATAAGAA ATGATGCTTG AAAAACCAGA CAGAAATGA GTTTCAAAA
TTATATTCTT TACTACGAAC TTTTGGTCT GTCTPTAACT CAAAGTTTTT

5101 TTGGTAATGT GAGGTATTAG TCAACTAACC AAATAACAAT GCAAACCGGT
AACCATTACA CTCCATAATC AGTTGATTGG TTTATTGTTA CGTTTGGCCA

5151 TGATACATTT CATTTTGAAA ATAATGAAAC TGGAATTGGA TGACCAGCAC
ACTATGTAAA GTAAACTTTT TATTACTTTG ACCTTAACCT ACTGGTCGTG

5201 ACAAACACAT AAAGTAATTA TGGAATTAG AAGCGAACAT AGAGGAGTAC
TGTTTGTGTA TTTCATTAAAT ACCCTTAATC TTCGCTTGTA TCTCCTCATG

5251 TTGGCCACGA ACAGAATACA AGTGGGAACA CTATTTTCTC CATTGTTTTA
AACCGGTGCT TGTCTTATGT TCACCCTTGT GATAAAAGAG GTAACAAAAT

5301 GTTCTGTTTT TTGTGACCC TAGTTTTGTG CTATGTGTAA AAAATATTGC
CAAGACAAAA AAACAGTCGG ATCAAAACAC GATACACATT TTTTATAACG

HindIII

5351 CAAGAAAAAA AGCTTGTTTT GTGGCCAGTG TCCGAAAAAA ATTTTGGGGA
GTTCTTTTTT TCGAACAAAA CACCGGTCAC AGGCTTTTTT TAAAACCCCT

5401 ATCTTCGGAT TAATTTATGT TTTCAATTCCA TCGGGGAAAG TGGGGGGGAA
TAGAAGCCTA ATTAAATACA AAAGTAAGGT AGCCCTTTC ACCCCCCCTT

5451 AAAATTTTAA GCAGTTCACA AAACCTTCCA AAAATATAT GGACAAAGAT
TTTTAAAATT CGTCAAGTGT TTTGGAAGGT TTTTATATA CCTGTTTCTA

5501 GATTGTATTT TCCCACACCC AAAATCATAA TTAATTATGA GAAAGTTAAA
CTAACATAAA AGGGCTGTGG TTTTAGTATT AATTAATACT CTTTCAATTT

5551 TGTAACGTTA CAATTTATGT TTATTTGAAG GTGAAAAGCG ATTTATGATT
ACATTGCAAT GTTAAATACA AATAAACTTC CACTTTTCGC TAAATACTAA

5601 TTTCCGAAAT GAAAATTTT TTTAGGTTTA TTTTTTTTGT CGGGCAAAGA
AAAGGCTTTA CTTTAAAAA AAATCCAAAT AAAAAAACA GCCCGTTTCT

EcoRI

5651 AAAACTGAAC AAGGATTATT AAAATTTTGT GTGTTTGTGT GTGTCTGGAG
TTTTGACTTG TTCCTAATAA TTTTAAAAAC CACAAACAAA CACAGACCTC

EcoRI

5701 AATTCATTCC TCTCTCATCT TCACACAATG TTTAGACATC TGACACGATT
TTAAGTAAGG AGAGAGTAGA AGTGTGTTAC AAATCTGTAG ACTGTGCTAA

5751 CATGATAGTT CGGTTTCCGG GGTGGGTGTT TAGTTTTCGT TTTTCTTTT
GTACTATCAA GCCAAAGGCC CCAACCACAA ATCAAAAGCA AAAAGAAAAA

5801 TTTTGGAAG AATGTTTATG CTCATTGGTT TTCTTTCTTC ATTCAATAGT
AAAACCTTTC TTACAAAATC GAGTAACCAA AAGAAAGAAG TAAGTTATCA

5851 TTTGAAAGAA TTTGCCCACT TGTATTACA ATCATATAAA ATTAACTTT
AAACTTTCTT AAACGGGTGA ACAATAATGT TAGTATATTT TAATTTGAAA

5901 GATATAAAAT AGAGTTTGAA AGTTTCCCAG ATCCTTTTGT ATTCTTTGT
CTATATTTTA TCTCAAACCT TCAAAGGGTC TAGGAAAAAC TAAAGAAACA

5951 AAATTTTTTT TTCTCCACA TATACACACA TACAAACCGA TTTTATAAG
TTTAAAAAAA AAGAGGGTGT ATATGTGTGT ATGTTTGGCT AAAAATATTC

PstI

AvaI

BamHI

6001 AAAGAGTTAT ACCCTGCAGC TCGACCTCGA GGGATCCGGG CCCTCTAGAT
TTTCTCAATA TGGGACGTCG AGCTGGAGCT CCCTAGGCCC GGGAGATCTA

AvaI

6051 GCGGCCGCTA GGCCTCGAGG GACTTTTGCA CCAAAAATAA TTTATTTTCC
CGCCGGCGAT CCGGAGCTCC CTGAAAACGT GGTTTTTATT AAATAAAAGG

6101 AAAATAAAAT TTAAATAAAT AAAAATAACT CATAATTTAA TAAAAATTC
TTTATTTTA AATTTATTTA TTTTATTGA GTATTAAATT ATTTTAAAG

6151 AAAATCTTCT AGTGTCTTT CATATGCAGT ACATTAGCCA TCAGTCACCT
TTTGAAGA TCACAGGAA GTATACGTCA TGAATCGGT AGTCAGTGAA

6201 AAACAGCATC TGCTGGTTGA AGAATGCTTG AAGCAATTGT CCAGTCCAG
TTTGTCTAG ACGACCAACT TCTTACGAAC TTCGTAAACA GGTCAGGGTC

6251 AGGCACAGGC TAGGAGATCT TCAGTTTCGG AGGTAACCTG TAAGTCTGTT
TCCGTGTCCG ATCCTCTAGA AGTCAAAGCC TCCATTGGAC ATTCAGACAA

6301 AATGAAGTAA AAGTTCCTTA GAFTTCCAC TCTGACTATG GTCCAGGCAC
TTACTTCATT TTCAAGGAAT CCTAAAGGTG AGACTGATAC CAGGTCCGTG

6351 AGTGAAGTGA CTCCTTGGCC TTCAGGTAAT GCAGAATCCT CCCATAATAT
TCACTGACAT GAGGAACCGG AAGTCCATTA CGTCTTAGGA GGGTATTATA

6401 CTTTTCAGGT GCAGACTGCT CATGAGTTT CCCCTGGTGA AATCTTCTTT
GAAAAGTCCA CGTCTGACGA GTACTCAAAA GGGGACCACT TTAGAAGAAA

6451 CTCCAGTTTT TCTTCCAGGA CTGTCTTCAG ATGGTTTATC TGATGATAGA
GAGGTCAAAA AGAAGGTCTT GACAGAAGTC TACCAAATAG ACTACTATCT

6501 CATTAGCCAG GAGGTTCTCA ACAATAGTCT CATTCCAGCC AGTGCTAGAT
GTAATCGGTC CTCCAAGAGT TGTATCAGA GTAAGGTCGG TCACGATCTA

6551 GAATCTTGTC TGAAAATAGC AAAGATGTTT TGGAGCATCT CATAGATGGT
CTTAGAACAG ACTTTTATCG TTTCTACAAG ACCTCGTAGA GTATCTACCA

PstI

6601 CAATGCGGCG TCCTCCTTCT GGAAGTGTG CAGCTGCTTA ATCTCCTCAG
GTTACGCCGC AGGAGGAAGA CCTTGACGAC GTCGACGAAT TAGAGGAGTC

6651 GGATGTCAAA GTTCATCCTG TCCTTGAGGC AGTATTCAAG CCTCCCATT
CCTACAGTTT CAAGTAGGAC AGGAACTCCG TCATAAGTTC GGAGGGTAAG

6701 AATTGCCACA GGAGCTTCTG ACAC TGAAAA TTGCTGCTTC TTTGTAGGAA
TTAACGGTGT CCTCGAAGAC TGTGACTTTT AACGACGAAG AACATCCTT

6751 TCCAAGCAAG TTGTAGCTCA TGGAAAGAGC TGTAAGTGGAG AAGCACAACA
AGGTTTCGTT AACATCGAGT ACCTTTCTCG ACATCACCTC TTCGTGTTGT

AvaI

6801 GGAGAGCAAT TTGGAGGAGA CACTTGTGTTG TCATGTTTCT CGAGGCCTTT
CCTCTCGTTA AACCTCCTCT GTGAACAACC AGTACAAGGA GCTCCGAAA

BamHI

6851 TTGGCCAGCT GGCGCCTGCT GCGCGACGGC GAGCTGCTCA CCACCCAGGA
AACC GGTCGA CCGCGGACGA CGCGCTGCCG CTCGACGAGT GGTGGGTCCT

BamHI

6901 TCCGTCCCCC TTTTCCTTTG TCGATATCAT GTAATTAGTT ATGTCACGCT
AGGCAGGGGG AAAAGGAAAC AGCTATAGTA CATTAATCAA TACAGTGCAG

6951 TACATTCACG CCTCCCCC ACATCCGCTC TAACCGAAAA GGAAGGAGTT
ATGTAAGTGC GGGAGGGGGG TGTAGGCGAG ATTGGCTTTT CCTTCCTCAA

7001 AGACAACCTG AAGTCTAGGT CCCTATTTAT TTTTATATAG TTATGTTAGT
TCTGTTGGAC TTCAGATCCA GGGATAAATA AAAAAATATC AATACAATCA

7051 ATTAAGAACG TTATTTATAA TTCAAATTTT TCTTTTTTTT CTGTACAGAC
TAATTCTTGC AATAAATATA AAGTTTAAAA AGAAAAAATA GACATGTCTG

7101 GCGTGTACGC ATGTAACATT ATACTGAAAA CCTTGCTTGA GAAGGTTTTG
CGCACATGCG TACATTGTAA TATGACTTTT GGAACGAACT CTTCCAAAAC

HindIII

7151 GGACGCTCGA AGGCTTTAAAT TTGCA
CCTGCGAGCT TCCGAAATTA AACGT




Fig 3

1 TTCCATCGGG GAAAGTGGG GGGAAAAAAT TTTAAGCAGT TCACAAAACC
AAGGTAGCCC CTTTCACCCC CCCTTTTTTA AAATTCGTCA AGTGTTTTGG
.....
51 TTCAAAAAA TATATGGACA AAGATGATTG TATTTTCCCG ACACCAAAAT
AAGGTTTTTT ATATACCTGT TTCTACTAAC ATAAAAGGGC TGTGGTTTTA
.....
101 CATAATTAAT TATGAGAAAG TTAAATGTAA CGTTACAATT TATGTTTATT
GTATTAATTA ATACTCTTTC AATTTACATT GCAATGTTAA ATACAAATAA
.....
151 TGAAGGTGAA AAGCGATTTA TGATTTTTTC GAAATGAAAA TTTTTTTTAG
ACTTCCACTT TTCGTAAAT ACTAAAAAGG CTTTACTTTT AAAAAAATC
.....
201 GTTTATTTTT TTTGTCGGGC AAAGAAAAAC TGAACAAGGA TTATTAAAAAT
CAAATAAAAA AAACAGCCCG TTTCTTTTTG ACTTGTTCCT AATAATTTTA
.....

EcoRI

251 TTTTGGTGTT TGTGTGTGTC TGGAGAATTC ATTCTCTCT CATCTTCACA
AAAACCACAA ACAACACAG ACCTCTTAAG TAAGGAGAGA GTAGAAGTGT
.....
301 CAATGTTTAG ACATCTGACA CGATTCATGA TAGTTCGGTT TCCGGGGTTG
GTTACAAATC TGTAAGTACT GCTAAGTACT ATCAAGCCAA AGGCCCAAC
.....
351 GTGTTTAGTT TTCGTTTTTC TTTTTTTTTG GAAAGAATGT TTTAGCTCAT
CACAAATCAA AAGCAAAAAAG AAAAAAAAC CTTTCTTACA AAATCGAGTA
.....
401 TGGTTTTCTT TCTTCATTCA ATAGTTTTGA AAGAATTTGC CCACTTGTTA
ACCAAAAGAA AGAAGTAAGT TATCAAACT TTCTTAAACG GGTGAACAAT
.....
451 TTACAATCAT ATAAAATTAA ACTTTGATAT AAAATAGAGT TTGAAAGTTT
AATGTTAGTA TATTTTAATT TGAACTATA TTTTATCTCA AACTTTCAA
.....
501 CCCAGATCCT TTTGATTTT TTTGTAAATT TTTTTCCTC CCACATATAC
GGGTCTAGGA AAAACTAAAG AAACATTTAA AAAAAAAGAG GGTGTATATG
.....

PstI

551 ACACATACAA ACCGATTTTT ATAAGAAAGA GTTATACCCT GCAGCTCGAC
TGTGTATGTT TGGCTAAAAA TATCTTTCT CAATATGGGA CGTCGAGCTG
.....

PstI

HindIII

AvaI

601 CTCGACTGTT TAAACCTGCA GGCATGCAAG CTTGGCCAAA AAGGCCTCGA
GAGCTGACAA ATTTGGACGT CCGTACGTTG GAACCGGTTT TTCCGGAGCT
.....

AvaI

651 GGAACATGAC CAACAAGTG CTCTCCAAA TTGCTCTCCT GTTGTGCTTC
CCTTGACTG GTTGTTCACA GAGGAGGTTT AACGAGAGGA CAACACGAAG
.....
701 TCCACTACAG CTCTTTCCA GAGCTACAAC TTGCTTGGAT TCCTACAAAG
AGGTGATGTC GAGAAAGGTA CTCGATGTTG AACGAACCTA AGGATGTTTC
.....
751 AAGCAGCAAT TTTCAGTGTC AGAAGCTCCT GTGGCAATTG AATGGGAGGC
TTGTCGTGA AAAGTCACAG TCTTCGAGGA CACCGTTAAC TTACCCTCCG
.....
801 TTGAATACTG CCTCAAGGAC AGGATGAACT TTGACATCCC TGAGGAGATT
AACTTATGAC GGAGTTCCTG TCCTACTTGA AACTGTAGGG ACTCCTCTAA
.....

Fig 4

PstI

851 AAGCAGCTGC AGCAGTTCCA GAAGGAGGAC GCCGCATTGA CCATCTATGA
TTCGTCGACG TCGTCAAGGT CTCCTCCTG CGGCGTAACT GGTAGATACT
.....
901 GATGCTCCAG AACATCTTTG CTATTTTCAG ACAAGATTCA TCTAGCACTG
CTACGAGGTC TTGTAGAAAC GATAAAAGTC TGTCTAAGT AGATCGTGAC
.....
951 GCTGGAATGA GACTATTGTT GAGAACCCTCC TGGCTAATGT CTATCATCAG
CGACCTTACT CTGATAACAA CTCCTGGAGG ACCGATTACA GATAGTAGTC
.....
1001 ATAAACCATC TGAAGACAGT CCTGGAAGAA AACTGGGAGA AAGAAGATTT
TATTTGGTAG ACTTCTGTCA GGACCTTCTT TTTGACCTCT TTCTTCTAAA
.....
1051 CACCAGGGGA AAACATCATG GCAGTCTGCA CCTGAAAAGA TATTATGGGA
GTGGTCCCCT TTTGAGTACT CGTCAGACGT GGACTTTTCT ATAATACCCT
.....
1101 GGATTCTGCA TTACCTGAAG GCCAAGGAGT ACAGTCACTG TGCCTGGACC
CCTAAGACGT AATGGACTTC CGGTTCTCA TGTCAGTGAC ACGGACCTGG
.....
1151 ATAGTCAGAG TGGAAATCCT AAGGAACTTT TACTTCATTA ACAGACTTAC
TATCAGTCTC ACCTTTAGGA TTCCTTGAAA ATGAAGTAAT TGTCTGAATG
.....
1201 AGGTTACCTC CGAAACTGAA GATCTCCTAG CCTGTGCCTC TGGGACTGGA
TCCAATGGAG GCTTTGACTT CTAGAGGATC GGACACGGAG ACCCTGACCT
.....
1251 CAATTGCTTC AAGCATTCTT CAACCAGCAG ATGCTGTTTA AGTGACTGAT
GTTAACGAAG TTCGTAAGAA GTTGGTCGTC TACGACAAAT TCACTGACTA
.....
1301 GGCTAATGTA CTGCATATGA AAGGACACTA GAAGATTTTG AAATTTTAT
CCGATTACAT GACGTATACT TTCCTGTGAT CTTCTAAAAC TTTAAAAATA
.....
1351 TAAATTATGA GTTATTTTAA TTTATTTAAA TTTTATTTTG GAAAATAAAT
ATTAATACT CAATAAAAAT AAATAAATTT AAAATAAAAC CTTTATTTTA
.....

XmaI

-

SmaI

-

BamHI

AvaI

-

AvaI

1401 TATTTTGGT GCAAAAGTCC CTCGAGGCCT AGCGGCCGCC TAGAGGATCC
ATAAAAACCA CGTTTTAGG GAGCTCCGGA TCGCCGGCGG ATCTCCTAGG
.....

XmaI

SmaI

AvaI

1451 CCGGGCGCTA GCGGGCCGCT AGGCCTTTT GGCCAAGCTC GAATTTCGAG
GGCCCGCGAT CCGCCGGCGA TCCGGAAAAA CCGGTTTCGAG CTTAAAGCTC
.....

XmaI

SmaI

EcoRI

AvaI

ClaI

1501 GAATTTCGAG TCGGTACCCG GGGGATCGAT CCGTCCCCCT TTCCTTTGT
CTTAAGCTCG AGCCATGGGC CCCCTAGCTA GGCAGGGGGA AAAGGAAACA
.....

```

1551 CGATATCATG TAATTAGTTA TGTACAGCTT ACATTACACG CCTCCCCCA
    GCTATAGTAC ATTAATCAAT ACAGTGCAGG TGTAAGTGCG GGAGGGGGGT
.....
1601 CATCCGCTCT AACCGAAAAG GAAGGAGTTA GACAACTGA AGTCTAGGTC
    GTAGGCGAGA TTGGCTTTTC CTTCCTCAAT CTGTTGGACT TCAGATCCAG
.....
1651 CCTATTTATT TTTTATAGT TATGTTAGTA TTAAGAACGT TATTTATATT
    GGATAAATAA AAAAATATCA ATACAATCAT AATTCCTGCA ATAAATATAA
.....
1701 TCAAATTTTT CTTTTTTTC TGTACAGACG CGTGTACGCA TGTAACATTA
    AGTTTAAAAA GAAAAAAAG ACATGTCTGC GCACATGCGT ACATTGTAAT
.....
1751 TACTGAAAAC CTGTCTTGAG AAGGTTTGG GACGCTCGAA GGCTTTAATT
    ATGACTTTTG GAACGAACTC TTCCAAAACC CTGCGAGCTT CCGAAATTAA
.....
1801 TGCAAGCTAG CTTGGCGTAA TCATGGTCAT AGCTGTTTCC TGTGTGAAAT
    ACGTTCGATC GAACCGCATT AGTACCAGTA TCGACAAAGG ACACACTTTA
.....
1851 TGTTATCCGC TCACAATTCC ACACAACATA CGAGCCGGA GCATAAAGTG
    ACAATAGGCG AGTGTTAAGG TGTGTTGTAT GCTCGGCCCT CGTATTTTAC
.....
1901 TAAAGCCTGG GGTGCCTAAT GAGTGAGCTA ACTCACATTA ATTGCGTTGC
    ATTTCCGACC CCACGGATTA CTCACTCGAT TGAGTGTAAT TAACGCAACG
.....
1951 GCTCACTGCC CGCTTTCCAG TCGGGAAACC TGTCGTGCCA GAGATCTCTG
    CGAGTGACGG GCGAAAGGTC AGCCCTTTGG ACAGCACGGT CTCTAGAGAC
.....
2001 CATTAATGAA TCGGCCAACG CGCGGGGAGA GGCGGTTTGC GTATTGGGCG
    GTAATTACTT AGCCGGTTGC GCGCCCTCT CCGCCAAACG CATAACCCGC
.....
2051 CTCTTCCGCT TCCTCGCTCA CTGACTCGCT GCGCTCGGTC GTTCGGCTGC
    GAGAAGGCGA AGGAGCGAGT GACTGAGCGA CGCGAGCCAG CAAGCCGACG
.....

```

Clal

```

2101 GCGGAGCGGT ATCAGATCGA TCTCACTCAA AGGCGGTAAT ACGGTTATCC
    CCGCTCGCCA TAGTCTAGCT AGAGTGAGTT TCCGCCATTA TGCCAATAGG
.....
2151 ACAGAATCAG GGGATAACGC AGGAAAGAAC ATGTGAGCAA AAGGCCAGCA
    TGTCTTAGTC CCCTATTGCG TCCTTTCTTG TACACTCGTT TTCCGGTCGT
.....
2201 AAAGGCCAGG AACCGTAAAA AGGCCGCGTT GCTGGCGTTT TTCCATAGGC
    TTTCCGGTCC TTGGCATTTC TCCGGCGCAA CGACCGCAAA AAGGTATCCG
.....
2251 TCCGCCCCC TGACGAGCAT CACAAAATC GACGCTCAAG TCAGAGGTGG
    AGGCGGGGG ACTGCTCGTA GTGTTTTTAG CTGCGAGTTC AGTCTCCACC
.....
2301 CGAAACCCGA CAGGACTATA AAGATACCAG GCGTTTCCCC CTGGAAGCTC
    GCTTTGGGCT GTCTTGATA TTCTATGGTC CGCAAAGGGG GACCTTCGAG
.....
2351 CCTCGTGCGC TCTCTGTTC CGACCCTGCC GCTTACCGGA TACCTGTCCG
    GGAGCACGCG AGAGGACAAG GCTGGGACGG CGAATGSCCT ATGGACAGGC
.....
2401 CCTTTCTCCC TTCGGGAAGC GTGGCGCTTT CTCATAGCTC ACGCTGTAGG
    GGAAAGAGGG AAGCCCTTCG CACCGCGAAA GAGTATCGAG TGCGACATCC
.....

```

ApaLI

```

2451 TATCTCAGTT CGGTGTAGGT CGTTCGCTCC AAGCTGGGCT GTGTGCACGA
    ATAGAGTCAA GCCACATCCA GCAAGCGAGG TTCGACCCGA CACACGTGCT
.....

```

2501 ACCCCCCGTT CAGCCCGACC GCTGCGCCTT ATCCGGTAAC TATCGTCTTG
TGGGGGGCAA GTCGGGCTGG CGACGCGGAA TAGGCCATTG ATAGCAGAAC
.....
2551 AGTCCAACCC GGTAAGACAC GACTTATCGC CACTGGCAGC AGCCACTGGT
TCAGGTTGGG CCATTCTGTG CTGAATAGCG GTGACCGTCG TCGGTGACCA
.....
2601 AACAGGATTA GCAGAGCGAG GTATGTAGGC GGTGCTACAG AGTTCCTGAA
TTGTCCTAAT CGTCTCGCTC CATACTCCG CCACGATGTC TCAAGAACTT
.....
2651 GTGGTGGCCT AACTACGGCT AACTAGAAAG GACAGTATTT GGTATCTGCG
CACCACCGGA TTGATGCCGA TGTGATCTTC CTGTCATAAA CCATAGACGC
.....
2701 CTCTGCTGAA GCCAGTTACC TTCGGAAAAA GAGTTGGTAG CTCTTGATCC
GAGACGACTT CGGTCAATGG AAGCCTTTT CTCAACCATC GAGAACTAGG
.....
2751 GGCAAACAAA CCACCGCTGG TAGCGGTGGT TTTTTTGTTC GCAAGCAGCA
CCGTTTGTTC GGTGGCGACC ATCGCCACCA AAAAAACAAA CGTTCGTCGT
.....
2801 GATTACGCGC AGAAAAAAG GATCTCAAGA AGATCCTTTG ATCTTTTCTA
CTAATGCGCG TCTTTTTTTC CTAGAGTTCT TCTAGGAAAC TAGAAAAGAT
.....
2851 CGGGGTCTGA CGCTCAGTGG AACGAAAAC CACGTTAAGG GATTTTGGTC
GCCCCAGACT GCGAGTCACC TTGCTTTTGA GTGCAATTCC CTAAAACCAG
.....
2901 ATGAGATTAT CAAAAAGGAT CTTACCTAG ATCCTTTTAA ATTAAAAATG
TACTCTAATA GTTTTTCTA GAAGTGGATC TAGGAAAATT TAATTTTTAC
.....
2951 AAGTTTTTAA TCAATCTAAA GTATATATGA GTAAACTTGG TCTGACAGTT
TTCAAAATTT AGTTAGATTT CATATATACT CATTGTAACC AGACTGTCAA
.....
3001 ACCAATGCTT AATCAGTGAG GCACCTATCT CAGCGATCTG TCTATTTTCGT
TGGTTACGAA TTAGTCACTC CGTGGATAGA GTCGCTAGAC AGATAAAGCA
.....
3051 TCATCCATAG TTGCTGACT CCCGTCGTG TAGATAACTA CGATACGGGA
AGTAGGTATC AACGGACTGA GGGGCAGCAC ATCTATTGAT GCTATGCCCT
.....
3101 GGGCTTACCA TCTGGCCCCA GTGCTGCAAT GATACCGCGA GACCCACGCT
CCCGAATGGT AGACCGGGGT CACGACGTTA CTATGGCGCT CTGGGTGCGA
.....
3151 CACCGGCTCC AGATTTATCA GCAATAAACC AGCCAGCCGG AAGGGCCGAG
GTGGCCGAGG TCTAAATAGT CGTTATTTGG TCGGTCGGCC TTCCCGGCTC
.....
3201 CGCAGAAGTG GTCCTGCAAC TTTATCCGCC TCCATCCAGT CTATTAATTG
GCGTCTTCAC CAGGACGTTG AAATAGGCGG AGGTAGGTCA GATAATTAAC
.....
3251 TTGCCGGGAA GCTAGAGTAA GTAGTTCGCC AGTTAATAGT TTGCGCAACG
AACGGCCCTT CGATCTCATT CATCAAGCGG TCAATTATCA AACCGTTGC
.....
3301 TTGTTGCCAT TGCTACAGGC ATCGTGGTGT CACGC'TCGTC GTTTGGTATG
AACAACGGTA ACGATGTCCG TAGCACCACA GTGCGAGCAG CAAACCATAC
.....
3351 GCTTCATTCA GCTCCGGTTC CCAACGATCA AGGCGAGTTA CATGATCCCC
CGAAGTAAGT CGAGGCCAAG GGTGCTAGT TCCGCTCAAT GTACTAGGGG
.....
3401 CATGTTGTGC AAAAAAGCGG TTAGCTCCTT CGGTCCTCCG ATCGTTGTCA
GTACAACAGC TTTTTTCGCC AATCGAGGAA GCCAGGAGGC TAGCAACAGT
.....
3451 GAAGTAAGTT GGCCGCGATG TTATCACTCA TGGTTATGGC AGCACTGCAT
CTTCATTCAA CCGGCGTCAC AATAGTGAGT ACCAATACCG TCGTGACGTA
.....


```

3501  AATTCCTTA  CTGTCATGCC  ATCCGTAAGA  TGCTTTTCTG  TGA CTGGTGA
      TTAAGAGAAT  GACAGTACGG  TAGGCATTCT  ACGAAAAGAC  ACTGACCACT
.....
3551  GTACTCAACC  AAGTCATTCT  GAGAATAGTG  TATGCGGCGA  CCGAGTTGCT
      CATGAGTTGG  TTCAGTAAGA  CTCTTATCAC  ATACGCCGCT  GGCTCAACGA
.....
3601  CTTGCCCGGC  GTCAATACGG  GATAATACCG  CGCCACATAG  CAGAACTTTA
      GAACGGGCCG  CAGTTATGCC  CTATTATGGC  GCGGTGTATC  GTCTTGAAAT
.....
3651  AAAGTGCTCA  TCATTGGAAA  ACGTTCTTCG  GGGCGAAAAC  TCTCAAGGAT
      TTTCACGAGT  AGTAACCTTT  TGCAAGAAGC  CCCGCTTTTG  AGAGTTCCTA
.....

```

ApaLI

```

3701  CTTACCGCTG  TTGAGATCCA  GTTCGATGTA  ACCCACTCGT  GCACCCAAC
      GAATGGCGAC  AACTCTAGGT  CAAGCTACAT  TGGGTGAGCA  CGTGGGTGA
.....
3751  GATCTTCAGC  ATCTTTTACT  TTCACCAGCG  TTTCTGGGTG  AGCAAAAACA
      CTAGAAGTCG  TAGAAAATGA  AAGTGGTCGC  AAAGACCCAC  TCGTTTTTGT
.....
3801  GGAAGGCAAA  ATGCCGCAAA  AAAGGGAATA  AGGGCGACAC  GGAAATGTTG
      CCTTCCGTTT  TACGGCGTTT  TTTCCCTTAT  TCCCGCTGTG  CCTTTACAAC
.....
3851  AATACTCATA  CTCTTCCTTT  TTCAATATTA  TTGAAGCATT  TATCAGGGTT
      TTATGAGTAT  GAGAAGGAAA  AAGTTATAAT  AACTTCGTAA  ATAGTCCCAA
.....
3901  ATTGTCTCAT  GAGCGGATAC  ATATTTGAAT  GTATTTAGAA  AAATAAACAA
      TAACAGAGTA  CTCGCCTATG  TATAAACTTA  CATAAATCTT  TTTATTTGTT
.....
3951  ATAGGGGTTT  CGCGCACATT  TCCCCGAAAA  GTGCCACCTG  ACGTCTAAGA
      TATCCCCAAG  GCGCGTGTA  AGGGGCTTTT  CACGGTGGAC  TGCAGATTCT
.....
4001  AACCATTATT  ATCATGACAT  TAACCTATAA  AAATAGGCGT  ATCAGGAGGC
      TTGGTAATAA  TAGTACTGTA  ATTGGATATT  TTTATCCGCA  TAGTGCTCCG
.....
4051  CCTTTCGTCT  CGCGCGTTTC  GGTGATGACG  GTGAAAACCT  CTGACACATG
      GGAAAGCAGA  GCGCGCAAAG  CCACTACTGC  CACTTTTGGA  GACTGTGTAC
.....
4101  CAGCTCCCGG  AGACGGTCAC  AGCTTGCTCT  TAAGCGGATG  CCGGGAGCAG
      GTCGAGGGCC  TCTGCCAGTG  TCGAACAGAC  ATTCGCCTAC  GGCCCTCGTC
.....
4151  ACAAGCCCGT  CAGGGCGCGT  CAGCGGGTGT  TGGCGGGTGT  CGGGGCTGGC
      TGTTCGGGCA  GTCCCGCGCA  GTCGCCACCA  ACCGCCACCA  GCCCCGACCG
.....

```

ApaLI

```

4201  TTAACATGTC  GGCATCAGAG  CAGATTGTAC  TGAGAGTGCA  CCATATCGAC
      AATTGATACG  CCGTAGTCTC  GTCTAACATG  ACTCTCACGT  GGTATAGCTG
.....
4251  GCTCTCCCTT  ATGCGACTCC  TGCATTAGGA  AGCAGCCCAG  TAGTAGGTTG
      CGAGAGGGAA  TACGCTGAGG  ACGTAATCCT  TCGTCGGGTC  ATCATCCAAC
.....
4301  AGGCCGTTGA  GCACCGCCGC  CGCAAGGAAT  GGTGCATGCA  AGGAGATGGC
      TCCGGCAACT  CGTGCGGGCG  GCGTTCCTTA  CCACGTACGT  TCCTCTACCG
.....
4351  GCCCAACAGT  CCCCCGGCCA  CGGGGCCTGC  CACCATACCC  ACGCCGAAAC
      CGGGTTGTCA  GGGGGCCGGT  GCCCCGGACG  GTGGTATGGG  TGCGGCTTTG
.....
4401  AAGCACTAAT  AGGAATTGAT  TTGGATGGTA  TAAACGGAAA  CAAAAAAAAG
      TTCGTGATTA  TCCTTAACTA  AACCTACCAT  ATTTGCCTTT  GTTTTTTTTC
.....

```

4451 AGCTGGTACT ACTTTCTTTA AAATTATTTT ATTATTTGAT TTTATTTAAT
TCGACCATGA TGAAAGAAAT TTTAATAAAA TAATAAACTA AAATAAATTA
.....
4501 AGTATATATT ATATTTTGAA CGTAGATTAT TTTGTTGAAA GTTGCTGTAG
TCATATATAA TATAAAACTT GCATCTAATA AAACAACCTT CAACGACATC
.....
4551 TGCCATTGAT TCGTAACACT AATTCTGTAT TAGTCATTCC TCTTGTTTGA
ACGGTAACATA AGCATTGTGA TTAAGACATA ATCAGTAAGG AGAACAACT
.....
4601 TAGTATCCAA AAAAACGGCT ATTTTTTTGC AATCTTATTT CCTGCATATT
ATCATAGGTT TTTTGGCCGA TAAAAAACG TTAGAATAAA GGACGTATAA
.....
4651 ATACAGATAA CATAATGAAA GAAAAAATCT TTTTTTTTGT TCTTCAATGA
TATGTCTATT GTATTACTTT CTTTTTTAGA AAAAAAACA AGAAGTTACT
.....
4701 TGATTTCAAC CATTCCTTTA AACATTGATC AATTCCTGAG CAACAACCCC
ACTAAAGTTG GTAAGAAAAT TTGTAAC TAGTAAAGGACTC GTTGTTGGGG
.....
4751 ATACACACTG GTTTATATAC CGCCCCTTTT ACAGTTGAAG AAAGAAATAG
TATGTGTGAC CAAATATATG GCGGGGAAAA TGCAACTTC TTTCTTTATC
.....
4801 AAATAGAAAT AGCAACAAA AGATATGACA GTCAACACTA AGACCTATAG
TTTATCTTTA TCGTTTGT TTCTACTGT CAGTTGTGAT TCTGGATATC
.....
4851 TGAGAGAGCA GAAACTCATG CCTCACCAGT AGCACAGCGA TTATTTTCGAT
ACTCTCTCGT CTTTGAGTAC GGAGTGGTCA TCGTGTGCT AATAAAGCTA
.....
4901 TAATGGAAC GAAGAAAACC AATTTATGTG CATCAATTGA CGTTGATACC
ATTACCTTGA CTTCTTTTGG TTAAATACAC GTAGTTAACT GCAACTATGG
.....

AvaI

4951 ACTAAGGAGT TCCTCGAGTT AATTGATAAA TTAGGTCCTT ATGTATGCTT
TGATTCTCA AGGAGCTCAA TTAACATTTT AATCCAGGAA TACATACGAA
.....
5001 AATCAAGACT CATATTGATA TAATCAATGA TTTTCCTAT GAATCCACTA
TTAGTTCTGA GTATAACTAT ATTAGTTACT AAAAAGGATA CTTAGGTGAT
.....
5051 TTGAACCATT ATTAGAACTT TCACGTAAAC ATCAATTTAT GATTTTTGAA
AACTTGGTAA TAATCTTGAA AGTGCATTG TAGTTAAATA CTAAAACTT
.....
5101 GATAGAAAAT TTGCTGATAT TGGTAATACC GTAAAGAAAC AATATATTGG
CTATCTTTTA AACGACTATA ACCATTATGG CATTTCTTTG TTATATAACC
.....
5151 TGGAGTTTAT AAAATTAGTA GTTGGGCAGA TATTACCAAT GCTCATGGTG
ACCTCAAATA TTTAATCA CAACCCGTCT ATAATGGTTA CGAGTACCAC
.....
5201 TCACTGGGAA TGGAGTGGTT GAAGGATTAA AACAGGGAGC TAAAGAAACC
AGTGACCCTT ACCTCACCA CTTCCTAATT TTGTCCCTCG ATTTCTTTGG
.....
5251 ACCACCAACC AAGAGCCAAG AGGGTTATTG ATGTTAGCTG AATTATCATC
TGGTGGTTGG TTCTCGGTTT TCCCAATAAC TACAATCGAC TTAATAGTAG
.....
5301 AGTGGGATCA TTAGCATATG GAGAATATTC TCAAAAAACT GTTGAAATTG
TCACCCTAGT AATCGTATAC CTCTTATAAG AGTTTTTTGA CAACTTTAAC
.....
5351 CTAAATCCGA TAAGGAATTT GTTATTGGAT TTATTGCCCA ACGTGATATG
GATTTAGGCT ATTCCTTAA CAATAACCTA AATAACGGGT TGCATATAC
.....

5401 GGTGGCCAAG AAGAAGGATT TGATTGGCTT ATTATGACAC CTGGAGTTGG
CCACCGGTTC TTCTTCCTAA ACTAACCGAA TAATACTGTG GACCTCAACC

5451 ATTAGATGAT AAAGGTGATG GATTAGGACA ACAATATAGA ACTGTTGATG
TAATCTACTA TTTCCACTAC CTAATCCTGT TGTTATATCT TGACAACTAC

5501 AAGTTGTTAG CACTGGAAC TATATTATCA TTGTTGGTAG AGGATTGTTT
TTCAACAATC GTGACCTTGA CTATAATAGT AACAACCATC TCCTAACAAA

5551 GGTAAAGGAA GAGATCCAGA TATTGAAGGT AAAAGGTATA GAAATGCTGG
CCATTTCTCT CTCTAGGTCT ATAACCTCCA TTTTCCATAT CTTTACGACC

5601 TTGGAATGCT TATTTGAAAA AGACTGGCCA ATTATAAATG TGAAGGGGGA
AACCTTACGA ATAACTTTT TCTGACCGGT TAATATTTAC ACTTCCCCCT

5651 GATTTTCACT TTATTAGATT TGTATATATG TAGAATAAAT AAATAAATAA
CTAAAAGTGA AATAATCTAA ACATATATAC ATCTTATTTA TTTATTTATT

5701 GTTAAATAAA TAATTAAATA AGGGTGGTAA TTATTACTAT TTACAATCAA
CAATTTATTT ATTAATTTAT TCCCACCATT AATAATGATA AATGTTAGTT

5751 AGGTGGTCCT TCTAGCTGTA ATCCGGGCAG CGCAACGGAA CATTTCATCAG
TCCACCAGGA AGATCGACAT TAGGCCCCGTC GCGTTGCCTT GTAAGTAGTC

5801 TGTA AAAAATG GAATCAATAA AGCCCTGCGC TCATGAGCCC GAAGTGGCGA
ACATTTTAC CTTAGTTATT TCGGGACGCG AGTACTCGGG CTTCAACCGT

5851 GCCCGATCTT CCCCATCGGT GATGTCGGCG ATATAGGCGC CAGCAACCGC
CGGGCTAGAA GGGGTAGCCA CTACAGCCGC TATATCCGCG GTCGTTGGCG

5901 ACCTGTGGCG CCGCAGCGCG CAGGGTCAGC CTGAATACGC GTTTAATGAC
TGGACACCGC GCGTCGCGC GTCCCAGTCG GACTTATGCG CAAATTACTG

5951 CAGCACAGTC GTGATGGCAA GGTCAGAATA GCCCAAGTCG GCCGAGGGGC
GTCGTGTCAG CACTACCGTT CCAGTCTTAT CGGGTTTCAGC CGGCTCCCCG

6001 CTGTACAGTG AGGGAAGATC TGATATTGAC GAAGAGGAAC CAATGTAACG
GACATGTCAC TCCCTTCTAG ACTATAACTG CTTCTCCTTG GTTACATTGC

6051 TTACACTGAA GAAAACACAC AATAAACGGG AAGAAACGGT GTAAAAGTGT
AATGTGACTT CTTTGTGTG TTATTTGCCC TTCTTTGCCA CATTTTCACA

6101 GAAAATAATT TTTGAATATC ATTTCCCTTG GTTTAATTCC AAACGAAACG
CTTTTATTAA AAACCTATAG TAAAGGGAAC CAAATTAAGG TTTGCTTTGC

EcoRI

6151 TGTTTTTTTT AGAGAATGGG AATTCTTATT GGATGTCTAG ATTGTTTGTT
ACAAAAAAA TCTCTTACCC TTAAGAATAA CCTACAGATC TAACAAACAA

ApaLI

6201 TACTCCAGAC TGTGCACAAA AACGTTTGGG TGGATGATCA GAAGATATTT
ATGAGGTCTG ACACGTGTTT TTGCAAACCT ACCTACTAGT CTTCTATAAA

6251 TTAGGCTTAG CTCTAAATAT AAGAAATGAT GCTTGAAAAA CCAGACAGAA
AATCCGAATC GAGATTTATA TTCTTTACTA CGAACTTTT GGTCTGTCTT

6301 ATTGAGTTTC AAAAAATTGGT AATGTGAGGT ATTAGTCAAC TAACCAAATA
TAACCAAAG TTTTAAACCA TTACACTCCA TAATCAGTTG ATTGGTTTAT

23-12-1998

16:24:40

EP98310694.9

DRAW

6351 ACAATGCAAA CCGGTTGATA CATTTCATTT TGAAAATAAT GAAACTGGAA
TGTTACGTTT GGCCAACATAT GTAAAGTAAA ACTTTTATTA CTTTGACCTT

6401 TTGGATGACC AGCACACAAA CACATAAAGT AATTATGGGA ATTAGAAGCG
AACCTACTGG TCGTGTGTTT GTGTATTTCA TTAATACCCT TAATCTTCGC

6451 AACATAGAGG AGTACTTGCC CACGAACAGA ATACAAGTGG GAACACTATT
TTGTATCTCC TCATGAACCG GTGCTTGTCT TATGTTCCACC CTTGTGATAA

6501 TTCTCCATTG TTTTAGTTCT GTTTTTTTGT CAGCCTAGTT TGTGCTATG
AAGAGGTAAC AAAATCAAGA CAAAAAACA GTCGGATCAA AACACGATAC

HindIII

6551 TGTAAGAAAT ATTGCAAGA AAAAAAGCTT GTTTTGTGGC CAGTGTCCGA
ACATTTTTTA TAACGGTTCT TTTTTCGAA CAAAACACCG GTCACAGGCT

6601 AAAAAATTTT GGGGAATCTT CGGATTAATT TATGTTTCA
TTTTTTAAAA CCCCTTAGAA GCCTAATTAA ATACAAAAGT

Sequences with unknown function, *C. albicans* sequence NOT present in the public domain (ALCES/EMBL)

>328c2 1803bp in-house: 1123-1803 public: 1-436/468-1021 PathoSeq:
437-467/1022-1122

ATGTCTATTACAGTTACATTTCCGAAATCTCCATCTACGAAAAACGTGCACCG
GCATTTGGAATTGAGTTGGAGTTYAG
TCAMCAAGSCAGTAGCGATGGTGCTATAGAGAAAAGCGGCATTGGCAGTTCCT
GTGTTTAGCGTTGACAACCAAGACTWT
GTATTKATAAGAGAYCWTGCCAAGTACTGGGGCTACCCTTCATCGTATCAATT
GATTGTCAAGTTGGTCAAATGTGCTAA
CATTGAAAAGTCGCAAATCTTAAAGACCGATAAGGATTTGAATAGAGAGTTGT
TTGAGTTGGATTTGATTGAAGAAGCAG
ATACAAAGATTGATCTTTTTTATATTTTCGTTACCCTTGGTCTATTCAAGAATAGA
AAATAAGAAGGTTTTTTATGTTCTG
CGTGAACCAGAACAGCCAAAGGTGTGCGAAAGCMCCAACACAAGAGAAACCAG
CAAGTGTGGTTGCTGCAGAAGAAGATGA
CGATAATCTAGATGATGATGAGGAGGACGAAGTGGATGAAGACATGGATGAA
GATAATGATAATAGTGGGGAATTGTCTA
AAGGATACAAGCACATGCACAAGGACCATCCAAAGTATATAAATGACGATAG
GGTACTATTGGACAAGTGTTTCATCAA
TACGGACTTGACCCTTCGACACCATTAAACCCATTCACTTTTCAATAGTATCAAC
TCAATGTCGAAGCTAAACTATTACAA
GAATTTTGGAGTTTCAGGTTACCGATTTCTTCCCAACAGCAAGTTATCTTATGC
AGAACGAGAATTGGTGTTGAATGCCA
ACAACACTACAATGATATGCACATTAACGAAAAGACAGAATCCAAGCCGAAAAA
GAGTTTCCGTAAACCCATTGGAAAGTCA
AAGAAACATAACTTGCAGATTGATCCGAACTCCATAGATTTAAGCGAGTCAGT
GATTCGGGGACAAGGGTTTATACCTGA
CTTTAGTATCCACCTATCTTTGCAAAGTCCCTAATTATTATGTGACATCAACCC
ACCAAAGTCTCCCGCTGTGCTTCAAC
ACAAAGAATCTTAATGCAACTTCGAACTCTTCGTATTTGTTAATGATAATGTC
AAGATAAAGTCAAAAAGTATTCAGAA
GTWSGTGTTCAACAGCGATACCGATAATTACCATCACACAAAGTATTTCTACA
CCAAAACCTACCGTGGTCCAGGGTCGG
GGAATTACAAGGATGGTGCATTGATGAACAAAATCAACAAGATACATCTTTCC
AGTAATAAAAAGCCGCGCCACAAGAGA
AAGGTGTCGAACAATAACAGGTACAACAAGAGTTTAAAGGGGTAGTCCACG
AAAAGTTTGACAAGAAGTTTGTGAGTA
CTTGCTTTCTGAGCAACGCAAGTATACCGAGGACTATTCCAATCTTGAAATTTT
ACACAATAGCTTACAGTTTAATGTTC
TTTTGAATACGTATCGTGGTGTGCCCCAAGAGACATGGAATAACTACTACAAG
TTTAAATTGATTGATTTGCAACAATTG
AAGGCTTTGCAAATGGAGGCAAATGAGCTTGAGGAGAGAGAAAATTGGATGCTG
CTAGACACCAACAGTGGGCGGAAGAAGA
GAAGCTTTNCCAAGAAAGATTGCGTTTAGTATTTGAAGATGAACGGACGAGTT
TGAGCAATTGCAAAGCGAGTTTGGTCA

Fig 5

GAGAAAGAAGGATTTGGAAGAGAAATTGCGTCGCCGTCAGCTANANGCATCTT
TGANTGATAGTTTTGAACCTTGATAGCG
AAAATGACNATGAATCTTGACTTGNCCAAANTNAACAAGACTT

Fig 5 (cont'd)

>113g4 844bp in-house 1-844

ATAGAACTGTTTGATATACAACCTATCTCACTCCCAATTGTGACTTGAATAAATAATAATACCTATCACCTAGTAATCTTT
ATCTTAACGTAATCTCTGCAAAAGCACAAATCAATGTATAAAAGCATAAAAGATAAAATCTTGGTGAGGTTTAAAGTTCATAAT
TATAATGAACAACAATTACTAAAAGGGATGGTATCAACAAATTATAGGCTAGGTAGAACCATAGTGCGCTGTTCCGGGAGTT
CGGCTAGTTTGGCAAGGTTGGGAAGGTTGGATAGTTTGAAGAAGGTTCCGTGGCTGATTCTAAATTAACAGAGAACGATAT
AATGTACAAAAAACAATTCAGAAATTTAAACAACCTTTATATATATATATTTAAATGCTCTTGTCACTCAACTTGCCATTGC
TGTGATGATGCTTTCCTGTTAAATATACCTTTAAGAACCAGATTCACTATCTCAACTAATATTAACCTTATACTTTTT
GTTTTGACATTCCATAATGACACAAAAGAATTGTGAAATATTTTTAGCCTCAAGGGGATTCTACTCATTCCATCTCAAACA
CACATTCTTTGTATACCAATACCTTTTGCTAAAGAGGAACAAAAAATTGACACCGCATGTCAATTTACCTATAGCACTA
TCACTACAAATCAAAGGATTTACAAATAGTGGGAATGTCAAATCATGTATATTATTAACACATTACACATATTTATTTCA
GGTACATAATACTCAATATCTAAAACCTTCAAAATGGTACTGTACCTTAAACTTCTCCTTCATGTCTAGTTGAATATTAT
ACTTGCTAATGTCAAAAAATCATGTCTTCACACATTCACGGTTGT

Fig 6

>15cl 977bp in-house 1-977 bp

TTTTTTTACAATATAGTTAGATCTCTTTTTTAAAAATTTGAACACAAAAAACAAGTAACTACTATCACCACCACCA
CCACCACCAAAACATCATAGTGGAACTTAATTGAAGAAATATATTAATAACCATTAAATTAATAACATACTCAAAAGGAA
TAGGAGTAAAAACCTTTATATGTAAATTAATTAATAGCAAAAAAAAAAAAAAAAAAGGAAAGATTTCACAAATCTTGTA
ATTAAATTAATTTTCATTTCATTTCTTGAAGTGATATAGTCGTAATAGCAGTAATATTAGCAATAATATTAATAAAAAC
TTTTAAAAATAACAATTATAATAATAGTAATAATAAACGAATTTAACAAAAACAAGGGGGCGGAAGACAACGAATAT
AGAAGAAGAAAAACAACAAGACGGGTAGTAGATATATCTGGCTTAAAAAAGCATATCTAAAGTACAGCAAAACATAAT
GCAGCAAGACAACCCATTAAACAAGAATCATTACCTCCAGAACGTGGTTGTTGTTGTACATACATAGGTTGTTGTTGTTG
TTGTTGTTGATAATATCCACCACCACCACCTGGCTGTTGTTGATAATATCCACCTTGTGGAGGTGGTGGTCCATAAGCAT
TATATCCTTGTGTTGTTGTTGATAGTGGCAATGACCACCACCACCACCCTAAACATCCCTCGATCTTGTGTTTGTGAGAA
TAATTGGGTTGTGATTGTGGTACATAACTTGTGTTGTTGTTGTTGATTGGGGTTGATTATTATAATTTGGTGGTGGACC
ACTAGGTTTACCGAAATATTCGTCTTTTGCATTGTTTATATTTATAGGTTGGTGTAAATTTGGTGGTGGTGGTCTAA
GATTGAGTATATAGAAGTTGGAAAAATTTAATAACAATTAATCTAAACTTGATATAAGATGGATTAGCAATGATAATGAAG
AAGTAAAGTTGAATGTG

Fig 7

1 QQSVPQSQP NYSQGTCDRG MFSGGGGGCHG HYQQQQGYNA YGPPFPQGGY

51 YGQPGGGGG YVQQQQQQP NYVQQQPRSG GNDSCIMGCL AALCVCTLD

101 MLF

>207g4 769bp in-house 1-759

GCAAGATCTAAACTCCAGTTTTTTGGTGTAAATGTTACACAAGCAAAACAAATATAAATCGAAAAAGCCCCAAATAATTCT
CTTCTACAAATTACGAAAAATGTTTCACATGTATGAAAAAGCTTTATCTATACTATTTCTCCTCCAACCTCTAGCAGTGAG
AATGATACTGATATCTCCTATTAGGATACAGTTATCTATTATAAGTATAATAATATCATGGAGATAAATATATATTAAA
TCGATGGAGTTAACGAGAAAAACAATACACCCATTTTGCAGCAAAATGAGACATTTACAGAAAAAAAACAAGAAAAAG
ACAATTACTCCATTCAATAAATTCCACAATAAAAAAATAACAAAGAACAAACGTACTAACAAAAAACATCACTAATTTCA
CTTTGAAAAATCTTACATACTCAACTTCTAAAGATTATAATAAGCGATGCATATTCATCAGAAATTTAGTGTATACAATA
TGCAGGTGATTATGAGCCAGGTGAACAATCTTTACTAAAAATCTAGGAGTTGTTTATATACAGTATTTTGTCTAAAC
CTGTCTCTAACGTATACAAGATAAGATTTGTAATCGGTTAGAATAACAAGAAAGGTGTGGTTGTGGACTTGGTGGTGGTGG
CAAAATTTGAATGATATATTGTTTATCTCAAGTATAGCAAAATACAAAGGC AAAAGGCTGCAACAAAAACAAGAACTTGGATT
GTCGCAATTCTCTCACCTTT CAGAATGT CCTCGTGTATGTGATCAAT

Fig 8

>226c_af1 766bp in-house 1-766bp

AACGTAATTGTTATATTTTACCAAGGTAAACAGGGGAOCTCATTATCATTAGTTGTCAATTCAATTACTCCAGAAACAAGA
AACACAAGACTTGTGTTGGTGTGCTATTAAAAAGATAATATATAATCAGGATAAAAGAATTTTTTGGTTAAAGAAAATTA
CAGGGACGGTAAATCATTCTTCTCCCTATAAACCAAAAAATCTTATATGTCCCAAGTTAACTTATTAGAATTCCAAGATT
ATTTACTTTACAGTGAATCATTAAACATTTTAAATTGAAAGCGAGTTTAGCTCAATGTCTTCAGACACAAGTCTTTTCAG
GCACCACCAACAAAAGCACCAGAAAGCCTCCATGGATCTGGGTACAAATCCCAAAAGATCTCCAGCAAGATTGTTTCAAAAG
GTGGATATCATCATCATCATCAAAAGATAGCCAGTATATGCAGAAAAAGCCCTTCTCAAGAAAGCAAAACATAGCACCGG
AACCAATAAAATAACTAAACAACAAGTACCAGCTAAACAAATAGGTACATCTGAATCATCTCGCCTCTAAGTGTGGCT
TCGAGTCATGATAATTCATGTTCCGATTCAAGTGCAGCTTCTATATTTTCTGATTCTAAAAATAACAATAGTATGCAAAAT
GTTACTCACAGATGATATAGAGGACATATTAGAGGACATAGACGATGCTGAGATATACGATGCTGAGAAGGTTACCATAA
CATATATAAGTTCTAAATCATGCTAAACACATTATTAATTATTTG

Fig 9

[illegible]

Fig 10

>22g3 (5') 535bp in-house: 1-535

AGGTTCCAGTTACCAATTTAGGAAAGTGTGTTGCAAGCAGGGCTACCAAATATG
GGTGGCAACACATATGGTAGTAAGTGC
TACCAATGTGGGTGCAAAAAATTTTGCCAAGTAATTTGTATGGCAATAACAGA
AGTGTTGGCGGATTCTNAAGTGAAGGAAT
CTTTGGTGTGTAAAAAAAAGCAATAGCGACTACGCTACAANAGGCAATCNAT
TATTATTATAAAGTGAAGTTATATAT
ATNTTCTCGGGGGGGGGGGGGGNTTNGGNNTCCCCCCCCCCCCCCCCCANNTTT
TNTCGGCCCNCCCACCNNTNCGGCCTTC
TGGCTCCCCCCCCNCGGGCCNCCNNGTAAATNCCTCCACCCNGGGANAANGGNA
AANGGGGAACNANNAAGGGGGGACNNN
NCACCCNATGGGAGGGAAAATCCCNAAANNTTTNCCCCCCCCCNCCCNGCCNAAN
CCNCCNTGGGGNGGGCCAAANNCNGGGG
GCTNCNCCCTNCCCCCGCCNTNCCCNNTNCCNCCGANCTCTNNGNG
GC

Fig 11

>22g3 (3') 426bp in-house 1-426

CCCCCATATAACGTTGTCAATAGCAATACTCTGTCGCACCCATAGTGTGCACTT
CTCGGTGGTATAAAAAAAATTTTTTC
TCCCAAAAAAATCTTCTCCTTCCACCACTTTTTTCTTCTTCTTCTTCCCCATT
CCCTCCCAAATCCCTCATTTTCCC
CATTTCCCTACCTCCTGGCCCTGTATTCCAAAATTTTCTCGGGGNTACGCCC
CGAAGANAACCTCCCTCCCACCCACC
CATCTTTGTCNGGNTTCGACCTTCGGCCTCANGGCTCCACCGTCGGGGNTCTTG
TATATTTGTAGACTCCNGGAAAAAAGG
GAAAAGGGGAGGAAGAAGGGGGGAAAAAAAAAAAAANGGAGGGNGAATCCTT
TTTNTTTTNTCCCCCNTCTCAAACCNAAA
CCCCNTNTGGGNNGGTCNAATTAGGGG

Fig 12

>35gK 1334bp in-house: 146-669 public: 1-145 PathoSeq: 670-1334

ACAACGTATAATCGACAGTTTACTATATCTGCTGACTTCAAAACCAATGCATTC
TTCAAGCGTGCTCTGTCGATTTCTAT
CATAACATCCACTTTCCGGNGTAATCGGATTACTAAAGCCACAGAATCAAGGT
GAACATCAAGCTTCAACTTCTTTCTTG
GTCCACGAATAATTTAATTTGGTMTTSKKGSMAMKGCTTTCTACRGTAGGTT
TGAATCTTTCCAACATTGTCTTTGCA
TAGAAACMGCACCAGACAAGAAACATGTCCACTCGACCATCAACYTSKGGGT
AWWGACAAAGTWAATCTGTCTGGATCCT
TTTCATCCAGTTTCCCTGCATKGGAWACAAGTNTGTCCCGCACAGTTAAGACT
GTTTTTATTTTSKTGGTATTAGACTCA
TCAAGTTCCGAAGGAGAGGCATCATTTARGGGWATAGACTCCGCTGAGTTAAT
ACTGGATAAATCACTTATTTTCAGATTC
ACTGACTTGTWCTTCAGTGACCTTATCAAAATCCTCAATGTACTCSGARGCGTW
TTCMCTCMATGTGAAGGCTTTTAAAA
GGGCAACRCTGGTTYCAAAATGCTTTCTTGCRAAGTTTGTACKTGACAGAAAAA
TCAAAAACYTTGAAAGATATACCTCTT

Fig 13

CTAAAGTCTTTTAAATCAATTTCTTNTCCTAATTTTTTCATCATATAGCTTATGAC
TTGGCAAACCTCCTTACATACCAT
ATCCATTACAATGCTAGAAATGTCAATCTTCACTGACGATATAAAGGATGGAA
GAACTTCAAATAATTTTATAAACTCAG
GATTGGCTGGTGTATCTGCTGCAGGAGCTCCAGATTTATTGTCCATTTGCTCAC
TCCATGGACATACATTATTAACGTCC
ATCTTTTTCCATTCTTCAAATTTCTTCGGTGAAATAAATTCGTTGACGRWTTTAA
AACAGACGTACAATGTGAAAGATAA
GATCATTAGCAGAGAGCAATTCGAGACTCTTGCTTGAAAGTTTGATTGACACG
TTTTGTTGTAACATATTGTAGGTGGCT
AAAAGATTGACTTWRGTAAAATGRAACTTATTAACCCTGGGCCCTCACATTTC
ACATTTTTTCATCTTAAACAAAGKGGTT
CAAAGKGGAACTTGGTTTGGATCCYTTAWTGGAAWATTTTCYCAGKRAATACTT
TCAAATCAACTCCAGGAGAGCCACAG
TGATAATTGAATTGGATTTAGATAAGCGGTTAAACTTCCCAATTTTCAGTTTTAC
CAAACCTCTGGTAAATGAAGGTTAAGT
TTTGTGTCCACCACAACAAGTTTACTAAAAACAGCCTTGAGCATTTTGGAGGGCA

Fig 13 (cont)

>36g2 (5') 520bp in-house: 1-520

CGTATAGAGAATAATCCGTTGAAATTGATTGTTCAATCATTATTGTATCTTTTCC
CTTTTTTTTGTCTAACCATAATGT
TAGAATAATTAGAAATTGTCTAAATATATATTCAGTTTAACAAAAAACAGAAT
GCTTGCAATAAGATTGATTCTAATT
ACTAATCGTTAATATTTAGTTTGGTGGGGTTTTATTATCGAAGATGTAGCATT
ATTTGTATCNAATAGATAAAGAACT
TGAATTAAATGGCNTAATTTGTTGCAATAGTAAAAAAGAAGAAAAGTGGTAAG
GAGTGAGTGAAAATATTTTTTGCCCCA
ATTTGAGTNGAAATCTTACACCNAAAAGTTTGGACNAAAAGTTTTTACTAAA
ATCTGANAACTNCCTGAATAGAACCG
ATCATCCNCAATNTCCGATTTCTNTGAGGANAGATAGTGGCCCCACCTCNTGGTG
ATTAGAAGGAGCNCCCATGTTTTACAA
TATCTATATCCAGAATAACNTGTTTGTGACCTCNCCCCNG

Fig 14

>36g2 (3') 472bp in-house: 1-472

CTCTATATATAGTGAAATATAACATCAAATAATGTACAAAAAAGTATAATAAA
TTGATTTAGAAATGAGAAAAAGAAAAA
AACTTGAAGTAGTGAAGATATATTTGTTGGCTATCTTTCTTGGTATGGCTCAAT
TCAGCCAATCTTGGATGAAAGGTTGG
AGTTTTAGTTTCGTGGTTTATTGATTTGTAAGTACTTTCGGGCTAGAAAGTTNA
CAAACATGATTAATCTTGATATANAT
ATTTGTTAAACATTTGGTGCTCCNTCTTAATCNCCCCAAAAAGTTTGGGNCACTA
TCTTTCNCCNGAAATCTGTATATGT
TGANTGANCCGNTCCATTCTGTINANTTTCNGANTTTAGTTAAAACCTTTTTG
TCCAACCTTTTGGGGTTAGANTTCN
NCCCCANTGTTGCCNAAATATTNCNCCNCCCTNCCCCTTTCCCCNTTTTAC
NAATGCACCAAGTAAGCG

Fig 15

>38gl 1348bp in-house: 183-940 PathoSeq: 1-182 / 941-1348

TCTCTGGTATAACTTGCACTACCTCATCGCTACCCCGGATTTTTTTTTTGGTATGA
TCTACACGTCCTCATCGCTACCCCA
GATTTTTTTTTCTGGTGCGCCGGACACGCCCTCCGGTCCGCACCGAAAACCGGGG
TAATCTCCGTCGGAGATACACATCCG
CGGACACAAAATCAGATGAGCTACCACCGAAAATTCCGAAATTTCAAAAATC
AAAATCCCTAAAAACAACTATCCAGA
NATTATTGCCATGCCCTGAGGATGAGTTTAGTTTTTAATTTTTGAAAAATGTC
CAAACTGGTTGTGCTGTATAGGANG
GGTAAGAATTTGCCATTCTGCCCCCTTTGGGTGGGTCAAGTCNAAAAAAGANGTA
TCACTCTGGTTCNAACGGGAAACAACN
NAAAATGGGATTAAAMTWATCTCCAGAMCAAACCTTAGCTTMWWACACCCAY
TTTAGTTGTACTSGYGWRCCMAAMMCMAA
TTTTCCATTTTGTGTTGGGGANGGGAATTTARACCAAATTTTTTTTTTTGAAATTT
CGCTMAGTGTYMAGAMCCSCAAAAG
TCACCTTTTTTCGTTTTCMCMCYACGGCARARGCYCACCGGTTTTTKYKTGGKGS
MCRGCCMAATTGAWTTTGTGGGTGSGC
ACGKGGAACAAACAGTTKGTAGTGGACACGTTTTTGCAGTGTGAACTGCGCT
CGGAGGTACTATATGCGAAAGCAGAAA
AGACAATTGCAAGAATACAGAGAGTTCTTCTCTGGGCTANNGCAATGTGTTTA
AGGCCAAGTCGACGAGTGGGGAGAGTC
TGGAAGTGATATACACATCACGACCTACTTTATACGCTACGTTCCGGCATGGGC
GAGCCACTGTACGGTGGCAAGCCTGAA
CAGTCCCACACCAGATATCTAACGATTCTGTGTATGGGCACTGATGGGATTTAG
TGGATTACTAGCTGATAGCAAGTATT
GAAAACATAAACCCGACTCGGGGGTATGCCTTGGCAAGTAGCCGGAGTAAAT
CTGTGACTTTGCTGAGTGTAACCTCCCT
CCATGGTTGGCGATGTTGACGTGCGCGGCAGTTCTTGTGCTATCACAGTCGCA
CGGACACCACACCGGGAGAATCTTAA
GAGGGCTATATGGATGTGGAACGGTTTGCTTGCTGTGGTAAACACTGGCGGG
CGAGCCGACGTTCCACGGACACAGCAA
TGTGTTTGCAACCAAATAAATAACTTGACGGTTTGAACGTGTTTTTGGCTGCT
CCTTCCAGTTCTTGGCGGGAGAAGCT
TGGGCGCGGGAAGACCACTACTACGTAGTTATCTGGTTGATCCTGCCAGTAGT
CATATGCTTGTCTCA

Fig 16

>60gK 990bp in-house: 445-752 public: 1-140/753-990 PathoSeq: 141-444

ATTACCGATCCGTCGGATTTTAAAACCACAAAATTGCCTGCATTAGCAGAGCT
AGATATTTTCATAGGGTGCTATATATG
CAAAGATCTATTGAATGCACCCGTGAGGACACAATGTGATCACACGTACTGTT
CACAATGTATACGAGAA TTTTACTTC
GAGATAATAGATGTCCGCTTTTAAAAACAGAGGTTTTTGAAAGTGGTCTAAAA
CGTGATCCATTGTTAGAAGAGATCGTC
ATTAGTTATGCCTCCCTTAGGCCTCATTGATTACGATTATTGGAGATTGAAAAG
GTGGAATCGAAGCAAGAGGTAGATCG

Fig 17

TGAGAAATCAGCCAATGAGTCAGCGCTGAATGGTAATAGAAATGTAAACAAC
GATGTTGACGAAACTGTGCGCGTTAAAG
ATCAACTGAATGCAGATAAACTAGGTGAAGAAAAAGGGCAAGCTCAACATGG
GGAACAAGTNAAACGAGCAGACTACTGA
AGTTATTCTGTTGCTATCTGATGATGAAGAGAATGGTTCTGATAGCCTAGTAAA
ATGTCCTATTTGTTTTGAGAGAATGG
AATTAGATGTACTACAGGGAAAGCNTATTGACGACTGTCTAAGTGGAAGAGC
ACGAAGAGGACGCCTACAGACATTTTA
TCCCCAAAAGCCCAACGACCGAAGCAAATCACCTCCTTTTTCCAACCAACAAT
AGATACCANAACNCCTTCCCCCACCTA
CCAGTTNNGGCGTCNACAACCTCCACAGCAACTCCGACAACCTACATTGTTGAA
AGCAAACGTCTCATCTCCATCCCAAGT
GGCGCAAAGTACAGTAAACAAGGGCAAGCCATTACCTAAACTCGATATCAGCA
GCTTGAGTACTAAAAAAATAAAAGCCA
AGTTGAGTGATATGAAACTACCAACAACAGGTAGTAGGAATGAAATGGAAGC
CAGATACTAGCATTACTATGTGATTTAT
AATGCCAACCTTGACACCAATCATCCTGTA

Fig 17 (cont)

>64gB 627bp in-house: 1-627

TNCANCTNCCATNCNCCCAGGCNNNGCCACCCCNCGCGNNCCCCCNTNTTTC
CCCCCTCCTTNGTNGCCCTCNNGGTG
GTGTTTGTGGTGTGACNAATAAANATGGTNTATCATTAGAANAGGACATTGCN
NCGGAAATGACTGTCGACAATAAAGAA
GCAAATATATACAATGGATTATGAANGTGCTAGGATGGATTGAAAGTTTATC
TGGGTTTATTCCAATGTAAAAATTATT
TGTAATTGATATGGCTAATTATTTTGCTCNATATNTATCACAAAAAATGATTA
AGTTCGAAATGAAATTGGCNTCCATA
TATAAAATTTCTGACAGGAAGAGAAAAATTCANGACNTGTTGCCCNAAAAAAA
AACTTTACCCCNCNTCNANTCNTGTNN
~~GACTTAACGGCCCAAAANAANANNNGCTGGCGGGCGGNAAAAAATAGGAGGGG~~
GCCGGNNGTTTTTAAAATTNNANNTT
GAATATGAACCCAANNTTGNNTTCNTTTTINCCACNCCCCCTTCAAATTINAT
TCCATGTTCCCAAGANNAGGGNGGNG
GGGGNNGGTTCCNNCTTTTAAACCNCCCCCCCCCGGGTGGNGGGGNCCGTNTTNT
TTCCGGNGGGGCNT

Fig 18

>8c_cp 890bp in-house: 287-890 public: 1-124/154-286 PathoSeq: 125-153

ATGCAATTCTCATCCGGTGTGCTCTTATCCGCTGTTGCTGGGTCCGCTTTGGCTG
CTTACTCCAACCTCCACTGTTACTGG
CATTCAAACCACTGTGTCACCATCACTTCATGTGAAGAAAACAAATGTCACGG
AACTGGAAGGTTACCACTGGTGTAC
CACCGTCACTGAAGTTGACACTACGTACACCACCTACTGCCCATTGTCAACCAC
TGAAGCTCCAGCTCCATCTACTGCTA
CTGATGTTTCTACCACCGTTGTACCATCACCTCATGTGAAGAAGACAAATGTC
ATGAAACCGCTGTCACCACCGGTGTC

Fig 19

ACCACTGTCACTGAAGGTA CTACCTACTGCCCATTGCCATCT
 ACTGAAGCTCCAGGTCCAGCTCCATC
 TACTGCTGAAGAATCTAAACCAGCTGAATCTTCCCCAGTTCCAACCACCGCTGC
 TGAATCTTCCCCAGCTAAACTACTG
 CTGCTGAATCTTCCCCAGCTCAAGAAACCACTCCAAAGACCGTTGCTGCTGAAT
 CTTCTTCAGCTGAAACTACTGCTCCA
 GCTGTCTCTACCGCTGAAGCCGGTGCTGCTGCTAACGCTGTCCCAGTTGCTGCT
 GGTGTTGTTGGCTTTGGCTGCTTTGTT
 TTAAGTTTATTAGAGCTTAAATCAAATATTTACAAACAAAATTTTCATTTTCCC
 CCTTTCCCTTTCTTCATTCTTCAA
 AAAGGGTTATTTACTATTAATTGATAAATTTATGGTTTCATGTTAATTTACCCTT
 TTCTTTATAAACATTGGTATTATTA
 TTATCATCATTAGNTTTATTTATATTTTCGTGAGTTTTTCGGNTTTAATTAATTTT
 TTTGGATACATATTAATAAATTTAT
 TTGGTACTAG

Fig 19 (cont)

>85g3 481bp in-house:1-431

CTAATATACGTCGAGTTCTGGGCGGTGAAAAACGGGTATTTTTGGACCAGCAGAAAAAAGTGGATTTGCCCGTGCA
 CGACCCGAAAAAGGGAGAAATTTTGAATAATGGCGAAATTTGGGGTAAGTTTGAGAGAGTGTGGAGCAACAATAAGA
 GAGGGTGAGCGCAAAATTGTAATGCCAGGTCGGCAGGCCAATGAAGATGTGTTGTCCAAAAGATGGAGTTTGTAGCGTTG
 CTGTGGCTGAGATATTGGCACTTTTTAAGACCGCATGTTTTTGGGTAGCGCTGGGTAAAGACCACATTTTTTTTGTTA
 GAAGACCGCAGAAAAAGAGAGCACACATACAAAATCAAAGACCGCAGAAAAAGAGAGCACACATTTAAGAGCACATTTTGGT
 ACCACACACTTTTAAAGAGCACAGAAAAAGAGCACCTTATTTCTAAGACCGCATGTTTGGTAGCACACACTTTTAAAGACCA
 C

Fig 20

>66g4 579bp in-house: 1-579

CCCCGTTAACCACTTCTAGGGTATACCATTTTCATCTGACTGAATAACTGGTTAG
TCGATTGTTGTTGAAGAAAAGTGAC
CACCTAGTTTTTTCTGCCAACATTTTTTGCGATGAGCCGTCGACGCGTTGTCTTT
TTCTACCCACGTTTAACAATCTTG
CCAGTCAATTCCCTAGCCAAATAAACTTTAGACTCACAACCTAACACTGACTC
GTGCCCCCCTGTTTAAACTCTAAATT
ACTTCACAGAGCCTTTACTACCTTAAATTTARGRTTWTSKAKKGTTTCTGTTTTT
TTGCAAATCACCTGACTYGT
TTTTCAGCCAGGTTTTTCGTTAAAATCTGACCAAAAAATTTACRACTCCTATWT
TTAAAACCTCYAAAWWACAATTAAC
TCAATTCAGACAAGTCCTTCTGCTCATTCTGAGTCTTCTCTATTGTCTTTTGACT
TTTTGTGTGTGACTATTTTCATGAT
CACCCCGTTTCTTGCATTTTTTTCAGTCAACTTTTTCTCAAAATCAAGCCAAAAA
AACACACCTTTAACTACCTATACAA
CGCAAACCTATTCAAAACA

Fig 21

>NDI (17c_cp) 807bp in-house: 1-614 PathoSeq: 615-807

AACCTATTCCATAATGTTTACTAGATCATTGATTAAAGGTGGTGGCAGACTTGC
TACTACCAGATCATTGGTCAACAAC
CTACTAGTTTGGTTTTAAAAAATCAATTTAAGAAATATTCAACATCAACTCCTC
CTAAGGTTGCCAAATCAAAATCTTCG
ACAATTGGTAAAATATTCAGATACACTTTTTACACTGCTGTGATATCGGTTATT
GGTTCTGCCGGTTTGATCGGTTACAA
AATTTACGAAGAGTCTCAACCTGTTGATCAAGTGAAACAAACACCATTGTTTCC
TAATGGTGAAAAAAGAAAACTTTAG
TTATTTTGGGTTCTGGTTGGGGTGCTATTTTCATTATTGAAAACTTGGATACCA
CCTTGTATAATGTTGNTATTGTCTCC
CCAAGAACTATTTCTTTTCACCCCATTGTTACCATCTGTTCTACCGGTACTG
TTGAATTGAGATCTATTATTGAACC
TGTCAGATCAGTCACCAGAAGATGCCCTGGCAAGTTATTTACCTTGAAGCAGA
AGCTACAAATATNAACCCCTAAACTA
ATGAGTTGACACTTAACAAAGTACTACTGTCCGTTCTGGTCATTCTGGTAAAAA
TACTTCCTCTTCTAAATCAACTGTTG
CCGAATACACTGGGGTTGAAGAAATCACTACCACCTTGAATTATGACTATTTA
GTTGTTGGTGTGGTGCTCAAACAATN
CTANTTTTCGGNAATCCTGGGAGNCGCNTGAGGAANTTCAACCCCTTTTTTGAA
AGAANGNCCAGTGGANGCCNTCTGCN
AATTAGA

Fig 22

>HOL1 (409c5) part2 762bp PathoSeq: 1-762

GATCAGAATAATGAGGACTTTATACCTGGAACACTCAATATCTATTCCTTGGAA
GTTGACTCTGAAGATGAAAACGTGAG
TCATTACGATGCTTCCAGTCGACCAAAAGTGAAAACAAAAGGCAATATAATCC
TCTTCCCACAACCATCGAATTCATGCA
ATGATCCATTAAATTGGAGTAAATGGAGAAAGCTAAGTAACTTTTTTATTGTCA
TTTTTATTACTGCTTTTACAGCAGCT
ACTTCAAATGACGCTGGATCAATTCAAGATTCACTTAATGAAAAATATGGAAT
TAGTTACGACGCAATGAATACAGGGGC
AGGCGTTTTATTTTTGGGTATTGGATGGGGTACTTTCTTTTAAACACCTGCTTCG
TCGTTATATGGTCGAAAAATAACAT
ACTTTATATGTATCTTTCTTGGTTTATTAGGCGCTGTTTGGTTTGCCTTGGTTAA
AAGCACTTCCGACTCAATTTGGTCG
CAATTGTTTGTGTTGGTATTAGTGAGAGTTGTGCTGAAGCTCAAGTACAATTAAGT
TTATCAGAACTTTATTTTGCCCATAA
CCTTGGTTCTGTGCTTACGTCCTATATTGTTGCAACTTCCGTAGGTACTTACTTA
GGACCTTTAATTGCAGCCTTTATTG
TTCAAAACATTGGTTTTAGATGGGTGGTTGGATTGCAGCAATTATTAGTGGTG
CATTATTGTTGTAATTGTTTTTTGT
TTAGATGAAACCTATTTTGATCGAGCAAAGTTTACCAAGCCA

Fig 23

>GAL2 (360c6) 1004bp in-house: 625-1004 PathoSeq: 1-624

TCCATTTTCCCTTTTCTCTTTTTCTACATCATCCTCACANCAATTTCAAATATG
TCTCAAGACAACGTCTCATCAACAT
CTACAGCTGAGGCTGTAAATAATGAAATCAAAGTCAAAGATGAATTTCCACAA
GAAGAACAAGCTCATACTAGTTTAGAA
GATAAACCAGTGAGTGCATACATTGGTATCATCATTATGTGTTTCCTTATTGCC
TTTGGTGGTTTTGTTTTCGGTTTCGA
TACTGGTACCATTCTGGTTTTATTAATATGTCTGACTTTTTAGAAAGATTCCGT
GGTACTAAAGCTGACGGTACTCTTT
ACTTTTCCAATGTCAGAACTGGTTTAATGATTGGTTTGTTCAACGCTGGTTGTG
CCATTGGTGMWTTATYCTTGTCYAAA
GTCGGTGATATGTATGGTAGAAGAGTTGGTATCATGACTGCTATGATTGYCTAT
ATTGTTGGTATTATTGTTCAAATTGC
TTCTCAACATGCTTGGTATCAAGTCATGATTGGTAGAATTATYACTGGTCTTGC
CGTYGGTATGTTATCAGTTTTATGTC

Fig 24

CTTTGTTCAATTTCCGAGGTTTCTCCAAAACATTTGAGAGGTACTTTGGTGTGCTG
TTTCCAATTGATGATTACCTTGGGT
ATCTTCNTGGGNTATTGGCTACCTATGGTACTAAGAGTTACTCAGACTCTAGAC
AATGGAGAATTCCATTAGGTTTATGT
TTCGCCTGGGCTTTATGTTTGGTTGCTGGTATGGTTAGAATGCCAGAATCTCCA
CGTTACCTTGTTCGGTAAAGACAGAAT
TGAAGATGCTAAAATGTCACTTGCCAAAATAACAAGGTTTCTCCAGAGGACC
CAGCATTATACCGTGAACCTTCAATTAA
TCCAAGCTGGTGTGAAAGAGAAAGATTGGCCGGTAAAGCATCTTGGGGTACT
TTATTCAATGGTAAACCAAGAATCTTT
GAAAGAGTTATTGTTGGTGTGTCATGTTACAAGCCTTACAACAATT

Fig 24 (cont)

>KGD2 (98c_cp) 334bp in-house: 139-334 public: 1-138

TTCTAACAACAACATCTTTCTTGGATCTTCAATCAATTCCTTGATGGTTCTTAAG
AAAATAACAGCTTCACGACCGTCAA
CTACTCTGTGGTCGTAAGTCAATGCTAAGTACATCATTGGTCTAGAAACGATTT
GTCCGTTAACAGNAATTGGTCTTTNT
TTAAAANTGTGTAAACCAAATACGGNAGTTTAANGCATTITTTATAATTGGGGT
ACAGTATAATGATCCAATAACACNGNC
ATTANAAATAGTGAAAGAACCNCCGGTCATATCTTACAAAGTCAATTTACNAT
TTCTGGCTTTNTTACNCAAATTANANA
TTTCCTTTTNAATA

Fig 25

>RNR1 (38) 2562bp in-house: 1-2562

ATGTATGTTTATAAGAGAGATGGCCGTAAAGAGCCAGTACGTTTCGACAAAAT
CACTGCCAGAGTTCAAAGATTATGTTA
CGGTTTGAATCCAAACCACGTTGAACCAGTTGCTATTACCCAAAAAGTTATATC
AGGTGTTTACCAGGGGGTTACTACTA
TTGAGTTGGACAACCTTGGCTGCAGAAATTGCTGCTACAATGACAACAATTCAC
CCAGATTACGCTGTCTTAGCCGCTAGA
ATTGCCGTATCAAATTTACATAAGCAAACCACCAAACAGTATTCCAAAGTGTC
TAAGGATTTATATGAATACATTAATCC
TAAGACTGGGTTACACTCTCCTATGATTTCCAAGGAAACCTACGACATCATTAT
GGAACACGAAGATGAATTAAACTCAG

Fig 26

CCATTGTTTACGACAGAGATTTTAACTACAATTATTTTGGGTTCAAGACTTTGG
AAAGATCATATTTGTTACGTATCAAC
GGTAAGGTTGCTGAAAGACCACAACATTTGATCATGAGGGTTGCTGTCGGTAT
TCACGGTAATGATATACCAAGGGTCAT
TGAAACCTATAACTTGATGTCTCAAAGATTCTTCACCCATGGTTCTCCTTGTTTA
TTTAACGCTGGTACACCAAGACCAC
AAATGTCCTCATGTTTCTTGCTTGCTATGAAGGATGATTCTATTGAAGGTATTT
ACGACACTTTGAAATCGTGTGCTTTG
ATCTCAAAAAGTGCTGGAGGAATCGGTTTACACATCCACAACATTGTTCTACC
GGTGCTTACATTGCTGGTACCAATGG
TACTTCTAATGGTATTATTCCAATGGTAAGAGTATTCAATAACACTGCACGTTA
TGTCGACCAAGGTGGTAACAAGAGAC
CTGGTGCTTTGCTTTGCTTGTACTTAGAACCATGGCACAGTGACATTTTTGATTCA
TTGATATTAGAAAGAATCACGGTAAA
GAAGAAATCAGAGCCAGAGATTTGTTCCCAGCTTTGTGGATTCCAGATTTGTTC
ATGAAAAGAGTTGAACAAAATGGTGA
CTGGACTTTATTCTCACCAAATGAGGCCCCAGGCTTGGCTGATGTTTATGGTGA
CGAATTCGAAGAATTATACACCAAAT
ACGAAAAAGAAAACCGTGGTAGACAGACCATCAAAGCTCAAAAATTGTGGTA
TGCTATTTTGGGAGCCCAAACCTGAAACA
GGTACCCCATTTATGTTATATAAAGATTTCATGTAACAACAAATCCAACCAAAA
GAACCTGGGTATTATCAAATCTTCCAA
CTTGTGTTGTGAAATTGTTGAATATTCTGCTCCAGATGAAGTTGCTGTTTGTA
CTTGGCTTCCATTGCCTTGCCATCAT
TTGTTGAAAATGATGAAAAAAGTACTTGGTACAACCTTGACAAATTACATCAG
GTCATAAGGTTGTCACCCGTAACCTG
AACAGAGTTATTGACCGTAACCATTACCCAGTCCCAGAAGCTGAAAGATCAAA
CATGAGACACAGACCAATTGCTTTGGG
TGTTCAAGGTTTGGCTGATGCCTTTATGGAATTGAGATTACCATTTGACTCTCA
AGAAGCTAGAGAATTGAACATTCAA
TTTTTGAGACTATCTACCATGCTGCTGTTGAAGCTTCAATTGAATTGGCTAAAG
AAGAAGGTGCCTACGAAACCTATCCA
GGTTCTCCAGCCTCTCAAGGTTTATTACAATTTGATTTGTGGAACAGAAAACCA
ACTGAATTATGGGATTGGGATACATT
AAAACAAGATTTGGCCAAACATGGTATGAGAACTCCTTGTTGGTTGCACCAA
TGCCTACTGCTTCCACATCAAAATTT
TGGGTAACAATGAATGTTTTGAACCATACTTCTAACATTTACTCTAGAAGAG
TATTAGCTGGAGAATTCCAAATTGTC
AATCCATATTTATTGAAGGACTTGGTTGATTTGGGTGTCTGGAACGACGCTATG
AAAAGTAGTATTATTGCTAACAATGG
TTCTATCCAAGCCTTACCAAACATCCCTGATGAAATCAAGGCATTGTACAAAA
CTGTCTGGGAAATCTCACAAAAACATA
TTATCGACATGGCTGCTGATAGAGCAGCATTTATTGATCAATCTCAATCATTAA
ACATTCACATCAAAGATCCAACAATG
GGTAAATTAACCAGTATGCACTTCTACGGTTGGAAGAAAGGTTTAAAGACTGG
TATGTACTACTTAAGAACAAGCTGC
CAGTGCTGCTATTCAATTTACCATTGATCAAAAAGATTGCTGAGACTGCCGGTCA
TACGGTTGCAAACCTTGGACAAATTAA

Fig 26 (cont)

ACATTAAGAAATATGTTAACAAAGGAAGAGTTGAGAGTGAGAATACCAGTGAT
GCTCCATACAAGTCACCATCAACCGAA
CCAACCTCATTAGAAAGTTCAGTTGCTGATTTGAAAATAAAAGATGAAGGTGA
AAAGCCAGCTGAAGACAAAACCATTTGA
AGAACTCGAAAATGACATTTATAGTGCCAAAGTTATCGCATGTGCTATTGATA
ATCCAGAATCTTGTACAATGTGTTCTG
GT

Fig 26 (cont)

>SAM2 (36) 1155bp in-house: 1-1155

ATGACTACTTCCAAGGAACTTTCTTTTCACTTCAGAATCCGTTGGTGAAGGT
CACCCAGATAAGATTTGTGACCAAGT
CTCCGATGCCATTTTAGATGCTTGTTTAGCTGTTGATCCATTGTCAAAAGTTGCT
TGTGAAACTGCTGCCAAAACCGGTA
TGATTATGGTTTTTGGTGAAATTACCACTAAAGCTCAATTGGATTATCAAAAAA
TCATTAGAGACACCATTAACACATT
GGTTACGACGATTCTGAAAAAGGTTTTGATTACAAGACTTGTAACGTCTTGGTT
GCAATTGAACAACAATCTCCAGATAT
TGCTCAAGGTTTACATTACGAAAAAGCTTTGGAAGAGTTGGGTGCTGGTGATC
AAGGTATTATGTTTGGTTATGCCACCG
ATGAAACCGATGAAAAATTGCCATTGACCATTTTATTGGCCCACAAATTGAAT
GCTGCCTTGGCTTCTGCCAGAAGATCA
GGTTCCTTGCCATGGTTGAGACCAGATACCAAAACCCAAGTCACCATCGAGTA
TGAAAAAGATGGTGGTGCAGTTATCCC
AAAAAGAGTCGACACAATTGTTATTTCCACTCAACATGCCGAAGAAATCACCA
CCGAAAATTTGAGAAAAGAAATTATTG
AACATATCATCAAGCAAGTCATCCCAGAACATTTATTAGACGACAAAACATC
TACCACATTCAGCCATCAGGCAGATTC
GTCATTGGTGGTCCCCAAGGTGATGCTGGTTTGACTGGTAGAAAGATCATTGTT
GACACCTATGGTGGTTGGGGTGCACA
TGGTGGTGGTGCCTTCTCAGGCAAGGATTTCTCCAAAGTTGATAGGTCTGCTGC
TTATGCCGCTCGGTGGGTGCTAAGT
CGTTGGTGACCGCCGGATTGGCCAAAAGGGCCTTGGTGCAGTTCTCCTATGCTA
TTGGGGTTGCTGAACCCACCAGCATT
TATATAGACACCTATGGGACATCTAAATTGAGCACCGAAGCCCTTGTAGAAAT
TATCAAGAATAATTTTGACTTACGCCC
TGGCGTAATTGTAAAAGAATTAGATTTGGCTCGTCCTATTTATTTTAAAACCGC
TTCTTACGGACATTTTACTAACCAAG
AAAATTCTTGGGAACAACCAAAAAAATTAAAATTT

Fig 27

>135g 859bp in-house:1-859

CGTGCAATAATTATCTTAAAAACCGTAGATAAGCAAAAAATTTATCTTATGAAATGTTCAAGGATAAAAGAAAGAAAGAAATCAG
GTACCACGAGGAGTGTGTTTTGAGAAAAACAACCTCGTAAAAATTAATGAATCTAGTTTCTCTATCTTGAATAATTTTGAGT
TTTCTGGAAAAAGACACCTGTTCAGTTTCAAATTAACAAGAATGTGAAAAGAAATAAAATTTGATTTATTCTAGCCTGTT
AATAATCCAGGAAAACTCAATTTTCGTAAATGGCAACTTGTCCGAGTGGTTAAGGAGAAAGATTAGAAATCTTTGGGCT
TTGCCCCGCGCAGGTTGAGTCCGAGTTGTCGTTATTTTTTTGGTTTACTCTCTATTTTAAAAATTTAAACTAATCAA
CTGAAACTGGAGTACCTGCCATGATATGAGTAAATACTTTTTTGATATTAAAAATCTATATAAACTCCCTATTTATTTT
TTAATTTAAACCCAGATATTGTCCCAATAATAGTTTTTTGTTTGAACCTTATTGCTTTGTATGAACCTTGTTAGTTAATC
TTTCCAATTTTCACTCTCTTATGTTGGCCACATCAGTGGCTCATTGAATAATTCTGATCTTGAAGTGTACCAGATGTATT
CTGACAAAACTGCACACGGACCCAGTCAATAGCATTATAGATATTTTGAATTTAAAGTTCACOGAATATATCGAATATCTT
TATTGGCCATCTCATCTCATCTTCTTGCATAAATTCCTTAAACGCTACTTTTTCTCAAACTTATTATCCCTCTAGATAC
TCTTCCAAATCTTCAGGTTCAAAATATCACTTTAACCATCAATGAACAACCTAGGGCAAAAC

Fig 28

328c2

```

                                X X      fs
                                = =      =
1  MSITVTFPKS PGTXXRAPAF GIELEFSQOG SSOGAIBKAA LAWPVFSVDN

      X X      X      R
      = =      =      =
51  QDFVLIADLA XYWGYPSYQ LIWKLKCAN IZKSQILKTD KDLNKFEL

101  DLISEADTKI CLFYISLPLV YSRIENKKVF YVLEPEQPK VSKAPTQKXP

151  ASVVAABEDD DNLDDDEEDE VDZDMDEEDND MSGELSKGYK HMKHDPKXI

201  NDDRVTIGQV FHOYGLDPST FLTHSLFNSI NSMSKLNYYK NFGVSGYRFL

251  PNSKLSYAER EIVLNANNYN DMHINEKTES KPKKSFRKPI GKSKKHNLQI

                                fs      T
                                =      =
301  DFNSIDLSES VDPGGGFIPD FSIHMLCKVP NYVVTBNHQS LELSFNTKNL

                                X
                                =
351  NATSNSSYLF NENVKIKSKS IQKLVTNSDT DNYHHTKYFY TKTYAGPGSG

401  NYKDGALMEX INKIHLSNK KPFHKRKVSN MWRYNKSLKG LVHEKFDKNP

451  VZYLLEQQRK YTEDYENLEI LHNSLQFNVL LNTYRGVAQE TWRNYKFKL

                                X      fs
                                =      =
501  IDFEQLKALQ MEANLEERK LDAARHQQWA ESEKLRQERL RLVFEDEFNE

                                X X      L      X      * X XX
                                = =      =      =      =
531  FEQLQSEFGQ RYKDLKELR RQLEASLSD STEADSENDQ ESELAQIQD

                                missing sequence
                                =====
601  FESSANALKT KFEAYRYELI NPAPPPQPIE TPQLDLNNKF SLPTVYPEIT

                                missing sequence
                                =====
651  PNLPLELRGV VPESKEELPP IKKAIHYVT YPERPNIEYL TRNRCYPLAN

                                missing
                                =====
701  ANSGWKG

```

Fig 29

15c1

fs 3
" "
1 CQSYVZQSQP NYSQCTQDURG MFSGGGGGGHG HYQCCQGYNA YGPPPPQGGY

ambiguities

====

X W W WX

" " "

51 YQQCPGGGGG YYQXCCQCP MCVQQQPRSG GNSCLYGCL AALCVCTLD

amb

==

101 MLF

Fig 30

22259

```

      E               E E
      =               = =
1  MRRREIERRX QKXREQRQK SHEAKROIRI QQLSEQDSRS NQTKXSEXVF
51 KXARSTNSGA DETGLMSQKE FDDSAYSPOY LPZENLWNKP NHFDTNHKT
101 KYTENVVENL DDPNDTSAY NGSTHDETNI QNEIQIPEND EYVPQMKATS
      K           D   VR  is  C
      =           =   ==  =   =
151 SVNNTTIPAG RRESLSTSE NKARXFETAD VGVXGLESPX XAQTRNIWKI
      P
      =
201 QVSDNPWATY FPMXKZLET PEGKLLCRDQ

```

Fig 31

60gK

FIG

```

1  ITDFSDFKIT KLPALELEI LKRCYICKEL LNAFVPTQCD HTYCSQCIRE
      .
      .
51  FLRDNRCP L CXTFVFESGL KRDFLLEZIV ISYASLRPHL LRULEIEKVE
      .
101 SKQEVDRKYS ANESALINGNR NAINDVDET/ RVKDQLNADK LGEENGQAQH
      .
      .
      G fs X
      = =
151 WEQVNEQTTE VILLSDCEE NGSDSLVKCP ICFERMELDV LQGHIDDCL
      .
      .
      . fs
      .
      .
      Q Q X ambiguities
      = = =
201 SGKSTKRTPT LILSPKAKRP KQITSFFKPT IDTKTSPPT SKASTTPTAC
      .
      .
      S Q N I K M
      = = = = =
251 PTTLLKAV ASFSPVAQST VHXGKFLPKL DFSSLSSTQRI KAKLSDLKLP
      .
      .
      .
301 TCGSRNEMEA FYLHYTYTN ANLDSNHFV

```

Fig 32

BC CD

```

      .
      .
      G G fs D A
      = = =
1  XQFSSAVLS AVAGSALAAY SNSTVTDIQT TFWTITSCEE NKCHETEVT
      .
51  GVTIVTEVET TYTYCPLST TEAPAPSTAT DVSTTWIT SCEDKCHET
      .
101 AVTGVTTVT EGTITTYTC PLFSTEAPGP APSTABESKP AESSFVPTTA
      .
151 AESSPAKTIA AESSPAQETT PKTVAAESS ASTTAPAVST AENGAAANAV
      .
201 PVAAGLALA ALF

```

Fig 33

17c cd

```

1  PPXVAKSKSS TIGHIFRYTF YTAVISVIGS AGLIGYFIYE ESQPVDQVRQ
                                     X
                                     =
51  TPLFPNGEKK KILVILGSGW GAISLLKNLD TLYNVVIVS PRNYFLFTPL
                                     fs      X  fs      fs
                                     =      =  =      =
101 LPSVPTGTVE LPSIIEPVRS VTRRCPGQVI YLEASATNIN PKTNELTLRQ
      R      X      X X
      =      =      =
151 STTVVSGHSG KOTSSSKSTV AEYTGVEEIT TTLNYDYLVV GVGAQTILIF
      X X X      XX  XX X
      = = =      ==  == =
201 GNPGRPMRYF NFFFERKCSG SHLQIR

```

Fig 34

409c5 part2

1 DQNNEDFIPG TINIYSLEVD SEDENVSHYD ASSRPKVTK GHIILFPQPS
51 NSCNDFLWNS KWRKLSNFFI VIPITAFCAA TSNDAGSIQD SLNEKYGISY
101 DAMMTGAGVL FLGIGWGTFF LTPASSLYGR KITYFICIFL GLLGAWWFAL
151 VKSTSDJINS QLFVGISESC AEAQVQLSLG ELYFAHNLGS VLTSYIVATS
201 VGTYLEPLIA AFIVQNIGFR WVGWIAAIIIS GALLFVIVFC LDETYFDRAK
251 FTKP

Fig 35

360c6

```

1  DNVSSTSTAE ANWEIKVKD EFPQESQANT SLEDKPVSAV DGIIMCPLI
51  AFGGFVFGFD DGTISGFINK SDFLERFGGT KADGTLVFSN VRTGLMIGLF
      X X                      X
      = =                      =
101 NAGCAIGALF LSKWEDMYGR RVGINTAMIV YIVGIIIVQIA SQHAWYQVMI
                                     ambiguities
                                     ==
                                     X
                                     =
151 GRIITGLAVG NLSVLCPLFI SEVSPKHLRG TLVCCFQIMI TLGIFLGVCYCT
      fs
      =
201 TYGTRSYSDS RQWRIPGLIC FAWALCLVAG MVRMPESFRY LVGKDRISDA
                                     PR
                                     ==
251 KMSLAXTNKV SFEDPALYRZ LQLIQAGVER ERLAGKASWG TLFNGKTKIF
      IV      missing sequence
      ==      =====
301 ERVMLGMLQ ALQGFNWOKN LFPSYLTSPX N

```

Fig 36

98c 6D

```

                                     missing sequence
=====
1  NAFVSGTITE FLVVDATVE VGQETIKMEE GDAPAGGASA SEAPAKKEEA
                                     missing sequence
=====
51  PEKAKEESAP AAPPKKEETH KEEPKKESKP APKKEESKKS TQSTTSAPT
      missing sequence
=====
101 TNFSPNZEERV KQWMLRLRIA ERLKESQNTA ASLTFNEVD MSNEMDFRKK
      missing sequence
=====
151 YKDEFIEKTG IKLGFMGAFS KASALALKSI FAVNAAIENI DCLVFKDYAD
      missing sequence
=====
201 ISIAVATPKG LVTPTVRNAE SLSTLGIEKE ISNKGKKARD GKLTLEDMTG
      S  X XX Z  C  K X* X F  XF X  IX
      =  = == =  =  = == =  == =  ==
251 GDTTISNGGV FGSIVGTPII NMPQTAVLGL HGVKERPTV NGQIVSRPM
301 YLALTYDHRV VGGRAVIFL RIKELIEDP RKMLL

```

Fig 37

38

1 MIVYKRDGRK ETVRFDKITA RVQRLCYGLN PSHVEPVAIT QKVISGVYQG
31 VSTIELDNLA AEIAATMTTI HPDYAVLAAR IAVSNLHKQT TKQYSKVKSD
101 LYEVINPKTG LNSPMISKET YDILMEHEDE LNSAIVYDRD PNYNYFGFKT
151 LERSYLLRIN GVAERPQHL IMPVAVGING NDISRVIETY NLMSQRFFTH
201 GSPCLFNAGT FRPQMSSCFL LAMKDDSEEG IYDTLKSCAL ISKSAGGIGL
251 HINIRSTGA YIATINGTSN GIIPMVRVFN NTARYVDQGG NKRPGAFALY
301 LEPWHSDFD FIDIRKNHGK ZEIRARDLFP ALWIPDLFMK RVEQNGDWTL
351 FSPNEAPCLA DVGDEFEEL YTRYEKENRG RQTIKAQKLW YAILGAYTET
401 GTFPMLYKDS CNKRSNQKNL GIIKSSNLCC EIVEYSAPDE VAVCNLASIA
451 LPSFVENDEK STWYNFEKLH QVTKVVTPL NRVIDRNHYP VPEAERSKMR
501 HRPIALGVQG LACAFMEIRL PFDSQEAREL NIQIFETIYH AAVEASIELA
551 KEEGAYETYP GSPASQGLLQ FDLWNRKFTL LWDWDTLKQD LAXHGMNSL
601 LVAPMPTAST S2ILGNNECF EPYTSNIYSE RVLAGEFGIV NPYLEZDLVD
651 LGVANDAMKS SIIMNGSIQ ALPNIPDEIK ALYKTWWEIS QKHIIDMAAD
701 RAAFIDQSQS LNNHIXDPTM GXLTSMHFYG WKKGLKTGMY YLRTQAASAA
751 IQFTIDCKIA ETAGHTVAIL DKLNIKXYVN KGRVESENTS DAPYKSFSTE
801 PTSLESSVAC LKXDEGEKE AEDKTIEELE NDIYSAKVIA CAIINPESCT
851 MCGC

Fig 38

36

1 MITSKZTFLF TSSEVGECHF DKICDQVSDA ILDACLAVDF LSKVACETAA
51 KTGXIM/FGE ITTKAQLDYQ KILFDTIKHI GYDESEKGFQ YATCNVLVAI
101 EQQSPDIAQG LHYEKALBEL GAGDQSIMFG YATDETDEKL PATILLAKHL
151 NAALLASARRS GSLPWLRPDT KTQVTISEYK DGGAVIPKRV DTIVISTQHA
201 EEIPTENLRK EITEHIKQV IPEHLLDDKT IYHIQPSGRF VIOGFQCDAG
251 LTGRKIIVTF YSGWGAHGGG AFSQKDFSKV DRSAAYAARW VAKSLVTAGL
301 AKRALVQFSY AIGVAEPTSI YIDTYGTISKL STEALVEIHK MNFDLRPGVI
351 VKZLDLARPZ YFKDASYGHE TNQENSWEQP KKLKF

Fig 39

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record .**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

BEST AVAILABLE COPY

THIS PAGE BLANK (USPTO)